

SIRDAR

SNUGGLY 4 PLY

3620
36-51cm 14-20"



SIRDAR

MEASUREMENTS		Birth	Birth/3	3/6	6/9	Months
To Fit Chest		14 36	16 41	18 46	20 51	in cm
Actual Size		16 41	18 46	20 51	22 56	in cm
Full Length		9½ 24	10 25	10½ 27	11 28	in cm
Sleeve Length		5 13	5½ 14	6 15	6½ 17	in cm

Quality		Shade		14	16	18	20	Balls
		Set 1	Set 2					
074	Snuggly 4 ply Coat	311	251	2	2	2	2	50gm
074	Snuggly 4 ply Bonnet	311	251	1	1	1	1	50gm
074	Snuggly 4 ply Bootees	311	251	1	1	1	1	50gm

The quantities of yarn stated are based on average requirements and are therefore approximate.

1 Pair of No. 3¼mm (UK10 - USA3) Knitting Needles.
1 Pair of No. 2½mm (UK12 - USA1) Knitting Needles.
5 Buttons for Coat.
Ribbon for Bonnet.
1 Button for Bonnet.
Ribbon for Bootees.

TENSION
24 sts and 38 rows to 4in, 10cm over pattern on 3¼mm needles or the size required to give the correct tension.

VERY IMPORTANT
IT IS ESSENTIAL TO WORK TO THE STATED TENSION TO ENSURE SUCCESS. SIRDAR PLC CANNOT ACCEPT RESPONSIBILITY FOR THE RESULT OF USING ANY OTHER YARN.

Due to printing restrictions the colour on front cover is matched as close as possible.

QUERIES. Please contact Knitting Advisory Bureau, SIRDAR PLC, Flanshaw Lane, Alverthorpe, Wakefield WF2 9ND, West Yorkshire, England.

WARNING. Reproduction of this publication is protected by copyright. They are sold on the condition that they are only used for non-commercial purposes. All other rights are reserved by Sirdar Plc.

ABBREVIATIONS

Alt Alternate	Pssso Pass slipped	Tog Together
Beg Beginning	stitch over	Ws Wrong Side
Cont Continue	Rem Remain(ing)	Yfwd Yarn forward
Dec Decrease(ing)	Rep Repeat	Yrn Yarn round
Foll Following	Rs Right Side	needle
Inc Increase(ing)	S1 Slip one stitch	in Inch(es)
K Knit	knitways	cm Centimetres
P Purl	Sts Stitch(es)	mm Millimetres
Patt Pattern		

WORKING ABBREVIATIONS

1 x 1 Rib. 1st Row. * K1, p1, rep from * to last st, k1.
2nd Row. * P1, k1, rep from * to last st, p1.
Rep 1st and 2nd rows.
G-st. Garter stitch. Every row knit.
St-st. Stocking stitch. * 1st Row. Knit. 2nd Row. Purl. Rep from *.
m1. Make one stitch. Pick up loop between last and next stitch and work into back of this loop.

PATT 1

1st Row. * K1, yfwd, k2tog, k3, rep from *.

2nd and Every Alt Row. P.

3rd Row. * S1, k1, pssso, yfwd, k4, rep from *.

5th Row. * Yfwd, k2tog, rep from *.

7th Row. * S1, k1, pssso, yfwd, k4, rep from *.

9th Row. * K1, yfwd, k2tog, k3, rep from *.

11th Row. * S1, k1, pssso, yfwd, rep from *.

12th Row. P.

Rep 1st to 12th row.

PATT 2

1st and Every Alt Row. K1, yfwd, yrn, p2tog, k to end.

2nd Row. K2, yfwd, k3, yfwd, s1, k1, pssso, k2, yfwd, yrn, p2tog, k1.

4th Row. K2, yfwd, k5, yfwd, s1, k1, pssso, k1, yfwd, yrn, p2tog, k1.

6th Row. K2, yfwd, k3, yfwd, s1, k1, pssso, k2, yfwd, s1, k1, pssso, yfwd, yrn, p2tog, k1.

8th Row. K1, k2tog, yfwd, s1, k1, pssso, k3, k2tog, yfwd, k2, yfwd, yrn, p2tog, k1.

10th Row. K1, k2tog, yfwd, s1, k1, pssso, k1, k2tog, yfwd, k3, yfwd, yrn, p2tog, k1.

11th Row. K1, yfwd, yrn, p2tog, k to end.

12th Row. K1, k2tog, yfwd, s1, k2tog,

pssso, yfwd, k4, yfwd, yrn, p2tog, k1.

Rep 1st to 12th row.

COAT

MAIN PART

(Worked in one piece to armholes)

Using No. 3¼mm needles cast on 137 [149:161:173] sts.

1st Row. K1, patt 132 [144:156:168] sts as given for 1st row of Patt 1, k1, yfwd, k2tog, k1.

2nd and Every Alt Row. P.

3rd Row. K1, patt 132 [144:156:168] sts as given for 3rd row of Patt 1, s1, k1, pssso, yfwd, k2.

5th Row. K2, patt 134 [146:158:170] sts as given for 5th row of Patt 1, k1.

7th Row. K1, patt 132 [144:156:168] sts as given for 7th row of Patt 1, s1, k1, pssso, yfwd, k2.

9th Row. K1, patt 132 [144:156:168] sts as given for 9th row of Patt 1, k1, yfwd, k2tog, k1.

11th Row. K1, patt 134 [146:158:170] sts as given for 11th row of Patt 1, k2.

12th Row. P.

1st to 12th row sets patt.

Keeping continuity of patt cont until work measures 4 [4:4½:4½]in, 10 [10:11:11]cm, ending with a ws row.

Working in 1 x 1 rib (throughout) proceed as follows:-

Work 2 rows.

Divide for Armholes. Rib and slip 29 [32:35:38] sts onto a thread for Right Front, cast off 7 sts, rib 64 [70:76:82], slip these 65 [71:77:83] sts onto a thread for Back, cast off 7 sts, rib 28 [31:34:37].

LEFT FRONT

** Dec 1 st at armhole edge in 2nd and every alt row to 25 [27:29:31] sts.

Cont without shaping until armhole measures 2 [2½:2:2½]in, 5 [6:5:6]cm, ending at neck edge.

Shape Neck. Rib and slip first 3 [3:4:4] sts onto a thread, rib to end.

Dec 1 st at neck edge in 2nd and every alt row to 18 [20:20:22] sts. Cont without shaping until armhole measures 3½ [4:4:4½]in, 9 [10:10:11]cm, ending with a ws row. Cast off. **

BACK

With ws facing, rejoin yarn to 65 [71:77:83] sts left on a thread for Back and proceed as follows:-

Dec 1 st at each end of 2nd and every alt row to 57 [61:65:69] sts. Cont without shaping until armholes measure same as Left Front, ending with a ws row. Cast off.

RIGHT FRONT

With ws facing, rejoin yarn to 29 [32:35:38] sts left on a thread for Right Front and proceed as follows:-
Work from ** to **.

SLEEVES (Both alike)

Using No. 2½mm needles cast on 33 [37:39:41] sts and work in 1 x 1 rib for 1½ [1½:2:2]in, 4 [4:5:5]cm, ending with a rs row.

Next Row. Rib 11 [13:14:15], m1, rib 11, m1, rib to end. 35 [39:41:43] sts.

Change to No. 3¼mm needles and

proceed as follows:-

1st Row. K4 [3:4:2], patt 24 [30:30:36] sts as given for 1st row of Patt 1, k1, yfwd, k2tog, k4 [3:4:2].

2nd Row. P.

3rd Row. K4 [3:4:2], patt 24 [30:30:36] sts as given for 3rd row of Patt 1, sl, k1, pssso, yfwd, k5 [4:5:3].

4th Row. P.

1st to 4th row sets patt.

Keeping continuity of patt (throughout) commencing with 5th row of Patt 1 inc 1 st at each end of 1st and every foll 8th [7th:9th:6th] row to 43 [49:49:55] sts, working inc sts in patt.

Cont without shaping until work measures 5 [5½:6:6½] in, 13 [14:15:17] cm, ending with a ws row.

Shape Sleeve Top. Cast off 4 sts at beg of next 2 rows. Dec 1 st at each end of every alt row to 19 [19:19:23] sts. Dec 1 st at each end of every row to 13 [13:13:13] sts. Cast off.

BORDERS

Right Front Border

Using No. 2¾ mm needles cast on 7 sts, work in 1 x 1 rib for 2 rows.

**** 3rd Row.** Rib 3, yfwd, k2tog, pl, k1.

4th Row. (Pl, k1) 3 times, pl.

Work 14 [14:14:16] rows. ******

Work from ****** to ****** twice, 3rd and 4th rows once then work 12 [12:12:14] rows. Do not break off yarn, leave these sts on a thread.

Left Front Border

Work to match Right Front Border omitting buttonholes. Break off yarn, leave these sts on a thread.

NECKBAND

Join shoulder seams. With rs facing, using No. 2¾ mm needles work across 7 sts of Right Front Border as follows:- rib 6, k2tog with last st of border and 1st st left on a thread at Right Front, rib 2 [2:3:3] across rem sts, pick up and k 11 [11:14:14] sts evenly along Right Front, 21 [21:25:25] sts at back of neck, pick up and k 11 [11:14:14] sts evenly along left side of neck, rib 2 [2:3:3] sts at Left Front, k2tog last st left on a thread with 1st st of Left Front Border and rib rem 6 sts. 61 [61:73:73] sts.

1st Row. * Pl, k1, rep from * to last st, pl.

2nd Row. Rib 3, yfwd, k2tog, rib to end. Work 3 rows. Cast off.

TO MAKE UP

Fold Sleeves in half lengthways, then placing folds to shoulder seams, sew Sleeves in position. Join sleeve seams. Sew front borders in position.

LOWER EDGING

Using No. 3¼ mm needles cast on 12 sts,

work Patt 2 until edging is of sufficient length to fit all round lower edge, ending with 11th row. Cast off.

TO COMPLETE

Sew Lower Edging evenly in position all round lower edge. Sew on buttons. See ball band for pressing and care instructions.

BONNET

Using No. 2¾ mm needles cast on 103 [109:109:115] sts, work in 1 x 1 rib for 8 rows.

Next Row. K1, * yfwd, k2tog, k1, rep from * to end.

Next Row. P7 [2:2:5], (p2tog, pl [2:2:2], p2tog, pl) 15 times, p6 [2:2:5]. 73 [79:79:85] sts.

Change to No. 3¼ mm needles and proceed as follows:-

1st Row. K2, patt 66 [72:72:78] sts as given for 1st row of Patt 1, k1, yfwd, k2tog, k2.

2nd and Every Alt Row. K2, p69 [75:75:81], k2.

3rd Row. K2, patt 66 [72:72:78] sts as given for 3rd row of Patt 1, sl, k1, pssso, yfwd, k3.

5th Row. K3, patt 68 [74:74:80] sts as given for 5th row of Patt 1, k2.

7th Row. K2, patt 66 [72:72:78] sts as given for 7th row of Patt 1, sl, k1, pssso, yfwd, k3.

9th Row. K2, patt 66 [72:72:78] sts as given for 9th row of Patt 1, k1, yfwd, k2tog, k2.

11th Row. K2, patt 68 [74:74:80] sts as given for 11th row of Patt 1, k3.

12th Row. K2, p69 [75:75:81], k2.

1st to 12th rows set g-st borders and patt. Rep 1st to 12th rows until work measures 4 [4:4½:4½] in, 10 [10:11:11] cm, ending with a rs row.

Next Row. K2, p33 [36:36:39], p2tog, p34 [37:37:40], k2. 72 [78:78:84] sts.

Shape Back.

1st Row. (Sl, k1, pssso, k8 [9:9:10], k2tog) 6 times. 60 [66:66:72] sts.

2nd and Every Alt Row. P.

3rd Row. (Sl, k1, pssso, k6 [7:7:8], k2tog) 6 times. 48 [54:54:60] sts.

5th Row. (Sl, k1, pssso, k4 [5:5:6], k2tog) 6 times. 36 [42:42:48] sts.

7th Row. (Sl, k1, pssso, k2 [3:3:4], k2tog) 6 times. 24 [30:30:36] sts.

9th Row. (Sl, k1, pssso, k0 [1:1:2], k2tog) 6 times. 12 [18:18:24] sts.

10th Row. P.

2nd and 3rd sizes

11th Row. (Sl, k2tog, pssso) 6 times. [6:6] sts.

4th size

11th Row. (Sl, k1, pssso, k2tog) 6 times. [12] sts.

1st and 4th sizes

Next Row. (Sl, k1, pssso) 6 times. 6 [6] sts.

All sizes

Next Row. P.

Thread yarn through rem 6 sts, draw up and fasten off.

STRAP

Using No. 3¼ mm needles cast on 7 sts, work in g-st for 2 rows.

3rd Row. K3, yfwd, k2tog, k2.

Work in g-st for 27 [31:35:39] rows. Cast off.

TO COMPLETE

Sew up back seam. Sew on strap. Thread ribbon through eyelet holes and secure at edges. Sew on button. See ball band for pressing and care instructions.

BOOTEES (Both alike)

Using No. 3¼ mm needles cast on 33 [33:37:37] sts, work in g-st for 2 rows.

Next Row. K0 [0:1:1], (k2tog, yfwd, k1) 11 [11:12:12] times.

Next Row. K.

Divide for Instep. K22 [22:25:25], turn.

Next Row. K11 [11:13:13], turn.

Working on these 11 [11:13:13] sts only work in st-st for 1 [1½:2:2½] in, 3 [4:5:6] cm, ending with a ws row. Break off yarn.

With rs facing, commencing where the 11 [11:12:12] sts were left on needle pick up and k 10 [12:14:16] sts evenly along side edge of instep, k across 11 [11:13:13] sts, pick up and k 10 [12:14:16] sts evenly along other side of instep and k 11 [11:12:12] sts on needle. 53 [57:65:69] sts. Work in g-st for 7 [9:9:11] rows.

Shape Sole.

1st Row. K3, sl, k1, pssso, k17 [19:23:25], k2tog, k5, sl, k1, pssso, k17 [19:23:25], k2tog, k3.

2nd and Every Alt Row. K.

3rd Row. K3, sl, k1, pssso, k15 [17:21:23], k2tog, k5, sl, k1, pssso, k15 [17:21:23], k2tog, k3.

5th Row. K3, sl, k1, pssso, k13 [15:19:21], k2tog, k5, sl, k1, pssso, k13 [15:19:21], k2tog, k3.

7th Row. K3, sl, k1, pssso, k11 [13:17:19], k2tog, k5, sl, k1, pssso, k11 [13:17:19], k2tog, k3. 37 [41:49:53] sts.

8th Row. K. Cast off.

UPPER EDGING

Using No. 3¼ mm needles cast on 12 sts, work in Patt 2 until work is of sufficient length to fit all round top edge, ending with 11th row. Cast off.

TO MAKE UP

Sew Upper Edging in position to top edge. Sew up back and foot seams. Thread ribbon through eyelets. See ball band for pressing and care instructions.

Knitting Know How

MAKING UP

FINISHING OFF


Before you stitch the pieces of garment together, sew in all the loose ends of yarn on the wrong side of the work. Make sure you do not sew right through to the right side of the work. Secure by gently weaving in and out of stitches for about $\frac{1}{2}$ " then cut off any remaining yarn.

MAKING UP

Don't rush through the making up stage even though you may be keen to try on your garment! Poor making up can spoil a garment.


There are many alternative methods of stitching your pieces of garment together depending on your experience and the finished effect required. The simplest methods are back stitch and over stitch.

BACK STITCH



Use a wool needle (a thick needle with a blunt end and with a big "eye") and the same yarn as in knitting. Work with the wrong sides facing out, and one stitch from the edge of knitting. Secure the yarn at the right hand side and pushing the needle from the back to the front, pull the yarn through carefully. Move the needle across the front of the work – towards the right and re-insert the needle through to the back where the last stitch ended. Continue until you have completed the seam.

OVER STITCH



Using a wool needle and the yarn as used for knitting, place the pieces together with the wrong sides facing out. Secure the yarn to the pieces. Push the needle from the back to the front of the work. Repeat the action making sure that you loop the yarn over the edge of the work. Continue until you have completed the seam.

KNITTING KNOW HOW

Casting on: Thumb method – using one needle

To cast on make a slip loop in the yarn about a yard from the end. (This length varies with the number of stitches to be cast on – 1 yard will cast on about one hundred stitches. A guide to the length required is – the width of the piece of knitting to be cast on, multiplied by three.)



1. Slip loop on to the needle which should be held in the right hand.



2. Working with the short length of yarn in the left hand, pass this round the left thumb.



3. Insert the point of the needle under the loop on the thumb, and hook forward the long end of yarn from the ball.



4. Wind yarn under and over the needle and draw through loop, leaving stitch on needle.



5. Tighten stitch on needle, noting that yarn is round thumb ready for next stitch.
6. Repeat action 3-5 for required number of stitches.

Buttons obtainable from
Duttons for Buttons, York 0904 632042 and Ilkley 0943 601850

