

 **Patons**

Fairytale D.K.

1660

18-22 in 46-56 cm

PRICE
CODE **B**



Baby trio

Three pretty baby designs with cable details: a sweater and a round or V neck cardigan, all with easy raglan sleeves.

Patons Fairytale Double Knitting

The ideal yarn for baby knitting – soft, springy and it is machine-washable too. Courtelle/Bri-Nylon blend.

To fit chest	in	18	20	22
	cm	46	51	56
Length from top of shoulders	in	9½	10	11
	cm	24	25	28
Sleeve seam	in	5½	6½	8
	cm	14	17	20

Patons Fairytale Double Knitting	Courtelle/Bri-Nylon			
Round Neck Cardigan	×20 gram balls	5	6	7
V Neck Cardigan	×20 gram balls	5	6	7
Sweater	×20 gram balls	4	5	6

Keep ball bands for washing and pressing instructions.

CAUTION. It is essential to work to the stated tension, and Patons and Baldwins Limited cannot accept responsibility for the finished product if any yarn other than the recommended Patons yarn is used.

Buy the full amount of yarn at one time to avoid variations in dyelots.

Pair each Nos 3½ mm and 4 mm Milward needles. Needle sizes quoted are Metric; equivalent UK sizes are No 10 for 3½ mm and No 8 for 4 mm.

Cable pin. 6 buttons for Round Neck Cardigan. 4 buttons for V Neck Cardigan. 3 buttons for Sweater.

Check your tension

Cast on 11 sts on No 4 mm needles. Work 15 rows in stocking stitch. Cast off. The square should measure 2 in each way.

If your tension is right in stocking stitch it should be right in any other fabric.

If the square is bigger your work is too loose; try a size finer needle. If it is smaller your work is too tight; try a size larger needle.

Any alteration in needle size should be carried throughout the design.

Sizes

The figures in square brackets [] refer to the medium and large sizes.

These garments have been specially designed for the size range given and it is regretted that no adaptations are available.

Abbreviations

K=knit; P=purl; KB=knit into back of stitch; PB=purl into back of stitch; st=stitch; yrn=yarn round needle; tog=together.

inc=increase by working into front and back of stitch; dec=decrease by working 2 stitches together.

beg=beginning; alt=alternate; rep=repeat; patt=pattern; in=inches; cm=centimetres; mm=millimetres; 0=no stitches.

M1=make 1 stitch by picking up horizontal loop lying before next stitch and working into back of it.

C3F=slip next st on cable pin and leave at front of work, K2, then K1 from cable pin.

C3B=slip next 2 sts on cable pin and leave at back of work, K1, then K2 from cable pin.

Round Neck Cardigan

BACK

With No 3½ mm needles, cast on 50 [54, 60] sts and work in K1, P1 rib for 1 in.

Next row—Rib 1 [6, 6], M1, * rib 4 [3, 3], M1; rep from * to last 1 [6, 6] sts, rib to end (63 [69, 77] sts).

Change to No 4 mm needles and work in **patt** as follows:

1st row—(Right side), P6 [3, 1], * K3, P3; rep from * to last 9 [6, 4] sts, K3, P6 [3, 1].

2nd row—K6 [3, 1], * P3, K3; rep from * to last 9 [6, 4] sts, P3, K6 [3, 1].

3rd row—P6 [3, 1], * C3F, P3; rep from * to last 9 [6, 4] sts, C3F, P6 [3, 1]. **4th row**—As 2nd.

These 4 rows form patt.

Continue in patt until Back measures approx 5 [5, 5½] in, ending with a 4th patt row.

Keeping continuity of patt, **shape raglans** by casting off 3 sts at beg of next 2 rows, then dec 1 st at each end of next and every alt row until 31 [33, 37] sts remain.

Now dec 1 st at each end of every row until 17 [19, 23] sts remain.

Leave sts on a spare needle.

LEFT FRONT

** With No 3½ mm needles, cast on 24 [27, 29] sts and work in K1, P1 rib for 1 in, rows on right side having a K1 at each end on **2nd and 3rd sizes**.

Next row—Rib 2 [1, 4], M1, * rib 4 [5, 3], M1; rep from * to last 2 [1, 4] sts, rib to end (30 [33, 37] sts).

Change to No 4 mm needles and work in **patt** as follows:

1st row—(Right side), P6 [3, 1], * K3, P3; rep from * to end.

2nd row—* K3, P3; rep from * to last 6 [3, 1] sts, K6 [3, 1].

3rd row—P6 [3, 1], * C3F, P3; rep from * to end.

4th row—As 2nd.

These 4 rows form patt.

Continue in patt until Front measures approx 5 [5, 5½] in, ending with a 4th patt row. **

Keeping continuity of patt, **shape raglan** by casting off 3 sts at beg of next row. Work 1 row.

Dec 1 st at raglan edge on next and every alt row until 16 [17, 19] sts remain. Work 1 row.

Shape neck as follows: **Next row**—Work 2tog, patt to last 3 [4, 5] sts, turn. Leave these 3 [4, 5] sts on a safety-pin.

Work 1 row. Dec 1 st at each end of every row until 8 [8, 7] sts remain.

Dec 1 st at raglan edge **only** as before until 2 sts remain. **Next row**—K2tog and fasten off.

RIGHT FRONT

**** With No 3¼ mm needles, cast on 24 [27, 29] sts and work in K1, P1 rib for 1 in, rows on right side having a K1 at each end on 2nd and 3rd sizes.**

Next row—Rib 2 [1, 4], M1, * rib 4 [5, 3], M1; rep from * to last 2 [1, 4] sts, rib to end (30 [33, 37] sts).

Change to No 4 mm needles and place patt as follows:

1st row—(Right side), * P3, K3; rep from * to last 6 [3, 1] sts, P6 [3, 1]. **2nd row**—K6 [3, 1], * P3, K3; rep from * to end.

3rd row—* P3, C3F; rep from * to last 6 [3, 1] sts, P6 [3, 1]. **4th row**—As 2nd.

These 4 rows form patt. ******

Finish to correspond with Left Front, reversing shapings.

SLEEVES

With No 3¼ mm needles, cast on 30 [32, 34] sts and work in K1, P1 rib for 1 in.

Next row—Rib 5 [6, 6], M1, (rib 10 [10, 11], M1) twice, rib to end (33 [35, 37] sts).

Change to No 4 mm needles and work in patt as follows:

1st row—(Right side), P0 [1, 2], * K3, P3; rep from * to last 3 [4, 5] sts, K3, P0 [1, 2]. **2nd row**—K0 [1, 2], * P3, K3; rep from * to last 3 [4, 5] sts, P3, K0 [1, 2].

3rd row—P0 [1, 2], * C3F, P3; rep from * to last 3 [4, 5] sts, C3F, P0 [1, 2]. **4th row**—As 2nd.

These 4 rows form patt.

Continue in patt, shaping sides by inc 1 st at each end of next and every following 6th [6th, 7th] row until there are 43 [45, 49] sts, taking inc sts into patt.

Work straight until sleeve seam measures 5½ [6½, 8] in, ending with same patt row as on Back and Fronts.

Shape raglans by casting off 3 sts at beg of next 2 rows.

2nd and 3rd sizes: Work 2 rows.

All sizes: Dec 1 st at each end of next and every alt row until 5 sts remain. Work 1 row.

Slip sts on a safety-pin.

MAKE UP AND BORDERS

Do not press.

Using a flat seam for ribbing and a fine back-stitch seam for remainder, join raglan, side and sleeve seams.

Neck Border: With right side facing and No 3¼ mm needles, start at top of right front and work as follows: K across 3 [4, 5] sts from right front, **knit up** 9 sts up right side of neck, K across 5 sts from safety-pin, 17 [19, 23] sts from back, 5 sts from safety-pin, **knit up** 9 sts down left side of neck, then K across 3 [4, 5] from left front (51 [55, 61] sts).

Work 5 rows in P1, K1 rib, rows on right side having a K1 at each end.

Cast off evenly in rib.

Button Border: With No 3¼ mm needles, cast on 7 sts and work in rib as follows: **1st row**—(Right side), K2, (P1, K1) twice, K1. **2nd row**—(K1, P1) 3 times, K1.

Rep these 2 rows until Border, when slightly stretched, fits up Left Front for a Girl, Right Front for a Boy to top of Neck Border.

Sew in position as you go along. Cast off in rib.

Buttonhole Border: Work as for Button Border with the addition of 6 buttonholes, first to come ½ in up from lower edge, last at centre of Neck Border and remainder spaced evenly between.

First mark position of buttons on Button Border with pins to ensure even spacing, then work buttonholes to correspond.

To make a buttonhole: (Right side), rib 3, yrn, P2tog, rib 2.

Press seams.

Sew on buttons.

V Neck Cardigan

BACK

Work as for Back of Round Neck Cardigan but cast off remaining sts.

LEFT FRONT

Work as for Left Front of Round Neck Cardigan from ****** to ******.

Shape raglan and front edge as follows: Cast off 3 sts at beg of next row. Work 1 row.

Dec 1 st at beg of next and every alt row, **at the same time** dec 1 st at front edge on next and every following 6th row until 9 [10, 20] sts remain.

3rd size: Continue dec at raglan edge on next and every alt row, **at the same time** dec at front edge on every following 4th row until 10 sts remain.

2nd and 3rd sizes: Dec 1 st at end of next row, then dec 1 st at each end of following row (7 sts).

All sizes: Dec 1 st at raglan edge **only** on every row until 2 sts remain. **Next row**—K2tog and fasten off.

RIGHT FRONT

Work as for Right Front of Round Neck Cardigan from ****** to ******.

Finish to correspond with Left Front, reversing shapings.

SLEEVES

Work as for Sleeves of Round Neck Cardigan but cast off remaining sts.

MAKE UP AND BORDERS

Do not press.

Using a flat seam for ribbing and a fine back-stitch seam for remainder, join raglan, side and sleeve seams.

Button Border: With No 3¼ mm needles, cast on 7 sts and work in rib as follows:

1st row—(Right side), K2, (P1, K1) twice, K1.

2nd row—K1, (P1, K1) 3 times.

Rep these 2 rows until strip, when slightly stretched, fits up Left Front for a Girl, Right Front for a Boy and round to centre back of neck.

Slip sts on a safety-pin.

Using a flat seam sew in position.

Buttonhole Border: Work as for Button Border with the addition of 4 buttonholes, first ½ in up from lower edge, 4th ½ in down from start of front shaping, remainder spaced evenly between.

First mark position of buttons with pins on Button Border to ensure even spacing, then work buttonholes to correspond.

To make a buttonhole: (Right side), rib 3, yrn, P2tog, rib to end.

Graft or cast off sts together at centre back.

Press seams.

Sew on buttons.

Sweater

FRONT

**** With No 3¼ mm needles, cast on 48 [52, 58] sts and work in K1, P1 rib for 1 in.**

Next row—Rib 6 [6, 8], M1, (rib 12 [13, 14], M1) 3 times, rib to end (52 [56, 62] sts). ******

Change to No 4 mm needles and work in patt as follows:

1st row—(Right side), K4 [6, 9], * P1, KB1, P2, K3, P2, KB1, P1*, K22; rep from * to * once more, K4 [6, 9]. **2nd row**—P4 [6, 9], * K1, PB1, K2, P3, K2, PB1, K1 *, P22; rep from * to * once more, P4 [6, 9].

3rd row—K4 [6, 9], P1, KB1, P2, C3B, P2, KB1, P1, K22, P1, KB1, P2, C3F, P2, KB1, P1, K4 [6, 9]. **4th row**—As 2nd.

These 4 rows form patt.

Continue in patt until Front measures approx 5 [5, 5½] in, ending with a 4th patt row.

Keeping continuity of patt, **shape raglans** by casting off 3 sts at beg of next 2 rows. Work 2 rows.

Dec 1 st at each end of next and following 4th row (42 [46, 52] sts).

Now dec 1 st at each end of every alt row until 28 [30, 32] sts remain.

Work 1 row, thus ending with right side facing for next row.

Divide for neck as follows:

Next row—K2tog, work 8 [8, 9] sts, turn leaving remaining sts on a spare needle.

Next row—P2tog, work to end.

Continue on these sts for first side dec 1 st at raglan edge on next and every alt row, **at the same time** dec 1 st at neck edge on every row until 5 [6, 6] sts remain.

Dec 1 st at raglan edge **only** as before until 2 sts remain. **Next row**—P. **Next row**—K2tog and fasten off.

With right side facing, slip centre 8 [10, 10] sts on a length of yarn, rejoin yarn to remaining sts and finish to correspond with first side, reversing shapings.

BACK

Work as for Front from ** to **.

Change to No 4 mm needles and starting with a K row, work in stocking stitch until Back matches Front at side edge, ending with right side facing for next row.

Shape raglans by casting off 3 sts at beg of next 2 rows.

Divide for back opening as follows:

Next row—K21 [23, 26], turn and leave remaining sts on a spare needle.

Continue on these sts for first side and work 1 row.

Dec 1 st at raglan edge on next and following 4th row (19 [21, 24] sts).

Now dec 1 st on every alt row until 7 [7, 8] sts remain, ending with right side facing.

Slip these sts on a length of yarn.

With right side facing, slip centre 4 sts on a safety-pin, rejoin yarn to remaining sts and work to end.

Complete to correspond with first side, reversing shapings.

SLEEVES

With No 3¼ mm needles, cast on 28 [30, 32] sts and work in K1, P1 rib for 1 in.

Next row—Rib 3 [4, 4], M1, (rib 7 [7, 8], M1) 3 times, rib to end (32 [34, 36] sts).

Change to No 4 mm needles and starting with a K row, work in stocking stitch, shaping sides by inc 1 st at each end of 5th [5th, 3rd] and every following 7th [7th, 8th] row until there are 40 [44, 48] sts.

Work straight until sleeve seam measures 5½ [6½, 8] in, ending with right side facing for next row.

Shape raglans by casting off 3 sts at beg of next 2 rows.

Work 2 rows.

Dec 1 st at each end of next and every alt row until 4 sts remain, ending with right side facing.

Slip remaining sts on a safety-pin.

MAKE UP AND BORDERS

With wrong side of work facing, block each piece by pinning out round edges, and omitting ribbing, press lightly following instructions on the ball band.

Using a flat seam for ribbing and a fine back-stitch seam for remainder, join raglan, side and sleeve seams.

Neck Border: With right side facing and No 3¼ mm needles, starting at top of left back opening, work as follows: K7 [7, 8] sts across left back, 4 sts from safety-pin, **knit up** 8 [10, 12] sts down left side of neck, K8 [10, 10] sts from centre dec 1 st at centre, **knit up** 8 [10, 12] sts up right side of neck, K4 sts from safety-pin, then 7 [7, 8] sts across right back (45 [51, 57] sts).

Work 1½ in P1, K1 rib, rows on **wrong** side having a P1 at each end.

Cast off evenly in rib.

Fold Neck Border in half to wrong side and slip-hem loosely in position.

Button Border: With No 3¼ mm needles, cast on 7 sts and work in rib as follows:

1st row—K2, (P1, K1) twice, K1. **2nd row**—(K1, P1) 3 times, K1.

Rep these 2 rows until Border, when slightly stretched, fits up Left Back for Girl, Right Back for Boy to top of Neck Border.

Sew in position as you go along.

Cast off in rib.

Buttonhole Border: With right side facing and No 3¼ mm needles, K across 4 centre back sts as follows: K1, (M1, K1) 3 times (7 sts).

Now work in rib as for Button Border, starting with a 2nd row, with the addition of 3 buttonholes, first to come ½ in up from start of back opening, 3rd at centre of Neck Border and 2nd spaced evenly between.

First mark position of buttons on Button Border with pins to ensure even spacing, then work buttonholes to correspond.

To make a buttonhole: (Right side), rib 3, cast off 1, rib to end and back, casting on 1 st over st cast off.

Lightly stitch Button Border at base of opening on wrong side.

Press seams. Sew on buttons.

We shall be happy to deal with your queries if you write to Sarah Bell, Patons & Baldwins Limited, Alloa, Scotland, enclosing a ball band of the yarn specified and a stamped addressed envelope.

PUBLISHED BY PATONS & BALDWIN'S LIMITED

Made and printed in Great Britain by Lund Humphries, Bradford and London

