

Peter Pan

double
KNIT

P827
PRICE CODE C

46-56cm. (18-22ins.)

6/12 months-2/3 yrs



by
E. PRENTISS.

HOODED JACKET in Peter Pan D.K.

P.827
Knitted in Peter Pan D.K.
Shade: 300 Pure White

Instructions given for 46 cm. (18 inch) Chest, larger sizes given in round brackets. Where only one figure is given this applies to all sizes.

MATERIALS AND MEASUREMENTS

The photograph shows the 46 cm. garment.

To Fit Age, approximately	6-12 mths	1-2 yrs	2-3 yrs	
To Fit Chest Sizes	46 18	51 20	56 22	cm. ins.
Actual Measurements	52 20½	58 22¾	63.5 25	cm. ins.
Peter Pan D.K. or Peter Pan Spot Print D.K. (50g.)	3	4	4	Balls
2 – 3 mm. (U.K. 11) and 2 – 3¾ mm. (U.K. 9 – U.S.A. 5) Wendy Knitting Needles. 5 Buttons.				
Length from Back of Neck	27.5 10¾	30 11¾	31.5 12½	cm. ins.
Sleeve Seam	15 6	16.5 6½	21.5 8½	cm. ins.

Please note that the limitations of the printing process mean that the actual colour will not always precisely match the colours in the photograph.

IMPORTANT

Use only the Peter Pan yarn specified. We cannot accept responsibility for an imperfect garment if any other brand is used. It is essential to work to the tension stated.

The quantities of yarn stated are based on average requirements and are therefore approximate.

ABBREVIATIONS

K. – Knit; **P.** – Purl; **st(s).** – stitch(es); **g.st.** – garter stitch (every row knit); **inc.** – increase; **tog.** – together;

beg. – beginning; **alt.** – alternate; **sl.1** – slip one; **p.s.s.o.** – pass slipped stitch over; **rept.** – repeat; **P.1 below** – purl one below, insert needle into next st. 1 row below and P. it; **patt.** – pattern; **cm.** – centimetres; **ins.** – inches.

TENSION

It is important to check your tension before commencing the garment.

24 sts. and 38 rows to 10 cm. (4 ins.) over patt. on 3¾ mm. Needles.

If there are too many stitches to 10 cm., then your tension is tight and you will need to change your needle to a larger size. If there are too few stitches to 10 cm., then your

tension is loose and you will need to change your needle to a smaller size.

BACK

Using 3 mm. Needles, cast on 61 (67, 73) sts.

Work 7 rows in g.st.

Change to 3¾ mm. Needles.

Commence Patt.

1st Row (Right Side) – Knit.

2nd Row – Purl.

3rd Row – * K.1, P.1 below (see abbreviations), rept. from * to last st., K.1.

4th Row – Purl.

These 4 rows form the patt. Continue in patt. until work measures 16.5 (17.5, 19) cm. 6½ (7, 7½) ins from commencement finishing on a wrong side row.

Shape Armholes

Keeping patt. correct.

Cast off 1 st. at beg. of next 2 rows.

Next Row – K.2, sl.1, K.1, p.s.s.o., patt. to last 4 sts., K.2tog., K.2.

Next Row – Purl.

Keeping 4 row patt. correct, rept. the last 2 rows until 21 (23, 25) sts. remain finishing on a wrong side row.

Cast off.

LEFT FRONT

Using 3 mm. Needles, cast on 27 (31, 35) sts.

Work 7 rows in g.st.

Change to 3³/₄ mm. Needles.

Commence Patt.

Continue in patt. as given for Back until work measures 16.5 (17.5, 19) cm. 6¹/₂ (7, 7¹/₂) ins. from commencement finishing on a same patt. row as Back to armholes. (Work 1 row more for Right Front).

Shape Armholes

Keeping patt. correct.

Cast off 1 st. at beg. of next row.

Purl 1 row. (Omit this row for Right Front).

Next Row – K.2, sl.1, K.1, p.s.s.o., patt. to end.

Next Row – Purl.

Rept. the last 2 rows until 10 (12, 14) sts. remain finishing at Front Edge.

Shape Neck

1st Row – Cast off 3 sts., P. to end.

2nd and Alt. Rows – K.2, sl.1, K.1, p.s.s.o., patt. to end.

3rd Row – Cast off 1 (3, 2) sts., P. to end.

5th Row – Cast off 2 sts., P. to end.

56 cm. (22) inch size only

Next Row – K.2, sl.1, K.1, p.s.s.o., K.1.

Next Row – Cast off 2 sts., P.1.

All Sizes

K.2tog. Fasten off.

RIGHT FRONT

Work exactly as instructions given for Left Front reversing all shapings and working armhole shaping **K.2tog.** not sl.1, K.1, p.s.s.o.

SLEEVES (Both Alike)

Using 3 mm. Needles, cast on 31 (33, 37) sts.

Work 7 rows in g.st.

Change to 3³/₄ mm. Needles.

Commence Patt.

Continue in patt. as given for Back, inc. 1 st. at each end of the needle on the 3rd and every following 8 (8, 10)th row until 41 (43, 49) sts. are on the needle.

Continue without further inc. until Sleeve measures 15 (16.5, 21.5) cm. 6 (6¹/₂, 8¹/₂) ins. from commencement finishing on a same patt. row as Back to armholes.

Shape Top

Keeping patt. correct.

Cast off 1 st. at beg. of next 2 rows.

3rd Row – K.2, sl.1, K.1, p.s.s.o., patt. to last 4 sts., K.2tog., K.2.

4th Row – Purl.

5th Row – Patt. to end.

6th Row – Purl.

Rept. the last 4 rows 3 (4, 4) times more, then the 3rd and 4th Rows only until 9 (9, 11) sts. remain finishing on a 4th Row.

Cast off.

HOOD

Using 3³/₄ mm. Needles, cast on 40 (42, 46) sts.

Commence Patt.

with g.st. border for face edge.

1st Row – Knit.

2nd Row – K.9, P. to end.

3rd Row – K.1, * P.1 below, K.1, rept. from * to last 9 sts., K.9.

4th Row – As 2nd Row.

Keeping 9 border sts. in g.st., continue in patt., inc. 1 st. at beg. of the next and every following 8th row until 48 (50, 54) sts. are on the needle.

Continue without further inc. until Hood measures 6.5 (7.5, 10) cm. 2¹/₂ (3, 4) ins. from last inc. finishing on a 4th Row.

K.2tog. at beg. (shaped edge) of the next and every following 8th row until 40 (42, 46) sts. remain.

Work 3 rows.

Cast off.

MAKING UP

Pin sleeves into position, sew in by top sewing.

Join side and sleeve seams by top sewing.

Button Band

Using 3 mm. Needles, cast on 8 sts.

Work in g.st. until band is long enough when slightly stretched to fit up front from lower edge to commencement of neck shaping.

Cast off.

Mark positions for buttons on button band, the first one 1 cm. ($\frac{1}{2}$ inch) from lower edge, the last one 1 cm. ($\frac{1}{2}$ inch) from neck

edge and 3 more equally spaced between.

Buttonhole Band

Work exactly as instructions given for button band working buttonholes to correspond with positions marked for buttons as follows:-

Buttonhole Row – K.3, cast off 2, K. to end.

Next Row – K.3, cast on 2, K.3.

Pin front bands into

position, buttonhole band on the right front for a girl (left front for a boy), sew on by top sewing. Join back seam of hood by top sewing.

Fold g.st border of hood onto right side, pin lower edge of hood around neck edge of Jacket omitting 4 sts. on each front band. Sew on by top sewing. Sew on buttons.

For Washing and Pressing instructions see ball band.



Our Knitting Bureau will gladly give any assistance or advice on Wendy designs if queries are accompanied by a Wendy or Peter Pan ball band and a stamped addressed envelope.

CARTER & PARKER LTD., GUISELEY, YORKS.

A Member of the Thomas Ramsden Group