




IMPORTANT. SIRDAR PLC CANNOT ACCEPT RESPONSIBILITY FOR THE FINISHED PRODUCT IF ANY YARN OTHER THAN SIRDAR IS USED. IT IS ESSENTIAL TO WORK TO THE STATED TENSION.

GENERAL NOTES

After casting off stitches for shaping, one stitch will remain on the right hand needle which is not included in the instructions that follow.

For the smallest size read the instructions as given.

For the larger sizes read the figures within the brackets.

ABBREVIATIONS

K knit, **p** purl, **s1** slip one stitch knitways, **st(s)** stitch(es), **rep** repeat, **patt** pattern, **cont** continue, **tog** together, **rem** remaining, **fol** following, **beg** beginning, **yfwd** yarn forward, **tbl** through back of loops, **0** no stitches or times, **inc** increase(s), **dec** decreasing, **in** inch(es), **cm** centimetres, **mm** millimetres.

The quantities of yarn stated in this publication are based on average requirements and are therefore approximate.



1 CARDIGAN

**For boy or girl
To Fit**

	20 51	22 56	24 61	in cm
Actual size	22 56	24 61	26 66	in cm
Full length	10½ 27	12 30	13½ 34	in cm
Sleeve length (adjustable)	7½ 19	8½ 22	9½ 24	in cm
COUNTRY STYLE CHUNKY	6	6	7	50gm balls
PULLMAN Wool	7	7	8	50gm balls
GEMINI Brushed Chunky	3	3	3	100gm balls

1 Pair No. 6½mm (3) and No. 5½mm (5) Knitting Needles or the size required to give the correct tension.
1 Spare Needle with points at each end.
5 Buttons.

CHECK YOUR TENSION

The tension for this design is
**1 pattern (44 stitches) to 8½ inches
(22cm) in width.**

**If you have fewer stitches than this
use a thinner needle.**

**If you have more stitches than this
use a thicker needle.**

The back

Remember to check your tension.

Using No. 5½mm needles cast on 39 [43 : 47] sts.

1st Row S1, k1, * p1, k1, rep from * to last st, k1.

2nd Row S1, * p1, k1, rep from * to end.

Rep 1st and 2nd rows twice then 1st row once.

8th Row S1, (p1, k1) 2 [3 : 4] times, * inc once in next st purlways, k1, rep from * to last 4 [6 : 8] sts, (p1, k1) 2 [3 : 4] times. 54 [58 : 62] sts.

Change to No. 6½mm needles and proceed as follows:-

1st Row S1, k0 [0 : 2], p0 [2 : 2], k2, p4, (slip next 2 sts onto spare needle and let this fall to back of work, k2 then knit 2 sts from spare needle, this will now be termed 'cable back'), (slip next 2 sts onto spare needle and let this fall to front of work, k2 then knit 2 sts from spare needle, this will now be termed 'cable front'), p4, 'cable back', p1, k2, p2, k2, p1, 'cable back', p4, 'cable back', 'cable front', p4, k2, p0 [2 : 2], k1 [1 : 3].

2nd Row S1, p0 [0 : 2], k0 [2 : 2], p2, k4, p8, k4, p4, k1, p2, k2, p2, k1, p4, k4, p8, k4, p2, k0 [2 : 2], p0 [0 : 2], k1.

3rd Row S1, p0 [0 : 2], k0 [2 : 2], p5, (slip next st onto spare needle and let this fall to back of work, k2 then purl st from spare needle, this will now be termed 'C3B'), 'cable back', (slip next 2 sts onto spare needle and let this fall to front of work, p1 then knit 2 sts from spare needle, this will now be termed 'C3F'), p3, 'cable back', p3, k2, p3, 'cable back', p3, 'C3B', 'cable back', 'C3F', p5, k0 [2 : 2], p0 [0 : 2], k1.

4th Row S1, k0 [0 : 2], p0 [2 : 2], k5, p2, k1, p4, k1, p2, k3, p4, k3, p2, k3, p4, k3, p2, k1, p4, k1, p2, k5, p0 [2 : 2], k1 [1 : 3].

5th Row S1, k0 [0 : 2], p0 [2 : 2], k2, p2, 'C3B', p1, 'cable back', p1, 'C3F', p2, 'cable back', p1, k2, p2, k2, p1, 'cable back', p2, 'C3B', p1, 'cable back', p1, 'C3F', p2, k2, p0 [2 : 2], k1 [1 : 3].

6th Row S1, p0 [0 : 2], k0 [2 : 2], (p2, k2) twice, p4, k2, p2, k2, p4, k1, p2, k2, p2, k1, p4, k2, p2, k2, p4, (k2, p2) twice, k0 [2 : 2], p0 [0 : 2], k1.

7th Row S1, p0 [0 : 2], k0 [2 : 2], p3, 'C3B', p2, 'cable back', p2, 'C3F', p1, 'cable back', p3, k2, p3, 'cable back', p1, 'C3B', p2, 'cable back', p2, 'C3F', p3, k0 [2 : 2], p0 [0 : 2], k1.

8th Row S1, k0 [0 : 2], p0 [2 : 2], k3, p2, k3, p4, k3, p2, k1, p4, k3, p2, k3, p4, k1, p2, k3, p4, k3, p2, k3, p0 [2 : 2], k1 [1 : 3].

9th Row S1, k0 [0 : 2], p0 [2 : 2], k2, p1, 'C3F', p2, 'cable back', p2, 'C3B', p1, 'cable back', p1, k2, p2, k2, p1, 'cable back', p1, 'C3F', p2, 'cable back', p2, 'C3B', p1, k2, p0 [2 : 2], k1 [1 : 3].

10th Row S1, p0 [0 : 2], k0 [2 : 2], (p2, k2) twice, p4, k2, p2, k2, p4, k1, p2, k2, p2, k1, p4, k2, p2, k2, p4, (k2, p2) twice, k0 [2 : 2], p0 [0 : 2], k1.

11th Row S1, p0 [0 : 2], k0 [2 : 2], p4, 'C3F', p1, 'cable back', p1, 'C3B', p2, 'cable back', p3, k2, p3, 'cable back', p2, 'C3F', p1, 'cable back', p1, 'C3B', p4, k0 [2 : 2], p0 [0 : 2], k1.

12th Row S1, k0 [0 : 2], p0 [2 : 2], k5, p2, k1, p4, k1, (p2, k3, p4, k3) twice, p2, k1, p4, k1, p2, k5, p0 [2 : 2], k1 [1 : 3].

13th Row S1, k0 [0 : 2], p0 [2 : 2], k2, p3, 'C3F', 'cable back', 'C3B', p3, 'cable back', p1, k2, p2, k2, p1, 'cable back', p3, 'C3F', 'cable back', 'C3B', p3, k2, p0 [2 : 2], k1 [1 : 3].

14th Row S1, p0 [0 : 2], k0 [2 : 2], p2, k4, p8, k4, p4, k1, p2, k2, p2, k1, p4, k4, p8, k4, p2, k0 [2 : 2], p0 [0 : 2], k1.

15th Row S1, p0 [0 : 2], k0 [2 : 2], p6, (slip next 2 sts onto spare needle and let this fall to front of work, p2 then knit 2 sts from spare needle, this will now be termed 'C4F'), (slip next 2 sts onto spare needle and let this fall to back of work, k2 then purl 2 sts from spare needle, this will now be termed 'C4B'), p4, 'cable back', p3, k2, p3, 'cable back', p4, 'C4F', 'C4B', p6, k0 [2 : 2], p0 [0 : 2], k1.

16th Row S1, k0 [0 : 2], p0 [2 : 2], k8, p4, k6, p4, k3, p2, k3, p4, k6, p4, k8, p0 [2 : 2], k1 [1 : 3].

17th Row S1, k0 [0 : 2], p0 [2 : 2], k2, p6, 'cable back', p6, 'cable back', p1, k2, p2, k2, p1, 'cable back', p6, 'cable back', p6, k2, p0 [2 : 2], k1 [1 : 3].

18th Row S1, p0 [0 : 2], k0 [2 : 2], p2, (k6, p4) twice, k1, p2, k2, p2, k1, (p4, k6) twice, p2, k0 [2 : 2], p0 [0 : 2], k1.

19th Row S1, p0 [0 : 2], k0 [2 : 2], p8, 'cable back', p6, 'cable back', p3, k2, p3, 'cable back', p6, 'cable back', p8, k0 [2 : 2], p0 [0 : 2], k1.

20th Row S1, k0 [0 : 2], p0 [2 : 2], k8, p4, k6, p4, k3, p2, k3, p4, k6, p4, k8, p0 [2 : 2], k1 [1 : 3].

From 1st to 20th row (inclusive) forms patt.

Keeping continuity of patt (throughout) cont until work measures 10½ [12 : 13½] in or 27 [30 : 34] cm, ending on wrong side.

Shape Shoulders

Cast off 6 [7 : 8] sts in patt at beg of next 2 [4 : 4] rows.

Cast off 7 [8 : 8] sts in patt at beg of next 4 [2 : 2] rows.

Cast off rem 14 sts in patt.

The left front

Remember to check your tension.

Using No. 5½ mm needles cast on 17 [19 : 21] sts.

1st Row S1, k1, * p1, k1, rep from * to last st, k1.

2nd Row S1, * p1, k1, rep from * to end.

Rep 1st and 2nd rows twice then 1st row once.

8th Row S1, * inc once in next st purfways, k1, rep from * to last 0 [2 : 4] sts, (p1, k1) 0 [1 : 2] times, 25 [27 : 29] sts.

Change to No. 6½ mm needles and proceed as follows:-

1st Row S1, k0 [0 : 2], p0 [2 : 2], k2, p4, 'cable back', 'cable front', p4, 'cable back', p1, k1.

2nd Row S1, k1, p4, k4, p8, k4, p2, k0 [2 : 2], p0 [0 : 2], k1.

3rd Row S1, p0 [0 : 2], k0 [2 : 2], p5, 'C3B', 'cable back', 'C3F', p3, 'cable back', p1, k1.

4th Row S1, k1, p4, k3, p2, k1, p4, k1, p2, k5, p0 [2 : 2], k1 [1 : 3].

5th Row S1, k0 [0 : 2], p0 [2 : 2], k2, p2, 'C3B', p1, 'cable back', p1, 'C3F', p2, 'cable back', p1, k1.

6th Row S1, k1, p4, k2, p2, k2, p4, (k2, p2) twice, k0 [2 : 2], p0 [0 : 2], k1.

7th Row S1, p0 [0 : 2], k0 [2 : 2], p3, 'C3B', p2, 'cable back', p2, 'C3F', p1, 'cable back', p1, k1.

8th Row S1, k1, p4, k1, p2, k3, p4, k3, p2, k3, p0 [2 : 2], k1 [1 : 3].

9th Row S1, k0 [0 : 2], p0 [2 : 2], k2, p1, 'C3F', p2, 'cable back', p2, 'C3B', p1, 'cable back', p1, k1.

10th Row S1, k1, p4, k2, p2, k2, p4, (k2, p2) twice, k0 [2 : 2], p0 [0 : 2], k1.

11th Row S1, p0 [0 : 2], k0 [2 : 2], p4, 'C3F', p1, 'cable back', p1, 'C3B', p2, 'cable back', p1, k1.

12th Row S1, k1, p4, k3, p2, k1, p4, k1, p2, k5, p0 [2 : 2], k1 [1 : 3].

13th Row S1, k0 [0 : 2], p0 [2 : 2], k2, p3, 'C3F', 'cable back', 'C3B', p3, 'cable back', p1, k1.

14th Row S1, k1, p4, k4, p8, k4, p2, k0 [2 : 2], p0 [0 : 2], k1.

15th Row S1, p0 [0 : 2], k0 [2 : 2], p6, 'C4F', 'C4B', p4, 'cable back', p1, k1.

- 16th Row** S1, k1, p4, k6, p4, k8, p0 [2 : 2], k1 [1 : 3].
- 17th Row** S1, k0 [0 : 2], p0 [2 : 2], k2, p6, 'cable back', p6, 'cable back', p1, k1.
- 18th Row** S1, k1, (p4, k6) twice, p2, k0 [2 : 2], p0 [0 : 2], k1.
- 19th Row** S1, p0 [0 : 2], k0 [2 : 2], p8, 'cable back', p6, 'cable back', p1, k1.
- 20th Row** S1, k1, p4, k6, p4, k8, p0 [2 : 2], k1 [1 : 3].

From 1st to 20th row (inclusive) forms patt.

Keeping continuity of patt (throughout) cont until work measures 8 [9½ : 11] in or 20 [24 : 28] cm, ending on wrong side.

Shape Neck

Next Row S1, patt to last 2 sts, k2tog.

Next Row K2tog, patt to last st, k1.

Work 3 rows dec once at neck edge in every row. 20 [22 : 24] sts.

Cont without shaping until work measures same as The Back, ending on wrong side.

Shape Shoulder

1st Row Cast off 6 [7 : 8] sts in patt, patt to last st, k1.

2nd Row S1, patt to end.

3rd Row Cast off 7 [7 : 8] sts in patt, patt to last st, k1.

4th Row S1, patt to end.

Cast off rem 7 [8 : 8] sts in patt.

The right front

Remember to check your tension.

Using No. 5½mm needles cast on 17 [19 : 21] sts.

1st Row S1, k1, * p1, k1, rep from * to last st, k1.

2nd Row S1, * p1, k1, rep from * to end.

Rep 1st and 2nd rows twice then 1st row once.

8th Row S1, (p1, k1) 0 [1 : 2] times, * inc once in next st purlways, k1, rep from * to end. 25 [27 : 29] sts.

Change to No. 6½mm needles and proceed as follows:-

1st Row S1, p1, 'cable back', p4, 'cable back', 'cable front', p4, k2, p0 [2 : 2], k1 [1 : 3].

2nd Row S1, p0 [0 : 2], k0 [2 : 2], p2, k4, p8, k4, p4, k2.

3rd Row S1, p1, 'cable back', p3, 'C3B', 'cable back', 'C3F', p5, k0 [2 : 2], p0 [0 : 2], k1.

4th Row S1, k0 [0 : 2], p0 [2 : 2], k5, p2, k1, p4, k1, p2, k3, p4, k2.

5th Row S1, p1, 'cable back', p2, 'C3B', p1, 'cable back', p1, 'C3F', p2, k2, p0 [2 : 2], k1 [1 : 3].

6th Row S1, p0 [0 : 2], k0 [2 : 2], (p2, k2) twice, p4, k2, p2, k2, p4, k2.

7th Row S1, p1, 'cable back', p1, 'C3B', p2, 'cable back', p2, 'C3F', p3, k0 [2 : 2], p0 [0 : 2], k1.

8th Row S1, k0 [0 : 2], p0 [2 : 2], k3, p2, k3, p4, k3, p2, k1, p4, k2.

9th Row S1, p1, 'cable back', p1, 'C3F', p2, 'cable back', p2, 'C3B', p1, k2, p0 [2 : 2], k1 [1 : 3].

10th Row S1, p0 [0 : 2], k0 [2 : 2], (p2, k2) twice, p4, k2, p2, k2, p4, k2.

11th Row S1, p1, 'cable back', p2, 'C3F', p1, 'cable back', p1, 'C3B', p4, k0 [2 : 2], p0 [0 : 2], k1.

12th Row S1, k0 [0 : 2], p0 [2 : 2], k5, p2, k1, p4, k1, p2, k3, p4, k2.

13th Row S1, p1, 'cable back', p3, 'C3F', 'cable back', 'C3B', p3, k2, p0 [2 : 2], k1 [1 : 3].

14th Row S1, p0 [0 : 2], k0 [2 : 2], p2, k4, p8, k4, p4, k2.

15th Row S1, p1, 'cable back', p4, 'C4F', 'C4B', p6, k0 [2 : 2], p0 [0 : 2], k1.

16th Row S1, k0 [0 : 2], p0 [2 : 2], k8, p4, k6, p4, k2.

17th Row S1, p1, 'cable back', p6, 'cable back', p6, k2, p0 [2 : 2], k1 [1 : 3].

18th Row S1, p0 [0 : 2], k0 [2 : 2], p2, (k6, p4) twice, k2.

19th Row S1, p1, 'cable back', p6, 'cable back', p8, k0 [2 : 2], p0 [0 : 2], k1.

20th Row S1, k0 [0 : 2], p0 [2 : 2], k8, p4, k6, p4, k2.

From 1st to 20th row (inclusive) forms patt.

Keeping continuity of patt (throughout) cont until work measures 8 [9½ : 11] in or 20 [24 : 28] cm, ending on wrong side.

Shape Neck

Next Row K2tog, patt to last st, k1.

Next Row S1, patt to last 2 sts, k2tog.

Work 3 rows dec once at neck edge in every row. 20 [22 : 24] sts.

Cont without shaping until work measures same as The Back, ending on right side.

Shape Shoulder

1st Row Cast off 6 [7 : 8] sts in patt, patt to last st, k1.

2nd Row S1, patt to end.

3rd Row Cast off 7 [7 : 8] sts in patt, patt to last st, k1.

4th Row S1, patt to end.

Cast off rem 7 [8 : 8] sts in patt.

The sleeves (Both alike)

Remember to check your tension.

Using No. 5½mm needles cast on 21 [23 : 25] sts.

1st Row S1, k1, * p1, k1, rep from * to last st, k1.

2nd Row S1, * p1, k1, rep from * to end.

Rep 1st and 2nd rows 4 times inc once at end of last row. 22 [24 : 26] sts.

Change to No. 6½mm needles and proceed as follows:-

1st Row S1, k0 [0 : 1], p1 [2 : 2], k2, * p2, k2, rep from * to last 2 [3 : 4] sts, p1 [2 : 2], k1 [1 : 2].

2nd Row S1, p0 [0 : 1], k1 [2 : 2], p2, * k2, p2, rep from * to last 2 [3 : 4] sts, k1 [2 : 2], p0 [0 : 1], k1.

3rd Row S1, p0 [0 : 1], k1 [2 : 2], p2, * k2, p2, rep from * to last 2 [3 : 4] sts, k1 [2 : 2], p0 [0 : 1], k1.

4th Row S1, k0 [0 : 1], p1 [2 : 2], k2, * p2, k2, rep from * to last 2 [3 : 4] sts, p1 [2 : 2], k1 [1 : 2].

Keeping continuity of patt (as set) inc once at each end of next and every foll 2nd [4th : 4th] row to 28 [28 : 30] sts.

Inc once at each end of every foll 4th [6th : 6th] row to 32 [32 : 36] sts.

Cont without shaping until work measures $7\frac{1}{2}$ [$8\frac{1}{2}$: $9\frac{1}{2}$] in or 19 [22 : 24] cm, or length required, ending on wrong side.

Shape Top

Cast off 6 [6 : 7] sts in patt at beg of next 4 rows.

Cast off rem 8 sts in patt.

The buttonhole border (For a Girl)

Using No. 5½ mm needles cast on 7 sts.

1st Row S1, (k1, p1) twice, k2.

2nd Row S1, (p1, k1) 3 times.

3rd Row S1, k1, p1, cast off 2 sts, k1.

4th Row S1, p1, cast on 2 sts, k1, p1, k1.

Rep 1st and 2nd rows 5 [6 : 7] times. **

Rep from ** to ** twice, 3rd and 4th rows once then 1st and 2nd rows 4 [5 : 6] times.

Do not break off yarn, leave these sts on a thread.

The button border (For a Girl)

Work exactly as given for The Buttonhole Border for a Girl omitting buttonholes.

Break off yarn, leave these sts on a thread.

The buttonhole border (For a Boy)

Using No. 5½ mm needles cast on 7 sts.

1st Row S1, (k1, p1) twice, k2.

2nd Row S1, (p1, k1) 3 times.

3rd Row S1, k1, cast off 2 sts, k2.

4th Row S1, p1, k1, cast on 2 sts, p1, k1.

Rep 1st and 2nd rows 5 [6 : 7] times. ***

Rep from *** to *** twice, 3rd and 4th rows once then 1st and 2nd rows 4 [5 : 6] times.

Break off yarn, leave these sts on a thread.

The button border (For a Boy)

Work exactly as given for The Buttonhole Border for a Boy omitting buttonholes.

Do not break off yarn, leave these sts on a thread.

To make up

Read Pressing Instructions. Sew up side seams leaving $4\frac{1}{2}$ [$4\frac{1}{2}$: 5] in or 11 [11 : 13] cm free to form armholes.

Sew up shoulder and sleeve seams. Sew in sleeves. Sew Front Borders in position.

The neckband

For all 3 sizes

With right side facing, using No. 5½ mm needles and commencing at Right Front Border work across 7 sts left on a thread as follows:- S1, (k1, p1) 3 times, pick up and knit 10 sts evenly along right side of neck, 14 sts from cast off sts at back of neck, 11 sts evenly along left side of neck and work across 7 sts of Left Front Border as follows:- (p1, k1) 3 times, k1. (49 sts).

1st Row S1, * p1, k1, rep from * to end.

For a Girl

2nd Row S1, k1, p1, cast off 2 sts, * p1, k1, rep from * to last st, k1.

3rd Row S1, * p1, k1, rep from * to last 4 sts, p1, cast on 2 sts, k1, p1, k1.

For a Boy

2nd Row S1, k1, * p1, k1, rep from * to last 5 sts, cast off 2 sts, k2.

3rd Row S1, p1, k1, cast on 2 sts, * p1, k1, rep from * to end.

For Girl and Boy

4th Row S1, k1, * p1, k1, rep from * to last st, k1.

5th Row S1, * p1, k1, rep from * to end.

Cast off in rib.

To complete

Sew on buttons. Brush Gemini lightly on completion.





2 SWEATER

**For boy or girl
To Fit**

	20 51	22 56	24 61	in cm
Actual size	22 56	24 61	26 66	in cm
Full length	10½ 27	12 30	13½ 34	in cm
Sleeve length (adjustable)	7½ 19	8½ 22	9½ 24	in cm
COUNTRY STYLE CHUNKY	6	6	7	50gm balls
PULLMAN Wool	7	7	8	50gm balls
GEMINI Brushed Chunky	3	3	3	100gm balls

1 Pair No. 6½ mm (3) and No. 5½ mm (5) Knitting Needles or the size required to give the correct tension.
1 Spare Needle with points at each end.
4 Buttons.

CHECK YOUR TENSION

The tension for this design is
**1 pattern (40 stitches) to 8½ inches
(22cm) in width.**

**If you have fewer stitches than this
use a thinner needle.**

**If you have more stitches than this
use a thicker needle.**

The back

Remember to check your tension.

Using No. 5½ mm needles cast on 39 [43 : 47] sts.

1st Row S1, k1, * p1, k1, rep from * to last st, k1.

2nd Row S1, * p1, k1, rep from * to end.

Rep 1st and 2nd rows twice then 1st row once.

8th Row S1, (p1, k1) 0 [1 : 2] times, inc once in next st purlways, k1, p1, inc once in next st, inc once in next st purlways, k1, p1, inc once in next st, (p1, k1) twice, * inc once in next st purlways, (k1, p1) twice, k1, * rep from * to * once, inc once in next st purlways, (k1, p1) twice, inc once in next st, inc once in next st purlways, k1, p1, inc once in next st, p1, k1, inc once in next st purlways, (k1, p1) 0 [1 : 2] times, k1, 50 [54 : 58] sts.

Change to No. 6½ mm needles and proceed as follows:-

1st Row S1, p0 [2 : 0], (k2, p2) 1 [1 : 2] times, p3, (slip next 2 sts onto spare needle and let this fall to back of work, k1 then knit 2 sts from spare needle, this will now be termed 'T3B'), (slip next

st onto spare needle and let this fall to front of work k2 then knit st from spare needle, this will now be termed 'T3F'), p5, (slip next 2 sts onto spare needle and let this fall to front of work, k2 then knit 2 sts from spare needle, this will now be termed 'cable front', p4, (slip next 2 sts onto spare needle and let this fall to back of work, k2 then knit 2 sts from spare needle, this will now be termed 'cable back'), p5, (k1, p2) 3 times, (p2, k2) 1 [1 : 2] times, p0 [2 : 0], k1.

2nd Row S1, k0 [2 : 0], (p2, k2) 1 [1 : 2] times, (k2, p1) 3 times, k5, p4, k4, p4, k5, p6, k3, (k2, p2) 1 [1 : 2] times, k1 [3 : 1].

3rd Row S1, k0 [2 : 0], (p2, k2) 1 [1 : 2] times, p3, 'T3B', 'T3F', p5, k2, (slip next 2 sts onto spare needle and let this fall to front of work, p1 then knit 2 sts from spare needle, this will now be termed 'C3F'), p2, (slip next st onto spare needle and let this fall to back of work, k2 then purl st from spare needle, this will now be termed 'C3B'), k2, p5, (k1 p1 k1 p1 into next st, p2) 3 times, (k2, p2) 1 [1 : 2] times, k1 [3 : 1].

4th Row S1, p0 [2 : 0], (k2, p2) 1 [1 : 2] times, (k2, p4tog) 3 times, k5, p2, k1, p2, k2, p2, k1, p2, k5, p6, k3, (p2, k2) 1 [1 : 2] times, p0 [2 : 0], k1.

5th Row S1, p0 [2 : 0], (k2, p2) 1 [1 : 2] times, p3, 'T3B', 'T3F', p5, k2, p1, 'C3F', 'C3B', p1, k2, p5, (k1, p2) 3 times, (p2, k2) 1 [1 : 2] times, p0 [2 : 0], k1.

6th Row S1, k0 [2 : 0], (p2, k2) 1 [1 : 2] times, (k2, p1) 3 times, k5, p2, k2, p4, k2, p2, k5, p6, k3, (k2, p2) 1 [1 : 2] times, k1 [3 : 1].

7th Row S1, k0 [2 : 0], (p2, k2) 1 [1 : 2] times, p3, k6, p5, k2, p2, 'cable back', p2, k2, p5, (k1 p1 k1 p1 into next st, p2) 3 times, (k2, p2) 1 [1 : 2] times, k1 [3 : 1].

8th Row S1, p0 [2 : 0], (k2, p2) 1 [1 : 2] times, (k2, p4tog) 3 times, k5, p2, k2, p4, k2, p2, k5, p6, k3, (p2, k2) 1 [1 : 2] times, p0 [2 : 0], k1.

9th Row S1, p0 [2 : 0], (k2, p2) 1 [1 : 2] times, p3, k6, p5, k2, p1, 'C3B', 'C3F', p1, k2, p5, (k1, p2) 3 times, (p2, k2) 1 [1 : 2] times, p0 [2 : 0], k1.

10th Row S1, k0 [2 : 0], (p2, k2) 1 [1 : 2] times, (k2, p1) 3 times, k5, p2, k1, p2, k2, p2, k1, p2, k5, p6, k3, (k2, p2) 1 [1 : 2] times, k1 [3 : 1].

11th Row S1, k0 [2 : 0], (p2, k2) 1 [1 : 2] times, p3, k6, p5, k2, 'C3B', p2, 'C3F', k2, p5, (k1 p1 k1 p1 into next st, p2) 3 times, (k2, p2) 1 [1 : 2] times, k1 [3 : 1].

12th Row S1, p0 [2 : 0], (k2, p2) 1 [1 : 2] times, (k2, p4tog) 3 times, k5, p4, k4, p4, k5, p6, k3, (p2, k2) 1 [1 : 2] times, p0 [2 : 0], k1.

From 1st to 12th row (inclusive) forms patt.

Keeping continuity of patt (throughout) cont until work measures 10½ [12 : 13½] in or 27 [30 : 34] cm, ending on wrong side.

Shape Shoulders

1st Row Cast off 18 [20 : 22] sts in patt, patt to last st, k1.

2nd Row S1, patt to end.

3rd Row Cast off 14 sts in patt, knit to end. 18 [20 : 22] sts.

Change to No. 5½ mm needles and proceed as follows:-

4th Row S1, knit to end.

Rep 4th row 3 times.

Cast off knitways.

The front

Remember to check your tension.

Using No. 5½ mm needles cast on 39 [43 : 47] sts.

1st Row S1, k1, * p1, k1, rep from * to last st, k1.

2nd Row S1, * p1, k1, rep from * to end.

Rep 1st and 2nd rows twice then 1st row once.

8th Row S1, (p1, k1) 0 [1 : 2] times, inc once in next st purlways, k1, p1, inc once in next st, p1, k1, inc once in next st purlways, inc once in next st, (p1, k1) twice, * inc once in next st purlways, (k1, p1) twice, k1, * rep from * to * once, inc once in next st purlways, (k1, p1) twice, inc once in next st, inc once in next st purlways, k1, p1, inc once in next st, p1, k1, inc once in next st purlways, (k1, p1) 0 [1 : 2] times, k1. 50 [54 : 58] sts.

Change to No. 6½ mm needles and proceed as follows:-

1st Row S1, p0 [2 : 0], (k2, p2) 1 [1 : 2] times, (p2, k1) 3 times, p5, 'cable front', p4, 'cable back', p5, 'T3B', 'T3F', p3, (p2, k2) 1 [1 : 2] times, p0 [2 : 0], k1.

2nd Row S1, k0 [2 : 0], (p2, k2) 1 [1 : 2] times, k3, p6, k5, p4, k4, p4, k5, (p1, k2) 3 times, (k2, p2) 1 [1 : 2] times, k1 [3 : 1].

3rd Row S1, k0 [2 : 0], (p2, k2) 1 [1 : 2] times, (p2, k1 p1 k1 p1 into next st) 3 times, p5, k2, 'C3F', p2, 'C3B', k2, p5, 'T3B', 'T3F', p3, (k2, p2) 1 [1 : 2] times, k1 [3 : 1].

4th Row S1, p0 [2 : 0], (k2, p2) 1 [1 : 2] times, k3, p6, k5, p2, k1, p2, k2, p2, k1, p2, k5, (p4tog, k2) 3 times, (p2, k2) 1 [1 : 2] times, p0 [2 : 0], k1.

5th Row S1, p0 [2 : 0], (k2, p2) 1 [1 : 2] times, (p2, k1) 3 times, p5, k2, p1, 'C3F', 'C3B', p1, k2, p5, 'T3B', 'T3F', p3, (p2, k2) 1 [1 : 2] times, p0 [2 : 0], k1.

6th Row S1, k0 [2 : 0], (p2, k2) 1 [1 : 2] times, k3, p6, k5, p2, k2, p4, k2, p2, k5, (p1, k2) 3 times, (k2, p2) 1 [1 : 2] times, k1 [3 : 1].

7th Row S1, k0 [2 : 0], (p2, k2) 1 [1 : 2] times, (p2, k1 p1 k1 p1 into next st) 3 times, p5, k2, p2, 'cable back', p2, k2, p5, k6, p3, (k2, p2) 1 [1 : 2] times, k1 [3 : 1].

8th Row S1, p0 [2 : 0], (k2, p2) 1 [1 : 2] times, k3, p6, k5, p2, k2, p4, k2, p2, k5, (p4tog, k2) 3 times, (p2, k2) 1 [1 : 2] times, p0 [2 : 0], k1.

9th Row S1, p0 [2 : 0], (k2, p2) 1 [1 : 2] times, (p2, k1) 3 times, p5, k2, p1, 'C3B', 'C3F', p1, k2, p5, k6, p3, (p2, k2) 1 [1 : 2] times, p0 [2 : 0], k1.

10th Row S1, k0 [2 : 0], (p2, k2) 1 [1 : 2] times, k3, p6, k5, p2, k1, p2, k2, p2, k1, p2, k5, (p1, k2) 3 times, (k2, p2) 1 [1 : 2] times, k1 [3 : 1].

11th Row S1, k0 [2 : 0], (p2, k2) 1 [1 : 2] times, (p2, k1 p1 k1 p1 into next st) 3 times, p5, k2, 'C3B', p2, 'C3F', k2, p5, k6, p3, (k2, p2) 1 [1 : 2] times, k1 [3 : 1].

12th Row S1, p0 [2 : 0], (k2, p2) 1 [1 : 2] times, k3, p6, k5, p4, k4, p4, k5, (p4tog, k2) 3 times, (p2, k2) 1 [1 : 2] times, p0 [2 : 0], k1.

From 1st to 12th row (inclusive) forms patt.

Keeping continuity of patt (throughout) cont until work measures 8 [9½ : 11] in or 20 [24 : 28] cm, ending on wrong side.

Shape Neck

Next Row S1, patt, 20 [22 : 24], k1, turn.

Working on these 22 [24 : 26] sts only proceed as follows:-

Next Row S1, patt to last st, k1.

Work 4 rows dec once at neck edge in every row. 18 [20 : 22] sts.

Cont without shaping until work measures same as The Back to commencement of shoulder shaping.

Change to No. 5½ mm needles and proceed as follows:-

Shape Shoulder

1st Row S1, knit to end.

2nd Row S1, knit to end.

3rd Row S1, k2 [2 : 3], cast off 2 sts, k2 [3 : 3], cast off 2 sts, k2 [3 : 3], cast off 2 sts, k2 [2 : 3].

4th Row S1, k2 [2 : 3], cast on 2 sts, k3 [4 : 4], cast on 2 sts, k3 [4 : 4], cast on 2 sts, k3 [3 : 4].

5th Row S1, knit to end.

Cast off knitways.

With right side facing, slip first 6 sts of rem 28 [30 : 32] sts onto a thread, using No. 6½mm needles rejoin yarn to rem 22 [24 : 26] sts and proceed as follows:-

Next Row K1, patt to last st, k1.

Next Row S1, patt to last st, k1.

Work 4 rows dec once at neck edge in every row, 18 [20 : 22] sts.

Cont without shaping until work measures same as The Back, ending on wrong side.

Shape Shoulder

Cast off in patt.

The sleeves (Both alike)

Remember to check your tension.

Using No. 5½mm needles cast on 21 [23 : 25] sts.

1st Row S1, k1, * p1, k1, rep from * to last st, k1.

2nd Row S1, * p1, k1, rep from * to end.

Rep 1st and 2nd rows 4 times inc once at end of last row, 22 [24 : 26] sts.

Change to No. 6½mm needles and proceed as follows:-

1st Row S1, k0 [0 : 1], p1 [2 : 2], k2, * p2, k2, rep from * to last 2 [3 : 4] sts, p1 [2 : 2], k1 [1 : 2].

2nd Row S1, p0 [0 : 1], k1 [2 : 2], p2, * k2, p2, rep from * to last 2 [3 : 4] sts, k1 [2 : 2], p0 [0 : 1], k1.

3rd Row S1, p0 [0 : 1], k1 [2 : 2], p2, * k2, p2, rep from * to last 2 [3 : 4] sts, k1 [2 : 2], p0 [0 : 1], k1.

4th Row S1, k0 [0 : 1], p1 [2 : 2], k2, * p2, k2, rep from * to last 2 [3 : 4] sts, p1 [2 : 2], k1 [1 : 2].

Keeping continuity of patt (as set) inc once at each end of next and every foll 2nd [4th : 4th] row to 28 [28 : 30] sts.

Inc once at each end of every foll 4th [6th : 6th] row to 32 [32 : 36] sts.

Cont without shaping until work measures 7½ [8½ : 9½]in or 19 [22 : 24]cm, or length required, ending on wrong side.

Shape Top

Cast off 6 [6 : 7] sts in patt at beg of next 4 rows.

Cast off rem 8 sts.

Sew up right shoulder seam.

The neckband

For all 3 sizes

With right side facing, using No. 5½mm needles and commencing at top of Left Shoulder shaping pick up and knit 15 sts evenly along left side of neck, knit across 6 sts left on a thread at front of neck, pick up and knit 10 sts evenly along right side of neck, 14 sts from cast off sts at back of neck and 4 sts evenly along shoulder shaping, (49 sts).

1st Row S1, * p1, k1, rep from * to last st, k1.

2nd Row S1, k1, cast off 2 sts, k1, * p1, k1, rep from * to last st, k1.

3rd Row S1, * p1, k1, rep from * to last 2 sts, cast on 2 sts, p1, k1.

4th Row S1, k1, * p1, k1, rep from * to last st, k1.

5th Row S1, * p1, k1, rep from * to end.

Cast off in rib.

To make up

Read Pressing Instructions. Sew up side seams leaving 4½ [4½ : 5]in or 11 [11 : 13]cm free to form armholes. Placing Left Front shoulder over back sew in position at armhole. Sew up sleeve seams. Sew in sleeves. Sew on buttons. Brush Gemini lightly on completion.



1ST ROW S1, P2 * K2, P2, P2 ('T2B', 'T2F')
 CABLE BACK, CABLE FRONT, K2 (P2 T2B, T2F TWICE) P2, P2, K2, P2 K1.



3 SLIPOVER

For boy or girl
To Fit

	20 51	22 56	24 61	in cm
Actual size	22 56	24 61	26 66	in cm
Full length	10½ 27	12 30	13½ 34	in cm
COUNTRY STYLE CHUNKY	4	4	5	50gm balls
PULLMAN Wool	4	5	6	50gm balls
GEMINI Brushed Chunky	2	2	2	100gm balls

1 Pair No. 6½mm (3) and No. 5½mm (5) Knitting Needles or the size required to give the correct tension.

1 Spare Needle with points at each end.

6 Buttons.

CHECK YOUR TENSION

The tension for this design is
1 pattern (40 stitches) to 8½ inches
(22cm) in width.

If you have fewer stitches than this
use a thinner needle.

If you have more stitches than this
use a thicker needle.

The back

Remember to check your tension.

Using No. 5½mm needles cast on 39 [43 : 47]
sts.

1st Row S1, k1, * p1, k1, rep from * to last st, k1.

2nd Row S1, * p1, k1, rep from * to end.

Rep 1st and 2nd rows twice then 1st row once.

8th Row S1, (p1, k1) 1 [2 : 3] times, p1, * inc
once in next st, p1, k1, inc once in next st
purlways, k1, p1, rep from * to last 5 [7 : 9] sts,
inc once in next st, (p1, k1) 2 [3 : 4] times. 50 [54
: 58] sts.

Change to No. 6½mm needles and proceed as
follows:-

1st Row S1, p0 [2 : 0], (k2, p2) 1 [1 : 2] times,
p2, (slip next st onto spare needle and let this
fall to back of work, k1 then knit st from spare
needle, this will now be termed 'T2B'), (slip
next st onto spare needle and let this fall to
front of work, k1 then knit st from spare
needle, this will now be termed 'T2F'), p2,
'T2B', 'T2F', p2, k2, (slip next 2 sts onto spare
needle and let this fall to back of work, k2 then

knit 2 sts from spare needle, this will now be
termed 'cable back'), (slip next 2 sts onto
spare needle and let this fall to front of work,
k2 then knit 2 sts from spare needle, this will
now be termed 'cable front'), k2, (p2, 'T2B',
'T2F') twice, p2, (p2, k2) 1 [1 : 2] times, p0 [2 :
0], k1.

2nd Row S1, k0 [2 : 0], (p2, k2) 1 [1 : 2] times,
(k2, p4) twice, k2, p12, (k2, p4) twice, k2, (k2,
p2) 1 [1 : 2] times, k1 [3 : 1].

3rd Row S1, k0 [2 : 0], (p2, k2) 1 [1 : 2] times, p2,
(T2F', 'T2B', p2) twice, 'cable back', k4, 'cable
front', (p2, 'T2F', 'T2B') twice, p2, (k2, p2) 1 [1 :
2] times, k1 [3 : 1].

4th Row S1, p0 [2 : 0], (k2, p2) 1 [1 : 2] times, (k2,
p4) twice, k2, p12, (k2, p4) twice, k2 (p2, k2) 1 [1 :
2] times, p0 [2 : 0], k1.

From 1st to 4th row (inclusive) forms patt.

Keeping continuity of patt (throughout) cont
until work measures 5 [6½ : 7½] in or 13 [17 :
19]cm, ending on wrong side.

Shape Armholes

Cast off 4 sts in patt at beg of next 2 rows.

Work 6 [8 : 6] rows dec once at each end of every
row. 30 [30 : 38] sts. **

Cont without shaping until armholes measure
5½ [5½ : 6] in or 14 [14 : 15]cm, ending on
wrong side.

Change to No. 5½mm needles and proceed as
follows:-

1st Row S1, patt 7 [7 : 11] sts, cast off 14 sts in
patt, patt 6 [6 : 10] sts, k1.

Working on first 8 [8 : 12] sts only and using
No. 5½mm needles proceed as follows:-

1st Row S1, knit to end.

Rep 1st row 3 times.

Cast off knitways.

With wrong side facing, using No. 5½mm needles rejoin yarn to rem 8 [8 : 12] sts and proceed as follows:-

1st Row Knit to end.

2nd Row S1, knit to end.

Rep 2nd row twice.

Cast off knitways.

The front

Remember to check your tension.

Work exactly as given for The Back until ** is reached.

Cont without shaping until armholes measure 3 [3 : 3½] in or 8 [8 : 9] cm, ending on wrong side.

Shape Neck

Next Row S1, patt 10 [10 : 14] sts, k1, turn.

Working on these 12 [12 : 16] sts only, proceed as follows:-

Next Row S1, patt to last st, k1.

Work 4 rows dec once at neck edge in every row. 8 [8 : 12] sts.

Cont without shaping until armhole is 5 rows less than The Back.

Next Row S1, patt to last st, k1.

Change to No. 5½mm needles and proceed as follows:-

1st Row S1, knit to end.

2nd Row S1, k2 [2 : 4], cast off 2 sts, k2 [2 : 4].

3rd Row S1, k2 [2 : 4], cast on 2 sts, k3 [3 : 5].

4th Row S1, knit to end.

Cast off knitways.

With right side facing, slip first 6 sts of rem 18 [18 : 22] sts onto a thread, rejoin yarn to rem 12 [12 : 16] sts and proceed as follows:-

Next Row K1, patt to last st, k1.

Next Row S1, patt to last st, k1.

Work 4 rows dec once at neck edge in every row. 8 [8 : 12] sts.

Cont without shaping until armhole is 5 rows less than The Back.

Next Row S1, patt to last st, k1.

Change to No. 5½mm needles and proceed as follows:-

1st Row S1, knit to end.

2nd Row S1, k2 [2 : 4], cast off 2 sts, k2 [2 : 4].

3rd Row S1, k2 [2 : 4], cast on 2 sts, k3 [3 : 5].

4th Row S1, knit to end.

Cast off knitways.

The back neckband

For all 3 sizes

With right side facing, using No. 5½mm needles and commencing at top of Right Shoulder pick up and knit 4 sts evenly along edge of shoulder shaping, 14 sts from cast off sts at back of neck and 5 sts evenly along edge of left shoulder shaping. (23 sts).

1st Row S1, * p1, k1, rep from * to end.

2nd Row S1, k1, * p1, k1, rep from * to last st, k1.

Rep 1st row once.

Cast off in rib.

The front neckband

For all 3 sizes

With right side facing, using No. 5½mm needles and commencing at top of Left Shoulder shaping pick up and knit 17 sts evenly along left side of neck, knit across 6 sts left on a thread at Front of neck and pick up and knit 18 sts evenly along right side of neck. (41 sts).

1st Row S1, * p1, k1, rep from * to end.

2nd Row S1, k1, yfwd, k2tog, * p1, k1, rep from * to last 5 sts, p1, k2togtbl, yfwd, k2.

3rd Row S1, * p1, k1, rep from * to end.

Cast off in rib.

To make up

Read Pressing Instructions. Sew up side seams.

The left armhole band

With right side facing, using No. 5½mm needles and commencing at top of The Back left shoulder pick up and knit 59 [59 : 63] sts evenly all round armhole edge.

1st Row S1, * p1, k1, rep from * to end.

2nd Row S1, k1, * p1, k1, rep from * to last 5 sts, p1, k2togtbl, yfwd, k2.

3rd Row S1, * p1, k1, rep from * to end.

Cast off in rib.

The right armhole band

With right side facing, using No. 5½mm needles and commencing at top of The Front right shoulder pick up and knit 59 [59 : 63] sts evenly all round armhole edge.

1st Row S1, * p1, k1, rep from * to end.

2nd Row S1, k1, yfwd, k2tog, * p1, k1, rep from * to last st, k1.

3rd Row S1, * p1, k1, rep from * to end.

Cast off in rib.

To complete

Sew on buttons. Brush Gemini lightly on completion.



4 CAP

For boy or girl
Width round head

	16 41	16 41	17 43	in cm
COUNTRY STYLE CHUNKY	2	2	2	50gm balls
PULLMAN Wool	2	2	2	50gm balls
GEMINI Brushed Chunky	1	1	1	100gm ball

1 Pair No. 6½ mm (3) and No. 5½ mm (5) Knitting Needles or the size required to give the correct tension.

CHECK YOUR TENSION

The tension for this design is
7 stitches to 2 inches (5cm) in width

If you have fewer stitches than this use a
thinner needle.

If you have more stitches than this use a
thicker needle.

Remember to check your tension.

Using No. 5½ mm needles cast on 55 [55 : 59] sts.

1st Row S1, k1, * p1, k1, rep from * to last st, k1.

2nd Row S1, * p1, k1, rep from * to end.

Rep 1st and 2nd rows 7 times then 1st row once
inc once at end of last row. 56 [56 : 60] sts.

Change to No. 6½ mm needles and proceed as
follows:-

1st Row S1, k2, * p2, k2, rep from * to last st, k1.

2nd Row S1, * p2, k2, rep from * to last 3 sts, p2,
k1.

3rd Row S1, * p2, k2, rep from * to last 3 sts, p2,
k1.

4th Row S1, k2, * p2, k2, rep from * to last st, k1.
From 1st to 4th row (inclusive) forms patt.

Keeping continuity of patt (throughout) cont until
work measures approximately 8in or 20cm,
ending with 2nd row.

Shape Crown

Next Row S1, * p2, k2tog, rep from * to last 3 sts,
p2, k1. 43 [43 : 46] sts.

Next Row S1, k2, * p1, k2, rep from * to last st, k1.

Next Row S1, k2tog, * p1, k2tog, rep from * to
last st, k1. 29 [29 : 31] sts.

Next Row S1, * p1, k1, rep from * to end.

Next Row S1, * k2tog, rep from * to end. 15 [15 :
16] sts.

Next Row K2tog, (p2tog) 5 [5 : 6] times, p1 [1 : 0],
k2tog. (8 sts).

Break off yarn, thread yarn through rem sts draw up
and fasten off.

To make up

Read Pressing Instructions. Sew up back seam.
Make a pom-pom and attach to top of cap.
Brush Gemini lightly on completion.

Pressing and Care Instructions	PRESSING	WASHING
Wash'n'Wear and Baby qualities Gemini qualities Country Style qualities	Under dry cloth Warm iron	Warm Machine Wash
Terry Look, Sombrero	Do not press	Warm Machine Wash
Romano	Do not press	Warm
Pullman Wool, Panorama DK Sportswear, Bainin, Lopi Nocturne — Press lightly	Under damp cloth Hot iron	Warm
Majestic and Talisman qualities	Under damp cloth Hot iron	Warm Machine Wash

WE SHALL GLADLY DEAL WITH QUERIES PROVIDING A BALL BAND OF THE YARN SPECIFIED
AND A STAMPED ADDRESSED ENVELOPE ACCOMPANIES YOUR CORRESPONDENCE.

© Reproduction of this publication in any form (including photostat) is
protected by copyright. Any infringement will lead to prosecution.

SIRDAR PLC, Flanshaw Lane, Alverthorpe, Wakefield WF29ND, West Yorkshire, England.

