

ROWAN



WOOL COTTON

Kim Hargreaves

Nancy




Nell



Grace



Mae



5 013712 916205

NANCY

YARN

Rowan Wool Cotton (Gypsy 910)

	XS	S	M	L	XL
To fit bust	81	86	91	97	102 cm
	32	34	36	38	40 in
	11	11	12	13	13 x50gm

Actual Measurements

Length:	53 (54: 55: 56: 57) cm
	21 (21½: 21½: 22: 22½) in
Underarm width:	45 (47.5: 50.5: 53: 56) cm
	17½ (18½: 20: 21: 22) in
Sleeve length:	42 (42: 43: 43: 43) cm
	16½ (16½: 17: 17: 17) in

NEEDLES

- 1 pair 3¼mm (no 10) (US 3) needles
- 1 pair 4mm (no 8) (US 6) needles

BUTTONS - 5

TENSION

22 sts and 30 rows to 10 cm measured over stocking stitch using 4mm (US 6) needles.

BACK

Cast on 99 (105: 111: 117: 123) sts using 3¼mm (US 3) needles. Work in garter st for 12 rows, dec 1 st at each end of 11th of these rows and ending with a WS row. 97 (103: 109: 115: 121) sts. Change to 4mm (US 6) needles and beg with a K row, work in st st, shaping side seams by dec 1 st at each end of 5th and foll 6th row, then on every foll 4th row until 83 (89: 95: 101: 107) sts rem. Work 5 (7: 7: 9: 9) rows, ending with a WS row. Inc 1 st at each end of next and every foll 8th row to 89 (95: 101: 107: 113) sts, then on every foll 6th row until there are 99 (105: 111: 117: 123) sts. Cont straight until back measures 33 (34: 34: 35: 35) cm, ending with a WS row.

Shape armholes

Cast off 3 (4: 4: 5: 5) sts at beg of next 2 rows. 93 (97: 103: 107: 113) sts. Dec 1 st at each end of next 3 (3: 5: 5: 7) rows, then on every foll alt row until 79 (81: 83: 85: 87) sts rem. Cont straight until armhole measures 13 cm, ending with a WS row.

Now work in ridge patt as folls:

Rows 1 and 2: Knit.

Row 3: Knit.

Row 4: Purl.

Rows 5 and 6: As rows 3 and 4.

These 6 rows form ridge patt.

Cont in ridge patt until armhole measures 20 (20: 21: 21: 22) cm, ending with a WS row.

Shape shoulders and back neck

Cast off 8 (8: 8: 8: 9) sts at beg of next 2 rows. 63 (65: 67: 69: 69) sts.

Next row (RS): Cast off 8 (8: 8: 8: 9) sts, K until there are 12 (12: 13: 13: 12) sts on right needle and turn, leaving rem sts on a holder.

Work each side of neck separately.

Cast off 4 sts at beg of next row.

Cast off rem 8 (8: 9: 9: 8) sts.

With RS facing, rejoin yarn to rem sts, cast off centre 23 (25: 25: 27: 27) sts, K to end.

Work to match first side, reversing shapings.

POCKET LININGS (make 2)

Cast on 22 (22: 24: 24: 26) sts using 4mm (US 6) needles.

Beg with a K row, work in st st for 26 rows.

Break yarn and leave sts on a holder.

LEFT FRONT

Cast on 53 (56: 59: 62: 65) sts using 3¼mm (US 3) needles. Work in garter st for 11 rows, dec 1 st at beg of last row and ending with a RS row.

52 (55: 58: 61: 64) sts.

Row 12 (WS): K7 and slip these 7 sts onto a holder, K to end. 45 (48: 51: 54: 57) sts.

Change to 4mm (US 6) needles and beg with a K row, work in st st, shaping side seam by dec 1 st at beg of 5th and foll 6th row, then on every foll 4th row until 40 (43: 46: 49: 52) sts rem.

Work 3 rows, ending with a WS row.

Place pocket

Next row (RS): K2tog, K6 (7: 8: 9: 10), slip next 22 (22: 24: 24: 26) sts onto a holder and in their place K across 22 (22: 24: 24: 26) sts of first pocket lining, K10 (12: 12: 14: 14).

Work 3 rows, ending with a WS row.

Dec 1 st at beg of next row. 38 (41: 44: 47: 50) sts.

Work 5 (7: 7: 9: 9) rows, ending with a WS row.

Inc 1 st at beg of next and every foll 8th row to 41 (44: 47: 50: 53) sts, then on every foll 6th row until there are 46 (49: 52: 55: 58) sts.

Cont straight until left front matches back to beg of armhole shaping, ending with a WS row.

Shape armhole

Cast off 3 (4: 4: 5: 5) sts at beg of next row.

43 (45: 48: 50: 53) sts.

Work 1 row. Dec 1 st at armhole edge of next

3 (3: 5: 5: 7) rows, then on every foll alt row until

36 (37: 38: 39: 40) sts rem. Cont straight until

armhole measures 13 cm, ending with a WS row.

Beg with row 1, now work in ridge patt as given for back and cont as folls:

Work 3 rows, ending with a RS row.

Shape neck

Cast off 6 (7: 7: 7: 7) sts at beg of next row.

30 (30: 31: 32: 33) sts.

Dec 1 st at neck edge of next 3 rows, then on foll

2 (2: 2: 3: 3) alt rows, then on foll 4th row.

24 (24: 25: 25: 26) sts.

Cont in ridge patt until left front matches back to start of shoulder shaping, ending with a WS row.

Shape shoulder

Cast off 8 (8: 8: 8: 9) sts at beg of next and foll alt row. Work 1 row. Cast off rem 8 (8: 9: 9: 8) sts.

RIGHT FRONT

Cast on 53 (56: 59: 62: 65) sts using 3¼mm (US 3) needles.

Work in garter st for 11 rows, dec 1 st at end of last row and ending with a RS row. 52 (55: 58: 61: 64) sts.

Row 12 (WS): K to last 7 sts and turn, leaving last 7 sts on a holder. 45 (48: 51: 54: 57) sts.

Change to 4mm (US 6) needles and beg with a K row, work in st st, shaping side seam by dec 1 st at end of 5th and foll 6th row, then on every foll 4th row until 40 (43: 46: 49: 52) sts rem.

Work 3 rows, ending with a WS row.

Place pocket

Next row (RS): K10 (12: 12: 14: 14), slip next 22 (22: 24: 24: 26) sts onto a holder and in their place K across 22 (22: 24: 24: 26) sts of second pocket lining, K6 (7: 8: 9: 10), K2tog.

Complete to match left front, reversing shapings.

SLEEVES (both alike)

Cast on 49 (49: 51: 53: 53) sts using 3¼mm (US 3) needles. Work 12 rows garter st, end with a WS row.

Change to 4mm (US 6) needles and beg with row 3, cont in ridge patt as for back, shaping sides by inc 1 st at each end of next and every foll 12th (10th: 12th: 12th: 10th) row to 61 (71: 55: 57: 69) sts, then on every foll 10th (-: 73: 75: 77) sts.

Cont straight until sleeve measures 42 (42: 43: 43: 43) cm, ending with a WS row.

Shape top

Cast off 3 (4: 4: 5: 5) sts at beg of next 2 rows.

63 (63: 65: 65: 67) sts.

Dec 1 st at each end of next and every foll alt row until 35 sts rem, then on foll 9 rows, ending with a WS row. Cast off rem 17 sts.

MAKING UP

Join shoulder seams.

Button band

Slip 7 sts left on left front holder on 3¼mm (US 3) needles and rejoin yarn with RS facing. Cont in garter st until band, when slightly stretched, fits up front opening edge to neck shaping. Cast off. Slip st band in position. Mark positions for 5 buttons on this band - first 15 cm up from cast-on edge, last 1 cm down from neck shaping and rem 3 buttons evenly spaced between.

Buttonhole band

Slip 7 sts left on right front holder on 3¼mm (US 3) needles and rejoin yarn with WS facing.

Complete to match button band with the addition of 5 buttonholes to correspond with positions marked for buttons, worked as folls:

Buttonhole row (RS): K2, K2tog, yfwd, K3.

Pocket tops (both alike)

Slip 22 (22: 24: 24: 26) sts left on pocket holder onto 3¼mm (US 3) needles and rejoin yarn with RS facing. Work in garter st for 5 rows, ending with a RS row. Cast off knitwise (on WS).

Collar

With RS facing and 3¼mm (US 3) needles, starting and ending halfway across top of front bands, pick up and knit 29 (30: 31: 32: 33) sts up right side of neck, 31 (33: 33: 35: 35) sts from back, then 29 (30: 31: 32: 33) sts down left side of neck. 89 (93: 95: 99: 101) sts.

Work in garter st for 10 cm. Cast off loosely knitwise.

Join side seams. Join sleeve seams. Set in sleeves.

Sew pocket linings in place on inside, then neatly sew down ends of pocket tops. Sew on buttons.

Make and insert shoulder pads if desired.

MAE

YARN

Rowan Wool Cotton (Rich 911)

	XS	S	M	L	XL
To fit bust	81	86	91	97	102 cm
	32	34	36	38	40 in
	10	10	11	12	12 x50gm

Actual Measurements

Length:	53 (54: 55: 56: 57) cm
	21 (21½: 21½: 22: 22½) in
Underarm width:	45.5 (48.5: 51: 53.5: 56) cm
	18 (19: 20: 21: 22) in
Sleeve length:	44 (44: 45: 45: 45) cm
	17½ (17½: 17½: 17½: 17½) in

NEEDLES

- 1 pair 3mm (no 11) (US 2/3) needles
- 1 pair 3¼mm (no 10) (US 3) needles
- 1 pair 4mm (no 8) (US 6) needles

BUTTONS - 10

TENSION

23 sts and 30 rows to 10 cm measured over double moss stitch using 4mm (US 6) needles.

BACK

Cast on 93 (99: 105: 111: 117) sts using 4mm (US 6) needles.

Work in double moss st as folls:

Row 1 (RS): K1, *P1, K1, rep from * to end.

Row 2: P1, *K1, P1, rep from * to end.

Row 3: As row 2.

Row 4: As row 1.

These 4 rows form double moss st.

Cont in double moss st throughout as folls:

Work a further 34 (36: 36: 38: 38) rows, ending with a WS row. Change to 3mm (US 2/3) needles and work 16 rows.

Change to 4mm (US 6) needles and cont as set, shaping side seams by inc 1 st at each end of next and every foll 8th row to 101 (107: 113: 119: 125) sts, then on every foll 6th row until there are 105 (111: 117: 123: 129) sts, taking inc sts into double moss st. Cont straight until back measures 33 (34: 34: 35: 35) cm, ending with a WS row.

Shape armholes

Keeping patt correct, cast off 3 (4: 4: 5: 5) sts at beg of next 2 rows. 99 (103: 109: 113: 119) sts. Dec 1 st at each end of next 3 (3: 5: 5: 7) rows, then on every foll alt row until 85 (87: 89: 91: 93) sts rem. Cont straight until armhole measures 20 (20: 21: 21: 22) cm, ending with a WS row.

Shape shoulders and back neck

Cast off 9 (9: 9: 9: 10) sts at beg of next 2 rows. 67 (69: 71: 73: 73) sts.

Next row (RS): Cast off 9 (9: 9: 9: 10) sts, patt until there are 13 (13: 14: 14: 13) sts on right needle and turn, leaving rem sts on a holder. Work each side of neck separately. Cast off 4 sts at beg of next row. Cast off rem 9 (9: 10: 10: 9) sts. With RS facing, rejoin yarn to rem sts, cast off centre 23 (25: 25: 27: 27) sts, patt to end. Work to match first side, reversing shapings.

LEFT FRONT

Cast on 46 (49: 52: 55: 58) sts using 4mm (US 6) needles. Work in double moss st as folls:

Row 1 (RS): *K1, P1, rep from * to last 0 (1: 0: 1: 0) st, K0 (1: 0: 1: 0).

Row 2: P0 (1: 0: 1: 0), *K1, P1, rep from * to end.

Row 3: *P1, K1, rep from * to last 0 (1: 0: 1: 0) st, P0 (1: 0: 1: 0).

Row 4: K0 (1: 0: 1: 0), *P1, K1, rep from * to end. These 4 rows form double moss st. Cont in double moss st throughout as folls: Work a further 34 (36: 36: 38: 38) rows, ending with a WS row. Change to 3mm (US 2/3) needles and work 16 rows. Change to 4mm (US 6) needles and cont as set, shaping side seam by inc 1 st at beg of next and every foll 8th row to 50 (53: 56: 59: 62) sts, then on every foll 6th row until there are 52 (55: 58: 61: 64) sts, taking inc sts into double moss st. Cont straight until left front matches back to beg of armhole shaping, ending with a WS row.

Shape armhole

Keeping patt correct, cast off 3 (4: 4: 5: 5) sts at beg of next 2 rows. 49 (51: 54: 56: 59) sts.

Work 1 row. Dec 1 st at armhole edge of next 3 (3: 5: 5: 7) rows, then on every foll alt row until 42 (43: 44: 45: 46) sts rem.

Cont straight until 24 (24: 24: 26: 26) rows less have been worked than on back to start of shoulder shaping, ending with a WS row.

Shape neck

Next row (RS): Patt to last 8 (9: 9: 9: 9) sts and turn, leaving last 8 (9: 9: 9: 9) sts on a holder. 34 (34: 35: 36: 37) sts.

Dec 1 st at neck edge of next 3 rows, then on foll 3 (3: 3: 4: 4) alt rows, then on foll 4th row. 27 (27: 28: 28: 29) sts.

Work 10 rows, ending with a WS row.

Shape shoulder

Cast off 9 (9: 9: 9: 10) sts at beg of next and foll alt row. Work 1 row.

Cast off rem 9 (9: 10: 10: 9) sts.

RIGHT FRONT

Cast on 46 (49: 52: 55: 58) sts using 4mm (US 6) needles. Work in double moss st as folls:

Row 1 (RS): K0 (1: 0: 1: 0), *P1, K1, rep from * to end.

Row 2: *P1, K1, rep from * to last 0 (1: 0: 1: 0) st, P0 (1: 0: 1: 0).

Row 3: P0 (1: 0: 1: 0), *K1, P1, rep from * to end.

Row 4: *K1, P1, rep from * to last 0 (1: 0: 1: 0) st, K0 (1: 0: 1: 0).

These 4 rows form double moss st.

Cont in double moss st throughout as folls:

Work a further 34 (36: 36: 38: 38) rows, ending with a WS row.

Change to 3mm (US 2/3) needles and work 16 rows. Change to 4mm (US 6) needles and cont as set, shaping side seam by inc 1 st at end of next and every foll 8th row to 50 (53: 56: 59: 62) sts, then on every foll 6th row until there are 52 (55: 58: 61: 64) sts, taking inc sts into double moss st. Complete to match left front, reversing shapings.

SLEEVES (both alike)

Cast on 51 (51: 53: 55: 55) sts using 3/4mm (US 3) needles. Work in double moss st as for back for 8 rows, ending with a WS row.

Change to 4mm (US 6) needles and cont in double moss st, shaping sides by inc 1 st at each end of 3rd (3rd: 3rd: next) and every foll 10th (10th: 10th: 10th: 8th) row to 65 (57: 61: 63: 85) sts, then on every foll 8th (8th: 8th: 8th: -) row until there are 77 (79: 81: 83: -) sts, taking inc sts into patt. Cont straight until sleeve measures 44 (44: 45: 45: 45) cm, ending with a WS row.

Shape top

Keeping patt correct, cast off 3 (4: 4: 5: 5) sts at beg of next 2 rows. 71 (71: 73: 73: 75) sts.

Dec 1 st at each end of next and every foll alt row until 47 sts rem, then on foll 13 rows, ending with a WS row. Cast off rem 21 sts.

MAKING UP

Join shoulder seams.

Button band

Cast on 7 sts using 3mm (US 2/3) needles.

Cont in garter st until band, when slightly stretched, fits up left front opening edge to neck shaping, ending with a WS row.

Break yarn and leave sts on a holder. Slip st band in position. Mark positions for 10 buttons on this band - 3rd button to fall at centre of waist 16 rows worked on smaller needles, 10th button to come 1 cm above neck shaping, 4th to 9th buttons to be evenly spaced between 3rd and 10th, and 1st and 2nd buttons to be same distance apart as other buttons, but below 3rd button.

Buttonhole band

Work to match button band with the addition of 9 buttonholes to correspond with positions marked for buttons, worked as folls:

Buttonhole row (RS): K2, K2tog, yfwd, K3.

Slip st band in position.

Neckband

With RS facing and 3mm (US 2/3) needles, knit across 7 sts from buttonhole band, then 8 (9: 9: 9: 9) sts from right front holder, pick up and knit 27 (27: 27: 29: 29) sts up right side of neck, 31 (33: 33: 35: 35) sts from back, then 27 (27: 27: 29: 29) sts down left side of neck, knit across 8 (9: 9: 9: 9) sts from left front holder, then 7 sts from button band. 115 (119: 119: 125: 125) sts.

Work in garter st for 3 rows.

Row 4 (RS): K2, K2tog, yfwd, K to end.

Work in garter st for a further 4 rows.

Cast off knitwise (on WS). Join side seams. Join sleeve seams. Set in sleeves. Sew on buttons. Make and insert shoulder pads if desired.

NELL

YARN

Rowan Wool Cotton (Flower 943)

	XS	S	M	L	XL
To fit bust	81	86	91	97	102
	32	34	36	38	40
	8	8	9	9	10
					x50gm

Actual Measurements

Length:	50 (50: 51: 51: 52) cm
	19½ (19½: 20: 20: 20½) in
Underarm width:	43 (46: 48.5: 51.5: 54) cm
	17 (18: 19: 20½: 21½) in
Sleeve length:	16 cm
	6½ in

NEEDLES

1 pair 3/4mm (no 10) (US 3) needles

1 pair 4mm (no 8) (US 6) needles

BUTTONS - 5

TENSION

22 sts and 30 rows to 10 cm measured over stocking stitch using 4mm (US 6) needles.

BACK

Cast on 77 (83: 89: 95: 101) sts using 3/4mm (US 3) needles. Work in moss st as folls:

Row 1 (RS): P1, *K1, P1, rep from * to end.

Row 2: As row 1.

These 2 rows form moss st.

Work a further 8 rows in moss st, end with a WS row.

Change to 4mm (US 6) needles and work in textured stripe patt as folls:

Beg with a K row, work in st st for 14 rows, inc 1 st at each end of 1st and foll 10th row.

81 (87: 93: 99: 105) sts.

Work in moss st for 8 rows, inc 1 st at each end of 7th of these rows. 83 (89: 95: 101: 107) sts.

Last 22 rows form textured stripe patt and start side seam shaping. Cont in patt, shaping side seams by inc 1 st at each end of every foll 10th row to 87 (93: 99: 105: 111) sts, then on every foll 8th row until there are 95 (101: 107: 113: 119) sts, taking inc sts into patt. Work 9 rows, ending after 2 rows in moss st and a WS row.

Shape armholes

Keeping patt correct, cast off 3 (4: 4: 5: 5) sts at beg of next 2 rows. 89 (93: 99: 103: 109) sts.

Dec 1 st at each end of next 4 (4: 6: 6: 8) rows, then on every foll alt row until 77 (79: 81: 83: 85) sts rem. Work 18 (16: 14: 12: 10) rows, ending after 8 rows of moss st and a WS row.

Starting with a K row, now complete back in st st as folls:

Cont straight until armhole measures 20 (20: 21: 21: 22) cm, ending with a WS row.

Shape shoulders and back neck

Keeping patt correct, cast off 8 (8: 8: 8: 9) sts at beg of next 2 rows. 61 (63: 65: 67: 67) sts.

Next row (RS): Cast off 8 (8: 8: 8: 9) sts, patt until there are 12 (12: 13: 13: 12) sts on right needle and turn, leaving rem sts on a holder. Work each side of neck separately. Cast off 4 sts at beg of next row. Cast off rem 8 (8: 9: 9: 8) sts. With RS facing, rejoin yarn to rem sts, cast off centre 21 (23: 23: 25: 25) sts, patt to end. Work to match first side, reversing shapings.

LEFT FRONT

Cast on 38 (41: 44: 47: 50) sts using 3/4mm (US 3) needles.

Work in moss st as folls:

Row 1 (RS): *P1, K1, rep from * to last 0 (1: 0: 1: 0) st, P0 (1: 0: 1: 0).

Row 2: P0 (1: 0: 1: 0), *K1, P1, rep from * to end. These 2 rows form moss st.

Work a further 8 rows in moss st, end with a WS row. Change to 4mm (US 6) needles and beg with 14 rows in st st, work in textured stripe patt as for back, shaping side seam by inc 1 st at beg of 1st and every foll 10th row to 43 (46: 49: 52: 55) sts, then on every foll 8th row until there are 47 (50: 53: 56: 59) sts, taking inc sts into patt.

Work 9 rows, ending after 2 rows of moss st and a WS row.

Shape armhole

Keeping patt correct, cast off 3 (4: 4: 5: 5) sts at beg of next row. 44 (46: 49: 51: 54) sts. Work 1 row. Dec 1 st at armhole edge of next 4 (4: 6: 6: 8) rows, then on every foll alt row until 38 (39: 40: 41: 42) sts rem. Work 18 (16: 14: 12: 10) rows, ending after 8 rows of moss st and a WS row.

Starting with a K row, now complete left front in st st as follows:

Shape neck

Dec 1 st at end of next and every foll alt row until 24 (24: 25: 25: 26) sts rem.

Cont straight until left front matches back to start of shoulder shaping, ending with a WS row.

Shape shoulder

Keeping patt correct, cast off 8 (8: 8: 8: 9) sts at beg of next and foll alt row.

Work 1 row. Cast off rem 8 (8: 9: 9: 8) sts.

RIGHT FRONT

Cast on 38 (41: 44: 47: 50) sts using 3/4mm (US 3) needles. Work in moss st as follows:

Row 1 (RS): P0 (1: 0: 1: 0), *K1, P1, rep from * to end.

Row 2: *P1, K1, rep from * to last 0 (1: 0: 1: 0) st, P0 (1: 0: 1: 0).

These 2 rows form moss st.

Work a further 8 rows in moss st, end with a WS row. Change to 4mm (US 6) needles and beg with 14 rows in st st, work in textured stripe patt as for back, shaping side seam by inc 1 st at beg of 1st and every foll 10th row to 43 (46: 49: 52: 55) sts, then on every foll 8th row until there are 47 (50: 53: 56: 59) sts, taking inc sts into patt.

Complete to match left front, reversing shapings.

SLEEVES (both alike)

Cast on 67 (69: 71: 73: 75) sts using 3/4mm (US 3) needles.

Work in moss st as for back for 10 rows, inc 1 st at each end of 9th of these rows and ending with a WS row. 69 (71: 73: 75: 77) sts.

Change to 4mm (US 6) needles and beg with 14 rows in st st, work in textured stripe patt as for back, shaping sides by inc 1 st at each end of 7th and every foll 8th row until there are 77 (79: 81: 83: 85) sts, taking inc sts into patt.

Work 7 rows, ending after 2 rows of moss st and a WS row.

Shape top

Keeping patt correct, cast off 3 (4: 4: 5: 5) sts at beg of next 2 rows. 71 (71: 73: 73: 75) sts.

Dec 1 st at each end of next 5 rows, then on foll 3 alt rows, then on every foll 4th row until 45 (45: 47: 47: 49) sts rem.

Starting with a P row, complete sleeve in st st as follows: Work 1 row. Dec 1 st at each end of next and every foll alt row until 37 sts rem, then on foll 5 rows, ending with a WS row. Cast off rem 27 sts.

MAKING UP

Join shoulder seams.

Button band and left collar

Cast on 7 sts using 3/4mm (US 3) needles.

Work in garter st until band, when slightly stretched, fits up left front opening edge to start of front slope shaping, ending with a WS row.

Shape collar

Inc 1 st at beg of next and every foll alt row to 13 sts, then on every foll 4th row until there are 30 sts.

Cont straight until collar **unstretched** fits up front slope and across to centre back neck, ending with a WS row.

Cast off 10 sts at beg of next and foll alt row.

Work 1 row. Cast off rem 10 sts.

Slip st band and collar in position.

Mark positions for 5 buttons on band section, positioning each button level with centre of upper 5 moss st bands.

Buttonhole band and right collar

Work to match button band and left collar, reversing shapings and with the addition of 5 buttonholes to correspond with positions marked for buttons, worked as follows:

Buttonhole row (RS): K2, K2tog, yfwd, K3.

Slip st band and collar in position, joining ends of collar sections at centre back neck. Join side seams.

Join sleeve seams. Set in sleeves. Sew on buttons.

Make and insert shoulder pads if desired.

GRACE

YARN

Rowan Wool Cotton (Spark 947)

	XS	S	M	L	XL
To fit bust	81	86	91	97	102 cm
	32	34	36	38	40 in
	11	11	12	13	13 x50gm

Actual Measurements

Length:	50 (51: 52: 53: 54) cm
	19½ (20: 20½: 21: 21½) in
Underarm width:	44.5 (47: 50: 52: 55) cm
	17½ (18½: 19½: 20½: 21½) in
Sleeve length:	43 (43: 44: 44: 44) cm
	17 (17: 17½: 17½: 17½) in

NEEDLES

1 pair 3/4mm (no 10) (US 3) needles

1 pair 4mm (no 8) (US 6) needles

Cable needle

BUTTONS - 8

TENSION

22 sts and 30 rows to 10 cm measured over stocking stitch using 4mm (US 6) needles.

SPECIAL ABBREVIATIONS

M1 = make one stitch purlwise by picking up horizontal loop before next stitch and purling into back of it.

C6B = slip next 3 sts onto cable needle and leave at back of work, K3, then K3 from cable needle.

C6F = slip next 3 sts onto cable needle and leave at front of work, K3, then K3 from cable needle.

BACK

Cast on 85 (89: 97: 103: 109) sts using 3/4mm (US 3) needles.

Row 1 (RS): P0 (1: 0: 2: 0), K2 (3: 2: 3: 2), *P3, K3, rep from * to last 5 (1: 5: 2: 5) sts, P3 (1: 3: 2: 3), K2 (0: 2: 0: 2).

Row 2: K0 (1: 0: 2: 0), P2 (3: 2: 3: 2), *K3, P3, rep from * to last 5 (1: 5: 2: 5) sts, K3 (1: 3: 2: 3), P2 (0: 2: 0: 2).

These 2 rows form rib. Work in rib for a further 19 rows, ending with a RS row.

Row 22 (WS) (inc): K0 (0: 0: 2: 0), P0 (0: 2: 3: 1), K0 (1: 3: 3: 0), (P1, M1P) 2 (3: 3: 3: 1) times, *K3, P3, K3, (P1, M1P) 3 times, rep from * 2 (2: 2: 2: 3) times more, **K3, P3, K3, (M1P, P1) 3 times, rep from ** 2 (3: 3: 3: 3) times more, K3 (1: 3: 3: 3), P3 (0: 2: 3: 3), K3 (0: 0: 2: 3), (M1P, P1) 2 (0: 0: 0: 1) times, P0 (0: 0: 0: 1). 107 (113: 121: 127: 135) sts. Change to 4mm (US 6) needles and work in cable patt as follows:

Row 1 (RS): K4 (1: 5: 8: 3), (C6B) 0 (1: 1: 1: 0) times, (K9, C6B) 3 (3: 3: 3: 4) times, (K9, C6F) 3 (4: 4: 4: 4) times, K13 (1: 5: 8: 12).

Row 2: K0 (0: 0: 2: 0), P0 (0: 2: 3: 0), K0 (1: 3: 3: 0), P4 (6: 6: 6: 3), (K3, P3, K3, P6) 6 (7: 7: 7: 8) times, K3 (1: 3: 3: 3), P3 (0: 2: 3: 3), K3 (0: 0: 2: 3), P4 (0: 0: 0: 3).

Row 3: Inc in first st, K to last st, inc in last st. 109 (115: 123: 129: 137) sts.

Row 4: P0 (0: 3: 0: 0), K0 (2: 3: 0: 0), P5 (6: 6: 0: 4), (K3, P3, K3, P6) 6 (7: 7: 8: 8) times, K3 (2: 3: 3: 3), P3 (0: 3: 3: 3), K3 (0: 0: 3: 3), P5 (0: 0: 0: 4).

Row 5: Knit.

Row 6: As row 4.

Row 7: Knit.

Row 8: As row 4.

These 8 rows form cable patt and start side seam shaping. Cont in patt, shaping side seams by inc 1 st at each end of 3rd and every foll 8th row to 121 (127: 135: 141: 149) sts, then on foll 10th row, taking inc sts into patt. 123 (129: 137: 143: 151) sts. Cont straight until back measures 30 (31: 31: 32: 32) cm, ending with a WS row.

Shape armholes

Keeping patt correct, cast off 3 (4: 4: 5: 5) sts at beg of next 2 rows. 117 (121: 129: 133: 141) sts. Dec 1 st at each end of next 7 (7: 9: 9: 11) rows, then on every foll alt row until 99 (101: 105: 107: 111) sts rem. Cont straight until armhole measures 20 (20: 21: 21: 22) cm, ending with a WS row.

Shape shoulders and back neck

Keeping patt correct, cast off 10 (10: 11: 11: 11) sts at beg of next 2 rows. 79 (81: 83: 85: 89) sts.

Next row (RS): Cast off 10 (10: 11: 11: 11) sts, patt until there are 14 (14: 14: 14: 16) sts on right needle and turn, leaving rem sts on a holder.

Work each side of neck separately. Cast off 4 sts at beg of next row. Cast off rem 10 (10: 10: 10: 12) sts. With RS facing, rejoin yarn to rem sts, cast off centre 31 (33: 33: 35: 35) sts, patt to end.

Work to match first side, reversing shapings.

LEFT FRONT

Cast on 42 (44: 48: 51: 54) sts using 3/4mm (US 3) needles.

Row 1 (RS): P0 (1: 0: 2: 0), K2 (3: 2: 3: 2), *P3, K3, rep from * to last 4 sts, P3, K1.

Row 2: P1, *K3, P3, rep from * to last 5 (1: 5: 2: 5) sts, K3 (1: 3: 2: 3), P2 (0: 2: 0: 2).

These 2 rows form rib. Work in rib for a further 19 rows, ending with a RS row.

Row 22 (WS): P1, K3, (M1P, P1) 3 times, *K3, P3, K3, (M1P, P1) 3 times, rep from * 1 (2: 2: 2: 2) times more, K3 (1: 3: 3: 3), P3 (0: 2: 3: 3), K3 (0: 0: 2: 3), (M1P, P1) 2 (0: 0: 0: 1) times, P0 (0: 0: 0: 1). 53 (56: 60: 63: 67) sts.

Change to 4mm (US 6) needles and work in cable patt as follows:

Row 1 (RS): K4 (1: 5: 8: 3), (C6B) 0 (1: 1: 1: 0) times, (K9, C6B) 3 (3: 3: 3: 4) times, K4.

Row 2: K4, (P6, K3, P3, K3) 3 (3: 3: 3: 4) times, P4 (6: 6: 6: 3), K0 (1: 3: 3: 0), P0 (0: 2: 3: 0), K0 (0: 0: 2: 0).

Row 3: Inc in first st, K to end. 54 (57: 61: 64: 68) sts.

Row 4: K4, (P6, K3, P3, K3) 3 (3: 3: 4: 4) times, P5 (6: 6: 0: 4), K0 (2: 3: 0: 0), P0 (0: 3: 0: 0).

Row 5: Knit.

Row 6: As row 4.

Row 7: Knit.

Row 8: As row 4.

These 8 rows form cable patt and start side seam shaping. Cont in patt, shaping side seam by inc 1 st at beg of 3rd and every foll 8th row to 60 (63: 67: 70: 74) sts, then on foll 10th row, taking inc sts into patt. 61 (64: 68: 71: 75) sts.

Cont straight until left front matches back to beg of armhole shaping, ending after a WS row.

Shape armhole

Keeping patt correct, cast off 3 (4: 4: 5: 5) sts at beg of next row. 58 (60: 64: 66: 70) sts.

Work 1 row.

Dec 1 st at armhole edge of next 7 (7: 9: 9: 11) rows, then on every foll alt row until 49 (50: 52: 53: 55) sts rem.

Cont straight until 19 (19: 19: 21: 21) rows less have been worked than on back to start of shoulder shaping, ending with a RS row.

Shape neck

Keeping patt correct, cast off 11 (12: 12: 12: 12) sts at beg of next row. 38 (38: 40: 41: 43) sts.

Dec 1 st at neck edge of next 5 rows, then on foll 2 (2: 2: 3: 3) alt rows, then on foll 4th row. 30 (30: 32: 32: 34) sts.

Work 5 rows, ending with a WS row.

Shape shoulder

Keeping patt correct, cast off 10 (10: 11: 11: 11) sts at beg of next and foll alt row.

Work 1 row. Cast off rem 10 (10: 10: 10: 12) sts.

RIGHT FRONT

Cast on 42 (44: 48: 51: 54) sts using 3¼mm (US 3) needles.

Row 1 (RS): K1, *P3, K3, rep from * to last 5 (1: 5: 2: 5) sts, P3 (1: 3: 2: 3), K2 (0: 2: 0: 2).

Row 2: K0 (1: 0: 2: 0), P2 (3: 2: 3: 2), *K3, P3, rep from * to last 4 sts, K3, P1.

These 2 rows form rib. Work in rib for a further 19 rows, ending with a RS row.

Row 22 (WS): K0 (0: 0: 2: 0), P0 (0: 2: 3: 1), K0 (1: 3: 3: 0), (P1, M1P) 2 (3: 3: 3: 1) times, *K3, P3, K3, (P1, M1P) 3 times, rep from * 2 (2: 2: 2: 3) times more, K3, P1. 53 (56: 60: 63: 67) sts.

Change to 4mm (US 6) needles and work in cable patt as folls:

Row 1 (RS): K4, C6F, (K9, C6F) 2 (3: 3: 3: 3) times, K13 (1: 5: 8: 12).

Row 2: P4 (0: 0: 0: 3), K3 (0: 0: 2: 3), P3 (0: 2: 3: 3), K3 (1: 3: 3: 3), (P6, K3, P3, K3) 2 (3: 3: 3: 3) times, P6, K4.

Row 3: K to last st, inc in last st. 54 (57: 61: 64: 68) sts.

Row 4: P5 (0: 0: 0: 4), K3 (0: 0: 3: 3), P3 (0: 3: 3: 3), K3 (2: 3: 3: 3), (P6, K3, P3, K3) 2 (3: 3: 3: 3) times, P6, K4.

Row 5: Knit.

Row 6: As row 4.

Row 7: Knit.

Row 8: As row 4.

These 8 rows form cable patt and start side seam shaping. Cont in patt, shaping side seams by inc 1 st at end of 3rd and every foll 8th row to 60 (63: 67: 70: 74) sts, then on foll 10th row, taking inc sts into patt. 61 (64: 68: 71: 75) sts.

Complete to match left front, reversing shapings.

SLEEVES (both alike)

Cast on 45 (45: 47: 49: 49) sts using 3¼mm (US 3) needles.

Row 1 (RS): K0 (0: 1: 2: 2), *P3, K3, rep from * to last 3 (3: 4: 5: 5) sts, P3, K0 (0: 1: 2: 2).

Row 2: P0 (0: 1: 2: 2), *K3, P3, rep from * to last 3 (3: 4: 5: 5) sts, K3, P0 (0: 1: 2: 2).

These 2 rows form rib. Work in rib for a further 19 rows, ending with a RS row.

Row 22 (WS): P0 (0: 1: 2: 2), *K3, (P1, M1P) 3 times, K3, P3, rep from * once more, K3, (M1P, P1) 3 times, K3, P3, K3, (M1P, P1) 3 times, K3, P0 (0: 1: 2: 2). 57 (57: 59: 61: 61) sts.

Change to 4mm (US 6) needles and work in cable patt as folls:

Row 1 (RS): K3 (3: 4: 5: 5), C6B, K9, C6B, (K9, C6F) twice, K3 (3: 4: 5: 5).

Row 2: P0 (0: 1: 2: 2), K3, P6, (K3, P3, K3, P6) 3 times, K3, P0 (0: 1: 2: 2).

Row 3: Inc in first st, K to last st, inc in last st. 59 (59: 61: 63: 63) sts.

Row 4: P1 (1: 2: 3: 3), K3, P6, (K3, P3, K3, P6) 3 times, K3, P1 (1: 2: 3: 3).

Row 5: Knit.

Row 6: As row 4.

Row 7: Knit.

Row 8: As row 4.

These 8 rows form cable patt and start side shaping. Cont in patt, shaping sides by inc 1 st at each end of next and every foll 6th row to 83 (79: 85: 87: 83) sts, then on every foll 4th row until there are 93 (95: 97: 99: 101) sts, taking inc sts into patt.

Cont straight until sleeve measures 43 (43: 44: 44: 44) cm, ending with a WS row.

Shape top

Keeping patt correct, cast off 3 (4: 4: 5: 5) sts at beg of next 2 rows. 87 (87: 89: 89: 91) sts.

Dec 1 st at each end of next and every foll alt row until 63 sts rem, then on foll 17 rows, ending with a WS row. Cast off rem 29 sts.

MAKING UP

Join shoulder seams.

Button band

With RS facing and 3¼mm (US 3) needles, pick up and knit 109 (109: 109: 115: 115) sts down left front opening edge.

Row 1 (WS): *K3, P3, rep from * to last st, K1.

Row 2: K4, *P3, K3, rep from * to last 3 sts, P2, K1. Rep last 2 rows 3 times more. Cast off in rib.

Buttonhole band

With RS facing and 3¼mm (US 3) needles, pick up and knit 109 (109: 109: 115: 115) sts up right front opening edge.

Row 1 (WS): K1, *P3, K3, rep from * to end.

Row 2: K1, P2, *K3, P3, rep from * to last 4 sts, K4. Rep last 2 rows 3 times more, making buttonholes in row 4 as folls:

Row 4 (RS): Rib 4, *work 2 tog, yrn (to make a buttonhole), rib 13 (13: 13: 14: 14), rep from * 5 times more, work 2 tog, yrn (to make 7th buttonhole), rib to end. Cast off in rib.

Neckband

With RS facing and 3¼mm (US 3) needles, starting and ending at cast-off edge of front bands, pick up and knit 36 (38: 38: 40: 40) sts up right

side of neck, 39 (41: 41: 43: 43) sts from back, then 36 (38: 38: 40: 40) sts down left side of neck.

111 (117: 117: 123: 123) sts.

Row 1 (WS): K1, P2, *K3, P3, rep from * to last 6 sts, K3, P2, K1.

Row 2: K3, *P3, K3.

Rep last 2 rows 3 times more, making 8th buttonhole in row 4 as folls:

Row 4 (RS): Rib 3, work 2 tog, yrn (to make 8th buttonhole), rib to end. Cast off in rib. Join side seams. Join sleeve seams. Set in sleeves. Sew on buttons. Make and insert shoulder pads if desired.

Yarn quantities are approximate as they are based on average requirements. Colour reproduction is as close as printing process will allow.

TENSION

It is important to check your tension before starting by knitting a tension swatch at least 12 cm (5 in) square. If there are too many stitches to 10 cm, your knitting is tight and you should use a larger size needle. If there are too few stitches, your knitting is loose and you should use a smaller size needle.

ABBREVIATIONS

Alt = alternate; **beg** = beginning;
cm = centimetres; **cont** = continue;
dec = decrease(s); **foll** = following;
folls = follows; **garter st** = garter stitch (every row K); **inc** = increase(s);
in = inch(es); **K** = knit; **mm** = millimetres;
P = purl; **patt** = pattern; **rem** = remain(s);
rep = repeat; **RS** = right side;
st(s) = stitch(es); **st st** = stocking stitch (1 row K, 1 row P); **tog** = together;
WS = wrong side; **yfwd** = yarn forward.

The instructions are given for the smallest size. Where they vary, work the figures in brackets for the larger sizes. One set of figures refers to all sizes.

PRESS all pieces carefully using a warm iron over a damp cloth.

Use back stitch (or mattress stitch if preferred) for all main knitting seams, and an edge-to-edge stitch for all ribs.

Shoulder pads

All garments shown have shoulder pads, but these are optional.

Cast on 1 st using 3¼mm (US 3) needles. Working in garter st throughout, cont as folls: Inc 1 st at beg of next 30 rows. 31 sts. Work 1 row. Dec 1 st at end of next 30 rows. 1 st. Fasten off. Fold shoulder pad in half and stitch in place, attaching corners of folded edge pad to armhole and shoulder seams.

