


HAYFIELD

Doll's Fashion

7021
40p



CONTENTS

	Page		Page
Layette for Baby Doll	3	Teenage Doll's Outfit	14
Pram Set	6	Hints and Tips for Better Knitting	19
Indoor and Outdoor Sets for Baby Doll	7	Washing and Drying Garments	20
Dress, Slacks, Cap and Poncho	9	Knitting Needles	20
Girl Doll Trouser Suit and Beret	10	Wool Crochet Hooks	20
Cloak and Hood	12		

ABBREVIATIONS

Alt. = alternate
beg. = begin(ning)
cont. = continue
cm = centimetres
dec. = decrease
g.st. = garter stitch
inc. = increase
in. = inch(es)
K. = knit

mm = millimetres
m. = make
m.st. = moss stitch
patt. = pattern
P. = purl
p.s.s.o. = pass slip stitch over
rep. = repeat
rem. = remain(ing)
st. = stitch(es)

st.st. = stocking stitch
sl. = slip
tog. = together
t.b.l. = through back of loops
y.o.n. = yarn over needle
y.r.n. = yarn round needle
y.f. = yarn forward
y.b. = yarn back
d.c. = double crochet

Instructions are given for the smallest size. Changes for the larger sizes are given in brackets.



	MACHINE WASH Beaulon, Minimum wash Spin
	HAND WASH Warm water about 40°C
	Beaulon, Warm iron with dry cloth

© Reproduction of this leaflet in any form (including photostat) is protected by copyright. Any infringement will lead to prosecution.

HAYFIELD TEXTILES LTD. GLUSBURN, KEIGHLEY. BD20 8QP

LAYETTE FOR BABY DOLL

See cover—Blue Set, top left.

MATERIALS

DRESS, MATINEE COAT AND BOOTEES:

4 (5 : 5 : 6 : 6) 25g Balls Hayfield Beaulon 4-ply.

SHAWL: 3 (4 : 4 : 4 : 5) 25g Balls of the same yarn.

VEST and PILCH: 1 (1 : 2 : 2 : 2) 25g Balls of the same yarn.

PRAM SET: 4 (4 : 4 : 5 : 5) 25g Balls of the same yarn.
1 Pair each of Nos. 4½mm (7), 3¾mm (9), 3¼mm (10) and 3mm (11) knitting needles.

A set of No. 3¼mm (10) needles. 8 small buttons. 3½ yards (320cm) ribbon, ½ yard (41cm) narrow elastic.

MEASUREMENTS

To fit 12 (14 : 16 : 18 : 20) in or 30 (36 : 41 : 46 : 51) cm Tiny Tears Type Doll.

TENSION

14 sts. = 2in (5cm) on No. 3¼mm (10) needles.

11 sts. = 2in (5cm) on No. 4½mm (7) needles.

Abbreviations—see page 2.

DRESS

THE BACK

Using No. 3¼mm needles cast on 57 (65 : 73 : 81 : 81) sts. and work 6 rows in g.st.

Now cont. in patt. thus:

1st Row.—★ K.3, y.f., sl.1, K.2 tog., p.s.s.o., y.f., K.2, rep. from ★ to last st., K.1.

2nd and Every Alt. Row.—P.

3rd Row.—★ K.1, K.2 tog., y.f., K.3, y.f., sl.1, K.1, p.s.s.o., rep. from ★ to last st., K.1.

5th Row.—As first row.

7th Row.—K.

9th Row.—K.2 tog., y.f., ★ K.5, y.f., sl.1, K.2 tog., p.s.s.o., y.f., rep. from ★ to last 7 sts., K.5, y.f., sl.1, K.1, p.s.s.o.

11th Row.—K.2, y.f., sl.1, K.1, p.s.s.o., ★ K.1, K.2 tog., y.f., K.3, y.f., sl.1, K.1, p.s.s.o., rep. from ★ to last 5 sts., K.1, K.2 tog., y.f., K.2.

13th Row.—As 9th row.

15th Row.—K.

16th Row.—P.

These 16 rows form the patt.

Cont in patt. until work measures 4½ (5 : 5½ : 6 : 6½) in or 11 (13 : 14 : 15 : 17) cm, ending with a 6th or 14th row of patt.

Shape Armholes

Cast off 2 sts. at beg. of the next 2 rows, then keeping patt. correct, dec. 1 st. each end of every row until 39 (47 : 55 : 63 : 63) sts. rem. Break yarn, leave sts. on a holder.

THE FRONT

Work as given for back.

THE SLEEVES (Alike)

Using No. 3¾mm needles cast on 25 (25 : 33 : 41 : 41) sts. and work 3 rows in g.st.

Next Row.—K.1, ★ inc. in next st., K.2 (2 : 3 : 4 : 4) sts. rep. from ★ to end.

Now work the first 6 rows of patt.

Shape Top

Cast off 3 sts at beg. of next 2 rows, then dec. as for back armhole until 15 (15 : 23 : 31 : 31) sts. rem. Break yarn, leave sts. on a holder.

THE YOKE

Arrange sts. left on holders on 3 of the set of No. 3¼mm needles thus:

Sl. the first 21 (25 : 29 : 33 : 33) sts. from back onto a spare needle, sl. the rem. sts. of back and sts. of left sleeve onto first needle, sts. of front onto 2nd needle, sts. of right sleeve and rem. sts. of back onto 3rd needle. 108 (124 : 156 : 188 : 188) sts.

With right side facing and using the 4th needle, cast on 3 sts. for underwrap. K. these 3 sts., then dec. yoke thus: ★ K.2 tog., rep. from ★ to last 4 sts., K.4, 59 (67 : 83 : 99 : 99) sts.

Work 5 (5 : 7 : 7 : 7) rows in g.st.

Next Row.—K.4 (6 : 4 : 5 : 5) sts., ★ K.2 tog., K.1, rep. from ★ to last 4 sts., K.2 tog., y.f., K.2. (First buttonhole). 42 (48 : 58 : 69 : 69) sts.

Work 3 (3 : 5 : 5 : 5) rows in g.st. then make a 2nd buttonhole as before, K. one more row.

Next Row.—K.4 (4 : 5 : 4 : 4) sts., ★ K.2 tog., K.1, rep. from ★ to last 5 sts., K.5.

K. 3 more rows, then make a 3rd buttonhole, K.2 more rows. Cast off.

MATINEE COAT

This is worked in one piece to armholes.

Using No. 3¼mm needles cast on 121 (137 : 153 : 169 : 169) sts. and work 6 rows in g.st.

Next Row.—K.4, work in patt. as for dress to last 4 sts., K.4.

Cont. in patt. with 4 sts. in g.st. at front edges until work measures 3 (3 : 3½ : 4 : 4½) in or 8 (8 : 9 : 10 : 11) cm, ending with a 6th or 14th patt. row.

Divide and Shape Armholes

Next Row.—K.30 (34 : 38 : 42 : 42) sts., cast off 5 sts., K.51 (59 : 67 : 75 : 75) sts., cast off 5 sts., K. to end.

Next Row.—K.4, P.26 (30 : 34 : 38 : 38) sts., turn. Cont. in patt. on these sts., dec. 1 st. on every row at armhole edge until 24 (28 : 32 : 36 : 36) sts. rem., ending with a P. row. Break yarn, leave sts. on a holder.

Rejoin yarn at inner edge to sts. left for back, P. one row. Work in patt., dec. 1 st. each end of every row until 39 (47 : 55 : 63 : 63) sts. rem. Break yarn, leave sts. on a holder.

Rejoin yarn to rem. sts. and work to match left front.

THE SLEEVES (Alike)

Using No. 3¼mm needles cast on 17 (17 : 25 : 33 : 33) sts. and work 3 rows in g.st.

Next Row.—K.1, ★ inc. in next st., K.1 (1 : 2 : 3 : 3) sts., rep. from ★ to end.

Cont. in patt. inc. 1 st. each end of 7th and every foll. 4th (4th : 6th : 6th : 6th) row until there are 33 (33 : 41 : 49 : 49) sts. on needle.

Work straight until sleeve measures 3 (3 : 3½ : 3½ : 4) in or 8 (8 : 9 : 9 : 10) cm, ending with same row of patt. as for coat to armholes.

Shape Top

Cast off 3 sts. at beg. of next 2 rows, then dec. as for back of coat until 15 (15 : 23 : 31 : 31) sts. rem. Break yarn, leave sts. on a holder.

THE YOKE

Arrange all sts. left on holders onto a No. 3 $\frac{1}{4}$ mm needle thus: left front, left sleeve, back, right sleeve and right front and work thus:

Next Row.—Join yarn at beg. of right front, K.2, y.f., K.2 tog., (first buttonhole), ★ K.2 tog., rep. from ★ to last 5 sts., K.5. 63 (71 : 87 : 103 : 103) sts.

Work 5 (5 : 7 : 7 : 7) more rows in g.st.

Next Row.—K.5 (7 : 5 : 6 : 6) sts., ★ K.2 tog., K.1, rep. from ★ to last 4 sts. K.4. 45 (51 : 61 : 71 : 72) sts. Work 7 (7 : 9 : 9 : 9) rows in g.st., making a 2nd buttonhole as before in the 4th row.

Next Row.—K.5 (5 : 3 : 5 : 5) sts., ★ K.2 tog., K.1, rep. from ★ to last 4 sts., K.4. 33 (37 : 43 : 51 : 51) sts.

Work 3 (3 : 5 : 5 : 5) rows in g.st.

Next Row.—K.0 (1 : 1 : 0 : 0) sts., ★ K.1, y.f., K.2 tog., rep. from ★ to end.

K. 2 more rows. Cast off.

BOOTEES

Using No. 3 $\frac{1}{4}$ (3 $\frac{1}{4}$: 3 $\frac{1}{4}$: 3 $\frac{1}{4}$: 3 $\frac{1}{4}$)mm needles cast on 25 sts. and work 4 rows in g.st., then the first 8 rows of patt. as given for dress.

Next Row.—★ K.1, y.f., K.2 tog., rep. from ★ to last st., K.1.

Next Row.—P.

Divide for Instep

Next Row.—K.16, turn.

Next Row.—P.7, turn.

Work the 6 rows of patt. on these 7 sts. Work 0 (0 : 2 : 2 : 2) more rows in st.st. Break yarn. Rejoin yarn at beg. of instep and K. up 4 (4 : 5 : 5 : 5) sts. on side of instep, K.2 tog., K.3, K.2 tog., across 7 sts., K. up 4 (4 : 5 : 5 : 5) sts. on 2nd side of instep, K. to end.

Work 7 (7 : 7 : 9 : 9) rows in g.st.

Next Row.—K.2, K.2 tog., K.7 (7 : 8 : 8 : 8), K.2 tog., K.5, K.2 tog., K.7 (7 : 8 : 8 : 8), K.2 tog., K.2.

Next Row.—K.

Next Row.—K.1, K.2 tog., K.6 (6 : 7 : 7 : 7), K.2 tog., K.5, K.2 tog., K.6 (6 : 7 : 7 : 7), K.2 tog., K.1.

Next Row.—K. Cast off.

Make a second bootie in the same way.

SHAWL

Using No. 4 $\frac{1}{2}$ mm needles cast on 97 (97 : 105 : 113 : 113) sts. and work 12 rows in g.st.

Next Row.—K.8, work in patt. as given for dress to last 8 sts., K.8.

Next Row.—K.8, P. to last 8 sts., K.8.

Cont. in patt. with g.st. borders until work measures 18 (18 : 19 : 20 : 20) in or 46 (46 : 48 : 51 : 51) cm, ending with a 6th row of patt.

Work 12 rows in g.st. Cast off.

VEST

See photograph—page 5

THE BACK

Using No. 3 $\frac{1}{4}$ mm needles cast on 28 (32 : 36 : 40 : 40) sts. and work 4 rows in K.1, P.1 rib.

Cont. in g.st. until work measures 3 (3 : 3 $\frac{1}{2}$: 3 $\frac{1}{2}$: 4) in or 8 (8 : 9 : 9 : 10) cm, ending with a wrong side row.

Shape Armholes

Next Row.—K.2, K.2 tog., K. to last 4 sts., K.2 tog., K.2.

Rep. this row twice more. Cont. in g.st. until work measures 4 (4 $\frac{1}{2}$: 4 $\frac{1}{2}$: 5 : 5 $\frac{1}{2}$) in or 10 (11 : 11 : 13 : 14) cm, ending on a wrong side row.

Shape Neck

Next Row.—K.5 (6 : 7 : 8 : 8) sts., turn.

Work 5 rows on these sts. Cast off.

Slip centre 12 (14 : 16 : 18 : 18) sts. onto a safety-pin for neck, rejoin yarn to rem. sts.

Work 6 rows. Cast off.

THE FRONT

Work as for back until front measures 3 $\frac{1}{2}$ (4 : 4 : 4 $\frac{1}{2}$: 4 $\frac{1}{2}$) in or 9 (10 : 10 : 11 : 11) cm, ending with a wrong side row.

Shape Neck

Next Row.—K.5 (6 : 7 : 8 : 8) sts., turn.

Work 9 rows on these sts. Cast off.

Slip centre 12 (14 : 16 : 18 : 18) sts. onto a safety-pin for neck, rejoin yarn to rem. sts.

Work 10 rows. Cast off.

THE BACK NECK BORDER

Using No. 3 $\frac{1}{4}$ mm needles and with right side facing join yarn to top of right shoulder and K. up 4 sts. on side of neck, K. across sts. of neck, K. up 4 sts. on other side. K. one row.

Next Row.—K.1, ★ K.1, y.f., K.2 tog., rep. from ★ to last 1 (0 : 2 : 1 : 1) sts., K. to end. K. one row. Cast off.

THE FRONT NECK BORDER

Using No. 3 $\frac{1}{4}$ mm needles and with right side facing join yarn at top of left shoulder and K. up 7 sts. on side of neck, K. across sts. of neck, K. up 7 sts. on other side.

Work as for back neck border.

PILCH

Commence at back. Using No. 3 $\frac{1}{4}$ mm needles cast on 28 (32 : 36 : 40 : 40) sts. and work 4 rows in K.1, P.1 rib.

Shape Back

1st Row.—K.18 (20 : 22 : 24 : 24) sts., turn.

2nd Row.—K.8, turn.

3rd Row.—K.12, turn.

4th Row.—K.16, turn.

5th Row.—K.20, turn.

6th Row.—K.24, turn.

7th Row.—K. to end.

8th Row.—K. all sts.

Cont. in g.st. until work measures 1 $\frac{1}{2}$ (1 $\frac{1}{2}$: 2 : 2 : 2 $\frac{1}{2}$) in or 4 (4 : 5 : 5 : 6) cm, ending with a wrong side row.

Shape Leg

Next Row.—K.2, K.2 tog., K. to last 4 sts., K.2 tog., K.2.

Next Row.—K.

Rep. these 2 rows until 8 (10 : 12 : 14 : 14) sts. rem.

Work 3 (5 : 7 : 9 : 9) rows g.st.

Next Row.—K.1, inc. in next st., K. to last 3 sts., inc. in next st., K.2.

Next Row.—K.

Rep. these 2 rows until there are 28 (32 : 36 : 40 : 40) sts. on needle.

Work the same number of rows as in back seam to ribbing. Work 4 rows in K.1, P.1 rib.

Cast off.

TO MAKE UP

Press using a warm iron over a dry cloth.

DRESS.—Join side and sleeve seams. Set in sleeves. Sew on buttons.

MATINEE COAT.—Join sleeve seams. Set in sleeves. Thread ribbon through holes at neck. Sew on buttons.

BOOTEES.—Join back and foot seam. Thread ribbon through holes at ankles.

VEST.—Join side, shoulder and neck border seams. Thread ribbon through holes at neck.

PILCH.—Join side seams. Join waist length of elastic and sew to wrong side using a herringbone stitch



Instructions page 4.

Instructions page 16.

All the Dolls used in this book
are from the Tiny Tears, Pedigree and Rosebud ranges
and can be obtained from most Department Stores
and Toy Shops.

PRAM SET

MATERIALS, MEASUREMENTS and TENSION.

Given on Page 3.

COAT

See cover—Blue set, lower left.

This is worked in one piece to armholes.

Using No. 3 $\frac{1}{4}$ mm needles cast on 110 (118 : 130 : 140 : 148) sts. and work 6 rows in g.st.

Next Row.—K.

Next Row.—K.4, P. to last 4 sts., K.4.

Rep. the last 2 rows until work measures 3 $\frac{1}{2}$ (4 : 4 $\frac{1}{2}$: 5 : 5 $\frac{1}{2}$) in or 9 (10 : 11 : 13 : 14) cm, ending with a K. row.

Now dec. for bodice

Next Row.—K.4, P.1 (0 : 0 : 1 : 0), ★ P.2 tog., P.3, rep. from ★ to last 5 (4 : 6 : 5 : 4) sts., P.1, K.4, (K.4 : P.2 tog., K.4 : P.1, K.4 : K.4) — 90 (96 : 105 : 114 : 120) sts.

Now work in patt. thus:

1st Row.—K.4, P.1, ★ K.2 tog., leave sts. on needle and K. the first st. again, then sl. both sts. off needle, P.1, rep. from ★ to last 4 sts., K.4.

2nd Row.—K.5, ★ P.2, K.1, rep. from ★ to last 4 sts., K.4.

These 2 rows form the patt

Cont. in patt. and divide for armholes thus:

Next Row.—K.2, y.f., K.2 tog., (for buttonhole), patt. 18 (20 : 23 : 25 : 26) sts., cast off 4 sts., patt. 38 (40 : 43 : 48 : 52) sts., cast off 4 sts., patt. to last 4 sts., K.4.

Cont. in patt. with g.st. border at front edge on last set of sts. for left front, dec. 1 st. on every row at armhole edge until 20 (20 : 23 : 26 : 26) sts. rem. Work straight until front measures 5 $\frac{1}{2}$ (6 : 6 $\frac{1}{2}$: 7 $\frac{1}{2}$: 8) in or 14 (15 : 17 : 19 : 20) cm, ending with a right side row.

Shape Neck

Cast off 9 (9 : 10 : 11 : 12) sts., patt. to end.

Next Row.—Patt. to end.

Cont. in patt. dec. 1 st. on every row at neck edge until 8 (8 : 9 : 10 : 11) sts. rem.

Work 2 (2 : 3 : 4 : 6) more rows. Cast off.

Rejoin yarn at inner edge to sts. left for back and work in patt. dec. 1 st. each end of every row until 34 (34 : 37 : 40 : 46) sts. rem.

Work straight until back measures same as front, ending with a wrong side row. Cast off.

Rejoin yarn to rem. sts. and work right front to match left front, making 2 more buttonholes, the last to come 2 rows below neck edge, spacing the other evenly between.

THE SLEEVES (Alike)

Using No. 3 $\frac{1}{4}$ mm needles cast on 22 (24 : 26 : 28 : 30) sts. and work 6 rows in g.st.

Cont. in st.st. inc. 1 st. each end of next and every foll. 4th (4th : 6th : 6th : 6th) row until there are 32 (34 : 36 : 38 : 40) sts. on needle.

Work straight until sleeve measures 3 (3 : 3 $\frac{1}{2}$: 3 $\frac{1}{2}$: 4) in or 8 (8 : 9 : 9 : 10) cm, ending with a P. row.

Shape Top

Cast off 2 sts. at beg. of next 2 rows, then dec. 1 st. each end of every row until 12 (10 : 12 : 10 : 12) sts. rem. Cast off.

THE COLLAR

Join shoulder seams.

Using No. 3 $\frac{1}{4}$ mm needles and with right side facing join

yarn to 3rd st. cast off from front edge and K. up 42 (44 : 49 : 54 : 58) sts. evenly round neck, ending 3 sts. from left front edge.

Work 11 (13 : 15 : 17 : 19) rows in g.st. Cast off.

LEGGINGS

THE RIGHT LEG

Using No. 3 $\frac{1}{4}$ mm needles cast on 38 (40 : 42 : 44 : 46) sts. and work 4 rows in K.1, P.1 rib.

Change to st.st. and shape back.

1st Row.—K.8, turn.

2nd and Every Alt. Row.—P.

3rd Row.—K.16, turn.

5th Row.—K.24, turn.

7th Row.—K.32, turn.

8th Row.—P. to end.

Cont. on all sts. inc 1 st. at beg. of next and every foll. alt. row until there are 45 (47 : 49 : 51 : 53) sts. on needle. ★★

Work straight until work measures 3 (3 : 3 $\frac{1}{2}$: 3 $\frac{1}{2}$: 4) in or 8 (8 : 9 : 9 : 10) cm, at front edge, ending on a P. row.

Shape Leg

Dec. 1 st. each end of next and every alt. row until 31 (33 : 35 : 37 : 39) sts. rem. then each end of every foll. 4th row until 25 (25 : 27 : 29 : 31) sts. rem. Work straight until work measures 6 (6 : 6 $\frac{1}{2}$: 6 $\frac{1}{2}$: 7) in or 15 (15 : 17 : 17 : 18) cm at front edge, ending on a P. row.

Make holes for ribbon thus:

Next Row.—K.2, ★ y.f., K.2 tog., K.1, rep. from ★ to last 2 (2 : 1 : 0 : 2) sts., K. to end.

Work 3 rows in st.st., beg. with a P. row. ★★

Shape Foot

Next Row.—K.19 (19 : 20 : 21 : 22) sts., turn.

Next Row.—P.7, turn.

Work 6 (6 : 8 : 8 : 10) more rows in st.st. on these 7 sts. Break yarn.

Rejoin yarn at beg. of instep and K. up 4 (4 : 5 : 5 : 6) sts. evenly on side of instep, K.2 tog., K.3, K.2 tog., across the sts. of instep, K. up 4 (4 : 5 : 5 : 6) sts. on 2nd side of instep, K. to end.

Work 7 (7 : 7 : 9 : 9) rows in g.st.

Next Row.—K.1, K.2 tog., twice, K.10 (10 : 12 : 13 : 15), K.2 tog., K.3, K.2 tog., K.9 (9 : 11 : 12 : 14) sts.

Next Row.—K.

Next Row.—K.1, K.2 tog., K.9 (9 : 11 : 12 : 14), K.2 tog., K.3, K.2 tog., K. to end. Cast off.

THE LEFT LEG

Work ribbing as for right leg, K. one row.

Now work back shapings reading P. for K. and K. for P. Cont. in st.st. inc. 1 st. at end of first and every foll. alt. row until there are 45 (47 : 49 : 51 : 53) sts. on needle.

Work from ★★ to ★★ as for right leg.

Shape Foot

Next Row.—K.13 (13 : 14 : 15 : 16), turn.

Work instep and pick up sts. as for right foot, then work 7 (7 : 7 : 9 : 9) rows in g.st.

Next Row.—K.9 (9 : 11 : 12 : 14), K.2 tog., K.3, K.2 tog., K. to last 5 sts., K.2 tog., twice, K.1.

Next Row.—K.

Next Row.—K.8 (8 : 10 : 11 : 13), K.2 tog., K.3, K.2 tog., K. to last 3 sts., K.2 tog., K.1. Cast off.

(Continued on page 18)

INDOOR AND OUTDOOR SETS FOR BABY DOLL

See cover—White Set, top right.

MATERIALS

DRESS, PRAM COAT, LEGGINGS, BONNET, MITTS and BOOTEES: 3 (4 : 4 : 5 : 5) 50g Balls Hayfield Beaulon D.K.

VEST and PANTIES: 1 (1 : 2 : 2 : 2) 50g Balls of the same yarn.

1 Pair each of Nos. 3¼mm (10) and 4mm (8) knitting needles.

A size 3-50 (9) crochet hook.

4 small buttons. 3 yards (274cm) narrow ribbon. Elastic.

MEASUREMENTS

To fit 12 (14 : 16 : 18 : 20) in or 30 (36 : 41 : 46 : 51) cm Doll.

TENSION

11 sts.=2in (5cm) over patt. on No. 4mm (8) needles.

DRESS

THE SKIRT

Worked in one piece to yoke.

Using No. 4mm needles cast on 97 (109 : 121 : 133 : 145) sts. and work m.st. thus:

1st Row.—P.1, ★ K.1, P.1, rep. from ★ to end.

Rep. this row 3 times more.

Cont. in patt. thus:

1st Row.—P.1, ★ K.3, P.1, rep. from ★ to end.

2nd Row.—K.1, ★ P.3, K.1, rep. from ★ to end.

3rd Row.—As first row.

4th Row.—K.1, ★ y.r.n., P.3 tog., y.o.n., K.1, rep. from ★ to end.

5th Row.—K.2, ★ P.1, K.3, rep. from ★ to last 3 sts., P.1, K.2.

6th Row.—P.2, ★ K.1, P.3, rep. from ★ to last 3 sts., K.1, P.2.

7th Row.—As 5th row.

8th Row.—P.2 tog., y.o.n., ★ K.1, y.r.n., P.3 tog., y.o.n., rep. from ★ to last 3 sts., K.1, y.r.n., P.2 tog.

These 8 rows form the patt. Rep. them until skirt measures 4 (4 : 4½ : 5 : 5) in or 10 (10 : 11 : 13 : 13) cm, ending on a 4th or 8th patt. row. Cast on 2 sts. for underwrap at end of last row.

Dec. for yoke thus:

Next Row.—P.1, K.1, on sts. of underwrap, K.2, ★ K.2 tog., rep. from ★ to last 3 sts., K.3 — 53 (59 : 65 : 71 : 77) sts.

Next Row.—M.st. to end.

Next Row.—M.st. to last 2 sts., m.1, K.2 tog. for buttonhole.

Work 1 more row.

Divide for Armholes

Next Row.—M.st. 14 (15 : 16 : 17 : 18), cast off 2 (3 : 4 : 5 : 6) sts., m.st. 23 (25 : 27 : 29 : 31), cast off 2 (3 : 4 : 5 : 6) sts., m.st. to end.

Work on last 12 (13 : 14 : 15 : 16) sts., dec. 1 st. on every row at armhole edge until 10 (11 : 12 : 13 : 14) sts. rem. Work straight until yoke measures 1½ (2 : 2 : 2½ : 2½) in or 4 (5 : 5 : 6 : 6) cm from dec. row, ending on a wrong side row, then make a 2nd buttonhole. Work 1 more row. Cast off.

Rejoin yarn to sts. of front yoke, work in m.st. dec. 1 st. each end of every row until 19 (21 : 23 : 25 : 27) sts. rem. Work straight until yoke measures 1½ (1½ : 2 : 2 : 2½) in or 4 (4 : 5 : 5 : 6) cm from dec row, ending on a wrong side row.

Shape Neck

Next Row.—M.st. 7 (7 : 8 : 8 : 9), cast off 5 (7 : 7 : 9 : 9) sts., m.st. to end.

Next Row.—M.st. 7 (7 : 8 : 8 : 9). Now dec. 1 st. at neck edge on every row until 5 (5 : 6 : 6 : 7) sts. rem. Work straight until armhole measures ½in or 1cm more than back armhole. Cast off.

Rejoin yarn to the sts. of left shoulder and work to match first side.

Rejoin yarn to the sts. of left back, work to match right back omitting buttonholes.

BONNET

Using No. 4mm needles cast on 49 (49 : 53 : 53 : 57) sts. and work 2 rows m.st., then work 12 rows in patt. as for dress.

Cont. in m.st. until work measures 4½ (4½ : 5 : 5 : 5½) in or 11 (11 : 13 : 13 : 14) cm, ending on a right side row.

Shape Back

1st Row.—Work 2 tog. (work 2 tog. : m.st. 1, work 2 tog. : m.st. 1, work 2 tog. : work 2 tog.), ★ m.st. 4, work 3 tog., rep. from ★ to last 5 sts., m.st. 3, work 2 tog. (to last 5 sts., m.st. 3, work 2 tog. : to last st. m.st. 1 : to last sts., m.st. 1 : to last 6 sts., m.st. 4, work 2 tog.).

2nd and Alt. Rows.—Work in m.st.

3rd Row.—Work 2 tog. (work 2 tog. : work 3 tog. : work 3 tog. : work 2 tog.), ★ m.st. 2, work 3 tog., rep. from ★ to last 3 sts., m.st. 1, work 2 tog. (to last 3 sts., m.st. 1, work 2 tog. : to end : to end : to last 4 sts., m.st. 2, work 2 tog.).

5th Row.—Work 2 tog., ★ m.st. 1, work 3 tog., rep. from ★ to last 3 sts., m.st. 1, work 2 tog. (to last 3 sts., m.st. 1, work 2 tog. : to last 4 sts., m.st. 2, work 2 tog. : to last 4 sts., m.st. 2, work 2 tog. : to last 3 sts., m.st. 1, work 2 tog.).

6th Row.—Work in m.st.

Break yarn and thread through rem. sts., draw up tightly and fasten off. Join shaped back seam. Fold first patt. back for brim.

Using No. 4mm needles and right side facing join yarn at front edge and K. up 33 (35 : 37 : 39 : 41) sts. on neck edge, taking through both brim and m.st. at fronts.

Next Row.—P.

Next Row.—K.1, ★ y.f., K.2 tog., rep. from ★ to end. K.1 row. Cast off.

BOOTEES

Using No. 3¼mm needles cast on 25 (25 : 29 : 29 : 29) sts. and work 2 rows in m.st., then 4 rows in patt. as for dress.

Shape Foot

Next Row.—M.st. 15 (15 : 17 : 17 : 17) turn.

Next Row.—M.st. 5, turn.

Work 6 (6 : 10 : 10 : 10) rows on these sts. Break yarn. Rejoin yarn at beg. of instep and K. up 4 (4 : 6 : 6 : 6) sts. on side of instep, m.st. 5, K. up 4 (4 : 6 : 6 : 6) on second side of instep, m.st. to end.

Work 5 (5 : 5 : 5 : 5) more rows.

Next Row.—Work 2 tog., m.st. 10 (10 : 14 : 14 : 14), work 3 tog., m.st. 3, work 3 tog., m.st. 10 (10 : 14 : 14 : 14), work 2 tog.

Next Row.—Work in m.st.

Next Row.—Work 2 tog., m.st. 8 (8 : 12 : 12 : 12), work 3 tog., m.st. 1, work 3 tog., m.st. 8 (8 : 12 : 12 : 12), work 2 tog.

Next Row.—Work in m.st. Cast off.
Make a second bootee in same way.

MITTS

Using No. 3½mm needles cast on 25 (25 : 29 : 29 : 29) sts. and work 2 rows in m.st., then 4 rows in patt. as for dress. Cont. in m.st. for 16 (16 : 18 : 18 : 20) rows.

Next Row.—M.st. 1, ★ work 3 tog., m.st. 1, rep. from ★ to end.

Break yarn and thread through rem. sts., draw up tightly and fasten off.

Make a second mitt in same way.

TO MAKE UP

Press using a warm iron over a dry cloth.

DRESS.—Join centre back seam to beg. of yoke. Join shoulders.

Using No. 3-50 crochet hook and with right side facing, join yarn at left side of back opening and work 1 d.c. into cast off edge of neck, ★ 1 d.c. in next st., 3 ch., sl. st. into top of last d.c., 1 d.c. in next st., rep. from ★ all round neck edge. Break yarn and fasten off. Work in same way round armholes.

Sew on buttons. Thread ribbon through holes of last lace patt. before yoke to tie at front.

BONNET.—Thread ribbon through holes at neck edge.

BOOTEES.—Join leg and underfoot seams. Thread ribbon through last row of holes in patt. at ankles.

MITTS.—Join seams. Thread ribbon through last row of holes at wrists.

PRAM COAT

See cover—White Set, top left

THE SKIRT

Worked in one piece to yoke.

Using No. 4mm needles cast on 101 (113 : 125 : 137 : 149) sts. and work 4 rows in m.st. as for dress, then cont. in patt. as for dress but keeping 4 sts. in m.st. at each end of every row until work measures 4½ (5 : 5½ : 6 : 6½) in or 11 (13 : 14 : 15 : 17) cm, ending on a 4th or 8th patt. row.

Dec. for yoke thus:

Next Row.—M.st. 2, m.1, K.2 tog., K.2, ★ K.2 tog., rep. from ★ to last 7 sts., K.3, m.st. 4 — 57 (63 : 69 : 75 : 81) sts.

Work 3 rows in m.st.

Divide for Armholes

Next Row.—M.st. 15 (16 : 17 : 18 : 19), cast off 2 (3 : 4 : 5 : 6) sts., m.st. 23 (25 : 27 : 29 : 31), cast off 2 (3 : 4 : 5 : 6) sts., m.st. to end.

Next Row.—M.st. 15 (16 : 17 : 18 : 19) sts.

Work on these sts. dec. 1 st. on every row at armhole edge until 13 (14 : 15 : 16 : 17) sts. rem.

Work straight until yoke measures 1½ (1½ : 2 : 2 : 2½) in or 4 (4 : 5 : 5 : 6) cm, ending on right side row.

Shape Neck

Cast off 5 (5 : 6 : 6 : 7) sts., then dec. 1 st. on next and every row at neck edge until 5 (5 : 6 : 6 : 7) sts. rem. Work straight until yoke measures 2½ (2½ : 3 : 3 : 3½) in or 6 (6 : 8 : 8 : 9) cm, ending with a wrong side row. Cast off.

Rejoin yarn to sts. of back yoke. Work in m.st., dec. 1 st. each end of next 2 rows. Work straight until yoke measures 2 (2 : 2½ : 2½ : 3) in or 5 (5 : 6 : 6 : 8) cm, ending with a wrong side row. Cast off.

Rejoin yarn to sts. of right front, m.st. one row. Dec. 1 st. at armhole edge on next 2 rows. Work straight until yoke measures 1 (1 : 1½ : 1½ : 2) in or 3 (3 : 4 : 4 : 5) cm from dec. row, ending on a wrong side row, then make a 2nd buttonhole.

Work 1 more row then shape neck to match left front.

THE SLEEVES (Alike)

Using No. 3½mm needles cast on 21 (21 : 25 : 25 : 29) sts. and work 2 rows m.st., then 4 rows in patt. as on dress.

Change to No. 4mm needles and cont. in m.st., inc. 1 st. each end of 3rd (3rd and 9th : 3rd : 3rd and 9th : 3rd) rows. Work straight until sleeve measures 2½ (2½ : 3 : 3 : 3½) in or 6 (6 : 8 : 8 : 9) cm, ending with a wrong side row.

Shape Top

Cast off 1 (2 : 2 : 3 : 3) sts. at beg. of next 2 rows, then 2 sts. at beg. of every row until 5 (5 : 7 : 7 : 9) sts. rem. Cast off.

LEGGINGS

THE RIGHT LEG

Using No. 3½mm needles cast on 29 (31 : 33 : 35 : 37) sts. and work 2 rows in K.1, P.1 rib, beg. alt. rows P.1.

Next Row.—K.1, ★ y.f., K.2 tog., rep. from ★ to end. Work 2 more rows in rib.

Change to No. 4mm needles, work 1 more row in rib then cont. in m.st. ★★

Shape Back

1st and 2nd Rows.—M.st. 5 (5 : 6 : 6 : 7), turn.

3rd and 4th Rows.—M.st. 10 (10 : 12 : 12 : 14), turn.

5th and 6th Rows.—M.st. 15 (15 : 18 : 18 : 21), turn.

7th and 8th Rows.—M.st. 20 (20 : 24 : 24 : 28), turn.

9th and 10th Rows. M.st. to end. ★★

Cont. in m.st., inc. 1 st. at beg. of next and foll. 8th row. Work straight until work measures 3 (3 : 3½ : 3½ : 4) in or 8 (8 : 9 : 9 : 10) cm at front edge, ending on a wrong side row. Then dec. 1 st. each end of next and every alt. row until 23 (25 : 27 : 29 : 31) sts. rem., then every 6th row until 21 (23 : 25 : 25 : 25) sts. rem. Work straight until work measures 5½ (6 : 6½ : 7 : 7½) in or 14 (15 : 17 : 18 : 19) cm, ending on a wrong side row.

Next Row.—K.2 tog., ★ y.f., K.2 tog., rep. from ★ to last 3 sts., y.f., K.3 tog.

Next Row.—P. ★★

Work Foot

Next Row.—M.st. 14 (15 : 16 : 16 : 16), turn.

Next Row.—M.st. 5, turn.

Work 6 (6 : 10 : 10 : 10) rows on these 5 sts. Break yarn.

Rejoin yarn at beg. of instep and K. up 4 (4 : 6 : 6 : 6) sts. on side of instep, m.st. 5, K. up 4 (4 : 6 : 6 : 6) sts. on second side of instep. m.st. to end.

Work 5 more rows.

Next Row.—Work 2 tog. twice, m.st. 8 (9 : 12 : 12 : 12) work 3 tog., m.st. 1, work 3 tog., m.st. to end. Work 1 more row. Cast off.

THE LEFT LEG

Work ribbing as for right leg. Change to No. 4mm needles and work 1 row m.st.

Work from ★★ to ★★ as for right leg, then cont. in m.st., inc. 1 st. at end of next and foll. 8th row then work as for right leg until ★★.

Work Foot

Next Row.—M.st. 10 (11 : 12 : 12 : 12), turn.

Next Row.—M.st. 5, turn.

Complete as for right foot until dec. row.

Next Row.—M.st. 8 (9 : 12 : 12 : 12), work 3 tog., m.st. 1, work 3 tog., m.st. to last 4 sts., work 2 tog. twice. Work 1 more row. Cast off.

PRAM COAT.—Join shoulder and sleeve seams. Set in sleeves. Work crochet edge as for dress round neck edge. Sew on buttons.

LEGGINGS.—Join front, back and leg seams. Join underfoot seam. Thread elastic at waist and ribbon at ankles.

(Continued on page 16)

DRESS, SLACKS, CAP AND PONCHO

See cover—lower right.

MATERIALS

DRESS: 2 (3 : 3 : 3 : 4) Balls Hayfield Beaulon D.K. Balls of the same yarn.

SLACKS, CAP AND PONCHO: 4 (5 : 5 : 6 : 6) Balls of the same yarn.

1 Pair each of Nos. 3 $\frac{3}{4}$ mm (9) and 4mm (8) knitting needles.

A size 4-00 (8) crochet hook.

2 press fasteners. Elastic.

MEASUREMENTS

To fit 12 (14 : 16 : 18 : 20) in or 30 (36 : 41 : 46 : 51) cm Rosebud Doll.

TENSION

12 sts.=2in (5cm) on No. 4mm (8) needles.

13 sts.=2in (5cm) on No. 3 $\frac{3}{4}$ mm (9) needles.

DRESS

THE BACK

Using No. 3 $\frac{3}{4}$ mm needles cast on 37 (40 : 43 : 46 : 49) sts. and work in m.st. thus:

1st Row.—K.1, ★ P.1, K.1, rep. from ★ to end (last st. P.1 : to end : last st. P.1 : to end).

2nd Row.—K.1 (P.1, K.1 : K.1 : P.1, K.1 : K.1), ★ P.1, K.1, rep. from ★ to end.

Rep. these 2 rows once more, then work 4 rows in st.st.

Now dec. thus: ★★

Next Row.—K.4, K.2 tog., K. to last 6 sts., sl.1, K.1, p.s.s.o., K.4.

Work 3 (3 : 5 : 5 : 7) rows in st.st. ★★

Rep. from ★★ to ★★ until 25 (28 : 31 : 34 : 37) sts. rem.

Work straight until work measures 3 $\frac{1}{2}$ (4 : 5 : 5 $\frac{1}{2}$: 6 $\frac{1}{2}$) in or 9 (10 : 13 : 14 : 17) cm, ending on a P. row.

Shape Armholes

Cast off 2 sts. at beg. of next 2 rows, then dec. 1 st. each end of every row until 19 (20 : 23 : 24 : 27) sts. rem.

Work straight until work measures 5 (6 : 7 : 8 : 9) in or 13 (15 : 18 : 20 : 23) cm, ending with a P. row.

Shape Neck

Next Row.—K.6 (6 : 7 : 7 : 8) sts., turn.

Next Row.—P.

Now dec. 1 st. at neck edge on every row until 4 (4 : 5 : 5 : 6) sts. rem.

Work 3 (3 : 5 : 5 : 5) rows after last dec. Cast off.

Sl. centre 7 (8 : 9 : 10 : 11) sts. on a safety-pin, rejoin yarn to rem. sts. and work to match first side.

THE FRONT

Work as given for back.

THE SLEEVES (Alike)

Using No. 3 $\frac{3}{4}$ mm needles cast on 15 (15 : 17 : 19 : 21) sts. and work 4 rows in m.st.

Cont. in st.st. inc. 1 st. each end of next and every foll. 4th row until there are 23 (23 : 25 : 27 : 29) sts. on needle.

Work straight until sleeve measures 2 (2 $\frac{1}{2}$: 3 : 3 $\frac{1}{2}$: 4) in or 5 (6 : 8 : 9 : 10) cm, ending with a P. row.

Shape Top

Cast off 2 sts. at beg. of next 6 (6 : 8 : 10 : 10) rows. Cast off rem. sts.

THE COLLAR (Front)

Using No. 3 $\frac{3}{4}$ mm needles join yarn at top of left shoulder and K. up 6 (6 : 7 : 8 : 9) sts. evenly on side of neck, K. across sts. from pin, K. up 6 (6 : 7 : 8 : 9) sts. on second side of neck. Work 7 (7 : 9 : 9 : 9) rows in m.st. Cast off.

Work back collar in same way.

SLACKS

Using No. 3 $\frac{3}{4}$ mm needles cast on 48 (52 : 56 : 60 : 64) sts. and work 4 rows in K.1, P.1 rib.

Change to st.st. and shape back thus:

1st Row.—K.28 (30 : 32 : 34 : 36) sts., turn.

2nd Row.—P.8, turn.

3rd Row.—K.12, turn.

4th Row.—P.16, turn.

5th Row.—K.20, turn.

6th Row.—P.24, turn.

7th Row.—K. to end.

8th Row.—P. to end. (Mark 2 centre sts. with thread).

Cont. in st.st. inc. 1 st. on each side of the 2 centre sts. on next and every foll. 4th row until there are 58 (62 : 66 : 70 : 74) sts. on needle.

Work straight until work measures 3 (3 $\frac{1}{2}$: 3 $\frac{1}{2}$: 4 $\frac{1}{2}$: 4 $\frac{1}{2}$) in or 8 (9 : 9 : 11 : 11) cm at front edge, ending with a P. row.

Divide for Legs

Next Row.—K.2 tog., K.25 (27 : 29 : 31 : 33) sts., K.2 tog., turn, leave rem. sts. on a spare needle.

Next Row.—P.

Cont. in st.st. dec. 1 st. each end of next and every alt. row until 21 (23 : 25 : 27 : 29) sts. rem.

Cont. straight until leg measures 3 (3 $\frac{1}{2}$: 4 : 4 $\frac{1}{2}$: 5) in or 8 (9 : 10 : 11 : 13) cm, ending with a P. row.

Work 4 rows in m.st. Cast off in m.st.

Rejoin yarn to rem. sts. and work second leg to match first leg.

CAP

Using No. 3 $\frac{3}{4}$ mm needles cast on 61 (61 : 67 : 73 : 73) sts. and work in m.st. for 1 $\frac{1}{2}$ (1 $\frac{1}{2}$: 2 : 2 : 2 $\frac{1}{2}$) in or 4 (4 : 5 : 5 : 6) cm, ending with a wrong side row. Dec. 1 st. at end of last row.

Shape Top

1st Row.—★ M.st. 7 (7 : 8 : 9 : 9), work 3 tog., rep. from ★ to end.

Work 3 rows in m.st.

5th Row.—★ M.st. 5 (5 : 6 : 7 : 7), work 3 tog., rep. from ★ to end.

Work 3 rows in m.st.

9th Row.—★ M.st. 3 (3 : 4 : 5 : 5), work 3 tog., rep. from ★ to end.

Work 3 rows in m.st.

13th Row.—★ M.st. 1 (1 : 2 : 3 : 3), work 3 tog., rep. from ★ to end.

Work 1 row m.st. for first, 2nd and 3rd sizes. Break yarn, thread through rem. sts., draw up tightly and fasten off.

For 4th and 5th sizes:

Next Row.—★ M.st. 1 (1), work 3 tog., rep. from ★ to end.

Work 1 row m.st. Break yarn, thread through rem. sts., draw up tightly and fasten off.

THE PEAK

Using No. 3 $\frac{3}{4}$ mm needles and commencing on the 20th st. from back seam, K. up 23 (23 : 27 : 33 : 33) sts. on cast on edge.

Work 3 (3 : 5 : 5 : 5) rows in st.st. beg. with a P. row. Now dec. 1 st. each end of the next 4 rows, then inc.

1 st. each end of the foll. 4 rows. Work 4 (4 : 6 : 6 : 6) rows in st.st. Cast off.

PONCHO

Using No. 3 $\frac{3}{4}$ (4 : 3 $\frac{3}{4}$: 4 : 3 $\frac{3}{4}$) mm needles cast on 43 (43 : 49 : 49 : 55) sts. and work 2 rows in m.st.

Next Row.—P.2 tog., m.st. to last 2 sts., P.2 tog.

Next Row.—M.st. to end.

Now cont. in patt. dec. 1 st. each end of every alt. row thus:

1st Row.—P.2 tog., P. to last 2 sts., P.2 tog.

2nd Row.—K.

(Continued on page 16)

GIRL DOLL TROUSER SUIT AND BERET

See photograph opposite.

MATERIALS

SWEATER, TROUSERS, WAISTCOAT AND BERET: 3 (3 : 3 : 4 : 4) 50g Balls Hayfield Beaulon D.K.
DRESS AND CLOAK: 3 (3 : 3 : 3 : 4) 50g Balls Hayfield Beaulon D.K. (*Cloak illustrated on page 13.*)

1 Pair each of Nos. 3½mm (10), 3¾mm (9) and 4mm (8) knitting needles.

A cable needle.

A size 9 crochet hook. (New size 3.50mm.)

3 press fasteners. 6 buttons. Elastic.

MEASUREMENTS

To fit 12 (14 : 16 : 18 : 20) in or 30 (36 : 41 : 46 : 51) cm Doll.

TENSION

11 sts. = 2in (5cm) on No. 4mm (8) needles.

SWEATER

THE BACK

Using No. 3½mm needles cast on 33 (35 : 37 : 39 : 41) sts. and work 6 rows in K.1, P.1 rib.

Change to No. 4mm needles and cont. in patt. thus:

1st Row.—K.11 (12 : 13 : 14 : 15), P.1, K.4, P.1, K.4, P.1, K. to end.

2nd Row.—P.11 (12 : 13 : 14 : 15), K.1, P.4, K.1, P.4, K.1, P. to end.

3rd Row.—K.11 (12 : 13 : 14 : 15), P.1, sl. next 2 sts. onto cable needle and leave at back of work, K. the next 2 sts., then K. 2 sts. from cable needle, P.1, sl. next 2 sts. onto cable needle and leave at front of work, K. the next 2 sts., then K. 2 sts. from cable needle, P.1, K. to end.

4th Row.—As 2nd row.

These 4 rows form the patt. Rep. them until back measures 3 (3½ : 3½ : 4 : 4½) in or 8 (9 : 9 : 10 : 11) cm, ending with a wrong side row.

Shape Armholes

Cast off 4 sts. at beg. of next 2 rows.

Divide for Back Opening

Next Row.—K.7 (8 : 9 : 10 : 11), P.1, patt. 4, P.1, turn. Cont. on these sts. until back measures 5½ (6 : 6½ : 7 : 7½) in or 14 (15 : 17 : 18 : 19) cm, ending with a wrong side row. Cast off.

Rejoin yarn at centre to rem. sts., cast on 2 sts. for underwrap.

1st Row.—K.1, P.1, patt. 4, P.1, K. to end.

2nd Row.—P.7 (8 : 9 : 10 : 11), K.1, P.4, K.2.

Cont. in patt. keeping last st. of underwrap in g.st. and complete to match first side.

THE FRONT

Work as for back omitting opening until front measures 4½ (5 : 5 : 5½ : 6) in or 11 (13 : 13 : 14 : 15) cm, ending with a wrong side row.

Shape Neck

Next Row.—K.7 (8 : 9 : 10 : 11), P.1, cast off 9 sts., work to end.

Work on last set of sts., dec. 1 st. at neck edge on next 2 rows. Work straight until armhole measures same as back to shoulder. Cast off.

Rejoin yarn to rem. sts. and work to match first side.

THE SLEEVES (Alike)

Using No. 3½mm needles cast on 19 (21 : 21 : 23 : 23) sts. and work 6 rows in K.1, rib.

Change to No. 4mm needles and cont. in st.st., inc. 1 st. each end of 5th and every foll. 6th row until there are 23 (25 : 27 : 27 : 29) sts. on needle. Work straight until sleeve measures 3 (3½ : 3½ : 4 : 4) in or 8 (9 : 9 : 10 : 10) cm, ending with a P. row. Cast off.

THE COLLAR

Join shoulder seams.

Using No. 3½mm needles and with right side facing join yarn at left side of neck and K. up 40 (42 : 44 : 46 : 48) sts. all round neck. Work 8 rows in K.1, P.1 rib.

Change to No. 4mm needles and work a further 6 (8 : 8 : 8 : 10) rows rib. Cast off.

TROUSERS

THE RIGHT LEG

Using No. 4mm needles cast on 28 (30 : 32 : 34 : 36) sts. and work in st.st. until leg measures 3 (3½ : 3½ : 4 : 4½) in or 8 (9 : 9 : 10 : 11) cm, ending with a P. row.

Inc. 1 st. each end of next and foll. alt. row. Work 3 rows st.st.

Next Row.—K.1, sl.1, K.1, p.s.s.o., K. to last 3 sts., K.2 tog., K.1.

Next Row.—P.

Rep. these 2 rows once more, work 2 more rows st.st.

★★

Then dec. in same way at **end** of next and foll. 4th row.

Work straight until leg measures 6 (6½ : 6½ : 7 : 7½) in or 15 (17 : 17 : 18 : 19) cm, ending with a P. row.

Change to No. 3½mm needles and work 2 rows in K.1 P.1 rib. Cast off.

THE LEFT LEG

Work as for right leg to ★★ then dec. 1 st. at **beg.** of next and foll. 4th row, then complete to match right leg.

WAISTCOAT

THE BACK

Using No. 4mm needles cast on 31 (33 : 35 : 37 : 39) sts. and work in double m.st. thus:

1st Row.—K.1, ★ P.1, K.1, rep. from ★ to end.

2nd Row.—P.1, ★ K.1, P.1, rep. from ★ to end.

3rd Row.—As 2nd row.

4th Row.—As first row.

These 4 rows form the double m.st. patt. Rep. them until back measures 3½ (4 : 4 : 4½ : 4½) in or 9 (10 : 10 : 11 : 11) cm, ending with a wrong side row.

Shape Armholes

Cast off 3 sts. at beg. of next 2 rows, then dec. 1 st. each end of every row until 21 (23 : 25 : 27 : 29) sts. rem. Work straight until back measures 5½ (6 : 6½ : 7 : 7½) in or 14 (15 : 17 : 18 : 19) cm, ending with a wrong side row. Cast off.

THE LEFT FRONT

Using No. 4mm needles cast on 17 (17 : 19 : 19 : 21) sts. and work in double m.st. until front measures same as back to armholes, ending with a wrong side row.

Shape Armhole and Neck

Next Row.—Cast off 3 sts., patt. to last 2 sts., work 2 tog.

Next Row.—Patt. to end.

Next Row.—Work 2 tog., patt. to end.

Next Row.—Patt. to last 2 sts., work 2 tog.

Now dec. 1 st. at front edge on next and every alt. row until 5 (6 : 7 : 8 : 8) sts. rem.

Work straight until front measures ½ in or 1cm longer than back, ending with a wrong side row. Cast off.

THE RIGHT FRONT

Work to match left front reversing shapings.



Trouser Suit and Beret

BERET

Using No. 3½ (3½ : 3½ : 3½ : 3½) mm needles cast on 57 sts. and work 4 rows m.st. thus:

1st Row.—K.1, ★ P.1, K.1, rep. from ★ to end. Rep. this row 3 times more.

Change to No. 4mm needles and inc. thus:

Next Row.—★ K.1, inc. in next st., rep. from ★ to last st., K.1.

Next Row.—P.85.

Cont. in st.st. for 20 (20 : 22 : 22 : 24) rows, dec. 1 st. at beg. of last row.

Now dec. thus:

1st Row.—★ K.2 tog., K.5, rep. from ★ to end.

2nd and Alt. Rows.—P.

3rd Row.—★ K.2 tog., K.4, rep. from ★ to end.

5th Row.—★ K.2 tog., K.3, rep. from ★ to end.

7th Row.—★ K.2 tog., K.2, rep. from ★ to end.

9th Row.—★ K.2 tog., K.1, rep. from ★ to end.

11th Row.—★ K.2 tog., rep. from ★ to end. Break yarn, thread through rem. sts. and draw up tightly and fasten off.

DRESS

To fit Doll opposite—not shown.

THE BACK

Using No. 4mm needles cast on 37 (39 : 41 : 43 : 45) sts. and work 4 rows in m.st., cont. in patt. thus:

1st Row.—K.

2nd Row.—P.

Rep. these 2 rows once more, then work 2 rows in m.st. These 6 rows form the patt.

Cont. in patt. dec. 1 st. each end of the next and every foll. 4th row until 25 (27 : 29 : 31 : 33) sts. rem. Work straight until back measures 4 (4½ : 4½ : 5 : 5½) in or 10 (11 : 11 : 13 : 14) cm, ending with a wrong side row.

Shape Armholes

Cast off 2 sts. at beg. of next 2 rows, then dec. 1 st. at each end of every row until 17 (19 : 21 : 23 : 25) sts. rem. Work straight until back measures 6 (6½ : 7 : 7½ : 8) in or 15 (17 : 18 : 19 : 20) cm, ending with a wrong side row. Cast off.

THE FRONT

Work as for back until 29 (31 : 33 : 35 : 37) sts. rem., ending with a wrong side row. 3 rows worked after last dec. row.

Divide for Opening

1st Row.—K.2 tog., patt. 10 (11 : 12 : 13 : 14), turn, cast on 5 sts. for underwrap.

2nd Row.—M.st. 5, patt. to end.

3rd Row.—Patt. to last 5 sts., m.st. 5.

4th Row.—As 2nd row.

Dec. 1 st. at beg. of next row, then work straight until front measures same as back to armholes, ending on a wrong side row.

Shape Armholes

Cast off 2 sts. at beg. of next row, then dec. 1 st. at armhole edge on every row until 11 (12 : 13 : 14 : 15) sts. rem. Work straight until front measures 5 (5½ : 6 : 6½ : 7) in or 13 (14 : 15 : 17 : 18) cm, ending on a right side row.

Shape Neck

Cast off 5 sts. at beg. of next row, then dec. 1 st. at neck edge on foll. alt. row. Work straight until armhole measures 2 rows more than back armhole. Cast off.

Rejoin yarn to rem. sts.

1st Row.—M.st. 5, patt. to last 2 sts., K.2 tog.

2nd Row.—Patt. to last 5 sts., m.st. 5. Cont. in this way and complete to match first side reversing shapings.

(Continued on page 18)

CLOAK AND HOOD

(See page 10 for materials)

THE BACK

Using No. 4mm needles cast on 47 (49 : 51 : 53 : 55) sts. and work in double m.st. as for waistcoat for 8 (12 : 16 : 20 : 20) rows. Now dec. 1 st. each end of next and every foll. 8th row until 39 (41 : 43 : 45 : 47) sts. rem. Work 7 rows after last dec. row.

Now dec. 1 st. each end of next 8 rows, then cast off 3 sts. at beg. of next 4 rows. Cast off rem. sts.

THE LEFT FRONT

Using No. 4mm needles cast on 25 (27 : 29 : 31 : 33) sts. and work in double m.st. with g.st. border at front edge.

1st Row.—K.1, ★ P.1, K.1, rep. from ★ to last 4 sts., K.4.

2nd Row.—K.4, P.1, ★ K.1, P.1, rep. from ★ to end.

3rd Row.—P.1, ★ K.1, P.1, rep. from ★ to last 4 sts., K.4.

4th Row.—K.4, ★ K.1, P.1, rep. from ★ to last st, K.1. Cont. in this way dec. 1 st. at beg. of 9th (13th : 17th : 21st : 21st) row and every foll. 8th row until 21 (23 : 25 : 27 : 29) sts. rem.

Work 7 rows after last dec. row. Now dec. at side edge on next 4 (4 : 2 : 2 : 2) rows.

Shape Neck

Next Row.—Work 2 tog., patt. to end.

Next Row.—Cast off 4 (6 : 6 : 8 : 10) sts., patt. to last 2 sts., work 2 tog.

Dec. 1 st. each end of next 2 (2 : 4 : 4 : 4) rows.

Next Row.—Cast off 3 sts., patt. to last 2 sts., work 2 tog.

Next Row.—Patt. 3. Cast off.

THE RIGHT FRONT

Work to match left front reversing shapings and making 2 buttonholes, the first 4½ in or 11cm from cast on edge and the second 2 rows from neck edge thus:

Buttonhole Row.—Right side facing K.2, m.1, K.2 tog., patt. to end.

THE HOOD

Using No. 4mm needles cast on 77 (79 : 81 : 83 : 85) sts. Work in double m.st. for 4 (4½ : 4½ : 5 : 5½) in or 10 (11 : 11 : 13 : 14) cm, ending with a wrong side row.

Shape Back

Next Row.—Cast off 26 (27 : 28 : 29 : 30) sts., patt. 25, cast off rem. sts. Break yarn. Rejoin yarn to the 25 sts. and cont. in patt. for 9 rows.

Next Row.—Patt. 11, work 3 tog., patt. 11. Work 9 rows.

Next Row.—Patt. 10, work 3 tog., patt. 10. Work 9 rows.

Next Row.—Patt. 9, work 3 tog., patt. 9. Cont. in patt. until panel measures 4½ (5 : 5 : 5½ : 5½) in or 11 (13 : 13 : 14 : 14) cm, ending with a wrong side row. Cast off.

TO MAKE UP

Press using a warm iron over a damp cloth. Join side seams. Sew cast off edges of hood to edges of back panel, fold back 8 rows at front edge for brim and stitch hood to neck edge of cloak, sewing through double thickness at front.

Using No. 3-50 hook and double yarn make a chain 24in or 61cm long. Thread chain through neck edge of hood and tie at front. Sew on buttons.



Cloak and Hood

TEENAGE DOLL'S OUTFIT

See photograph opposite and on page 17.

MATERIALS

COAT AND SKIRT:

2 (2 : 2 : 3 : 3) 50g Balls Hayfield Beaulon D.K.

BLOUSE AND HAT:

2 (2 : 2 : 3 : 3) 50g Balls Hayfield Beaulon D.K.

1 Pair each of Nos. 3½mm (10), 3¾mm (9) and 4mm (8) knitting needles.

A size 8 crochet hook (New size 4·00mm).

7 buttons and 7 press fasteners. Elastic.

MEASUREMENTS

To fit 12 (14 : 16 : 18 : 20) in or 30 (36 : 41 : 46 : 51) cm Pedigree Doll.

TENSION

11 sts.=2in (5cm) on No. 4mm (8) needles.

12 sts.=2in (5cm) on No. 3¾mm (9) needles.

COAT

THE BACK

Using No. 4mm needles cast on 31 (34 : 37 : 40 : 43) sts. and work 16 rows in st.st.

Cont. in st.st. dec. thus:

1st Row.—K.1, sl.1, K.1, p.s.s.o., K. to last 3 sts., K.2 tog., K.1, work 3 (3 : 5 : 7 : 9) rows.

Rep. these 4 (4 : 6 : 8 : 10) rows until 19 (22 : 25 : 28 : 31) sts. rem.

Work straight until work measures 7 (7½ : 8½ : 9 : 10) in or 18 (19 : 22 : 23 : 25) cm, ending with a P. row.

Shape Raglan

Cast off 1 st. at beg. of next 2 rows, then dec. thus:

1st Row.—K.1, sl.1, K.1, p.s.s.o., K. to last 3 sts., K.2 tog., K.1.

Work 3 rows.

Rep. these 4 rows once more, then dec. on next and every alt. row until 7 (8 : 9 : 10 : 11) sts. rem., P. one row. Cast off.

THE LEFT FRONT

Using No. 4mm needles cast on 12 (14 : 16 : 18 : 20) sts.

1st Row.—K. to last st. inc. in last st.

2nd Row.—P.

Rep. these 2 rows until there are 20 (22 : 24 : 26 : 28) sts. on needle.

Now dec. 1 st. at beg. of next and every foll. 4th (4th : 6th : 8th : 10th) row as given for back until 14 (16 : 18 : 20 : 22) sts. rem.

Work straight until front measures same as back at side seam to armholes, ending on a P. row.

Shape Raglan

Cast off 1 st. at beg. of next row, P. one row. Now dec. thus:

1st Row.—K.1, sl.1, K.1, p.s.s.o., K. to end.

Work 3 rows. Rep. these 4 rows once more, then dec. on next and every alt. row until 10 (12 : 14 : 15 : 16) sts. rem., ending with K. row.

Shape Neck

Next Row.—Cast off 5 (6 : 7 : 8 : 9) sts., P. to end.

Next Row.—K.1, sl.1, K.1, p.s.s.o., K. to last 2 sts., K.2 tog.

Next Row.—P.

Now dec. raglan only until 2 sts. rem.

Next Row.—K. 2 tog. Break yarn.

THE RIGHT FRONT

Work as for left front reversing all shapings.

THE SLEEVES (Alike)

Using No. 4mm needles cast on 12 (14 : 16 : 18 : 20) sts. and work 8 (10 : 12 : 14 : 16) rows in st.st., then inc. 1 st. each end of next and every foll. 4th row until there are 18 (20 : 22 : 24 : 26) sts. on needle.

Work straight until sleeve measures 3 (3½ : 4 : 4½ : 5) in or 8 (9 : 10 : 11 : 13) cm. ending with a P. row.

Shape Raglan

Cast off 1 st. at beg. of next 2 rows, then dec. thus:

1st Row.—K.1, sl.1, K.1, p.s.s.o., K. to last 3 sts., K.2 tog., K.1.

Work 3 rows.

Now dec. 1 st. each end of next and every alt. row until 4 sts. rem., P. one row. Cast off.

SKIRT

THE BACK

Using No. 3¾mm needles cast on 19 (22 : 25 : 28 : 31) sts. and work 6 rows in st.st.

Change to No. 4mm needles and cont. in st.st. until skirt measures 3½ (4½ : 5 : 5½ : 6½) in or 9 (11 : 13 : 14 : 17) cm, ending with a P. row.

Now dec. thus:

1st Row.—K.1, sl.1, K.1, p.s.s.o., K. to last 3 sts., K.2 tog., K.1, cast on 3 sts. for underwrap.

2nd and Every Alt. Row.—K.3, P. to end.

3rd Row.—K.

5th Row.—K.1, sl.1, K.1, p.s.s.o., K. to last 6 sts., K.2 tog., K.4.

7th Row.—K.

8th Row.—K.3, P. to end.

Rep. 5th and 6th rows once more.

Change to No. 3¾mm needles and work 4 rows. Cast off.

THE FRONT

Work as for back, omitting underwrap.

BLOUSE

THE BACK

Using No. 3¾mm needles cast on 25 (27 : 29 : 31 : 33) sts.

1st Row.—K.1, ★ P.1, K.1, rep. from ★ to end.

2nd Row.—K.

Rep. these 2 rows twice more. Change to No. 3¾mm needles and cont. in patt. until work measures 2 (2½ : 2½ : 3 : 3) in or 5 (6 : 6 : 8 : 8) cm, ending on a K. row.

Shape Raglan

Dec. 1 st. each end of next and every alt. row until 21 (23 : 25 : 25 : 27) sts. rem., work 1 row.

Divide for Opening

Next Row.—Work 2 tog., patt. 10 (11 : 12 : 12 : 13) sts., turn.

Work 5 more rows in patt. dec. raglan as before.

Now make a buttonhole.

Next Row.—Work 2 tog., patt. to last 3 sts., work 2 tog., m.1, rib 1.

Cont. dec. raglan as before until 7 sts. rem. Work 1 row. Cast off.

Rejoin yarn at beg. of opening, cast on 3 sts. for underwrap, work in patt. to last 2 sts., work 2 tog.

Now complete to match first side omitting buttonholes.

THE FRONT

Work as back, omitting back opening until 15 (15 : 17 : 17 : 19) sts. rem., ending on a K. row.

Shape Neck

Next Row.—Work 2 tog., patt. 4 (4 : 5 : 5 : 6), cast off 3 sts., patt. to last 2 sts., work 2 tog.

Cont. to dec. raglan as before until 2 sts. rem. at the same time dec. 1 st. at neck edge on the next 2 rows.



Teenage outfit

Next Row.—Work 2 tog. Break yarn.
Rejoin yarn at inner edge to rem. sts. and work to match first side.

THE SLEEVES (Alike)

Using No. 3¼mm needles cast on 11 (13 : 15 : 15 : 17) sts. and work 6 rows in K.1, P.1 rib.

Change to No. 3½mm needles and cont. in patt. as for back inc. 1st. each end of 7th and every foll. 6th row until there are 15 (17 : 19 : 23 : 25) sts. on needle. Work straight until sleeve measures 2½ (3 : 3½ : 4 : 4½) in or 6 (8 : 9 : 10 : 11) cm, ending on a K. row.

Shape Raglan

Dec. 1 st. each end of next and every alt. row until 1 (1 : 1 : 3 : 3) sts. rem., work 1 row. Cast off.

THE NECK BORDER

Join raglan seams.

Using No. 3¼mm needles and right side facing join yarn at top of back opening and K. up 30 (33 : 36 : 39 : 42) sts. all round neck.

Work 4 rows in K.1, P.1 rib making a 2nd buttonhole as before in the 2nd row. Cast off.

HAT

The yarn is used double throughout.

Using No. 4-00 crochet hook, make a loop and work 6 d.c. into it.

1st Round.—★ 2 d.c. into first d.c., rep. from ★ to end. (Mark beg. of round with a coloured thread.)

2nd Round.—★ 2 d.c. into first d.c., 1 d.c. into next d.c., rep. from ★ to end.

3rd Round.—★ 2 d.c. into first d.c., 1 d.c. into next 2 d.c., rep. from ★ to end.

4th Round.—★ 2 d.c. into first d.c., 1 d.c. into next 3 d.c., rep. from ★ to end.

This completes shapings for first size, work 1 (2 : 3 : 4) more rounds, inc. as before working 1 d.c. more between increases in each round for the larger sizes.

Work 5 (6 : 7 : 8 : 9) more rounds on these 30 (36 : 42 : 48 : 54) d.c.

Shape Brim

Next Round.—★ 2 d.c. into first d.c., 1 d.c. in next 4 d.c. rep. from ★ until 3 (3 : 4 : 4 : 5) rounds have been completed in brim.

Next 2 Rounds.—1 d.c. in each d.c. all round. Break yarn and fasten off.

TO MAKE UP

Press using a warm iron over a damp cloth.

COAT.—Join side, sleeve and raglan seams. Fold first 8 rows at lower edge onto wrong side and sew down. Fold first 6 rows of sleeves in same way. Fold 3 sts. of each front edge onto wrong side and sew down for facing, join mitred corners at lower edge.

COLLAR.—Using No. 3¼mm needles and right side facing join yarn at centre of right front and K. up 24 (27 : 30 : 33 : 36) sts. all round neck to centre of left front. Work 11 rows in st.st. Cast off. Fold in half with right sides facing and join short ends, turn to right side and sew cast off edge to neck edge. Press hems and collar. Sew on press fasteners at front and buttons over them.

SKIRT.—Join side seams. Stitch underwrap into position. Fold first 8 rows at lower edge onto wrong side and sew down. Stitch a waist length of elastic at waist using a herringbone stitch. Sew 2 press fasteners to opening.

BLOUSE.—Join side and sleeve seams. Stitch underwrap into position at back. Sew on buttons.

HAT.—Make 2 twisted cords thus: Measure off 4 lengths of yarn 30in or 76cm long, knot one end, twist tightly, fold in half and allow to twist tog. Knot ends. Sew one cord round crown of hat, placing knotted ends to back. Turn up brim at back, tie 2nd cord in a bow, stitch into position, cut ends and fringe out.

INDOOR AND OUTDOOR SETS FOR BABY DOLL

(Continued from page 8)

VEST

See photograph—page 5, right.

THE BACK AND FRONT ALIKE

Using No. 3¼mm needles cast on 29 (31 : 33 : 35 : 37) sts. and work in K.1, P.1 rib for 6 rows, beg. alt. rows P.1.

Cont. in st.st. until work measures 3½ (3½ : 4 : 4 : 4½) in or 9 (9 : 10 : 10 : 11) cm, ending with a P. row.

Shape Armholes

Cast off 3 sts. at beg. of next 2 rows, then dec. 1 st. each end of next row.

Cont. straight until work measures 4½ (4½ : 5 : 5 : 5½) in or 11 (11 : 13 : 13 : 14) cm, ending with a P. row.

Shape Neck

Next Row.—K.4 (4 : 5 : 5 : 6), cast off 13 (15 : 15 : 17 : 17) sts., K. to end.

Work 5 (5 : 7 : 7 : 7) rows on last set of sts. Cast off. Rejoin yarn to rem. sts. and work to match first side.

PANTEES

Using No. 3¼mm needles cast on 29 (31 : 33 : 35 : 37) sts. and work 2 rows in K.1, P.1 rib, beg. alt. rows P.1.

Next Row.—K.1, ★ y.f., K.2 tog., rep. from ★ to end. Work 3 more rows in rib.

Cont. in st.st. inc. 1 st. each end of 7th row. Work 7 (7 : 9 : 9 : 9) more rows.

Shape Legs

Cast off 2 sts. at beg. of every row until 7 (9 : 7 : 9 : 11) sts. rem. Work 2 more rows.

Now cast on 2 sts. at beg. of next and every foll. row until there are 31 (33 : 35 : 37 : 39) sts. on needle.

Work 6 (6 : 8 : 8 : 8) more rows, then dec. 1 st. each end of the next row.

Work 7 more rows. Now work 3 rows in rib.

Next Row.—K.1, ★ y.f., K.2 tog., rep. from ★ to end. Work 2 more rows rib. Cast off.

VEST.—Join side and shoulder seams. Work crochet edge as for dress on neck and armholes.

PANTEES.—Join side seams. Work crochet edge on legs. Thread elastic through holes at waist.

DRESS, SLACKS, CAP AND PONCHO

PONCHO (Continued from page 9)

3rd Row.—P.2 tog., ★ P.2, (K.1, P.1, K.1, P.1) all into next st., P.3, rep. from ★ ending P.2, P.2 tog., instead of P.3.

4th Row.—★ K.3, P.4, K.2, rep. from ★ to last st., K.1.

5th Row.—P.2 tog., ★ P.1, K.4, P.4, rep. from ★ ending P.1, P.2 tog., instead of P.4.

6th Row.—★ K.2, sl.1, P.3 tog., p.s.s.o., K.3, rep. from ★ ending K.2, instead of K.3.

Rep. these 6 rows until 9 (9 : 11 : 11 : 11) sts. rem., ending with a wrong side row.

(Continued on page 18)



Teenage Outfit

DRESS, SLACKS, CAP and PONCHO

(Continued from page 16)

Break yarn, leave sts. on a holder.

Make 3 more pieces in the same way, do not break yarn at end of 4th piece.

Sl. all sts. onto a No. 3 $\frac{3}{4}$ mm needle. With right side facing work 2 rows m.st. on all sts.

Next Row.—K.1, ★ m.1, work 2 tog., rep. from ★ to last st., m.st. 1.

Work 2 more rows m.st. Cast off.

TO MAKE UP

Press using a warm iron over a dry cloth.

DRESS.—Join side and sleeve seams. Fold the last 2 rows of front shoulder over back shoulder, set in sleeves, stitch through double thickness at shoulders. Fold collar onto right side and press. Sew on press fasteners at shoulders.

SLACKS.—Join front and leg seams. Thread narrow elastic through ribbing at waist.

CAP.—Join back seam. Fold peak onto wrong side and join short ends, turn to right side and stitch cast off edge into position.

PONCHO.—Join mitred seams, leaving 2in or 5cm open at front seam. Using No. 4-00 crochet hook and yarn double make a chain 20in or 51cm long. Thread through holes at neck. Finish ends with small pompons.

GIRL DOLL TROUSER SUIT and BERET

(Continued from page 12)

THE SLEEVES (Alike)

Using No. 3 $\frac{1}{4}$ mm needles cast on 19 (21 : 23 : 23 : 25) sts. and work 4 rows in m.st.

Change to No. 4mm needles and inc. thus:

Next Row.—K.2 (3 : 4 : 4 : 5), ★ inc. in next st., rep. from ★ to last 3 (4 : 5 : 5 : 6) sts., K. to end.

Next Row.—P.33 (35 : 37 : 37 : 39) sts.

Work 2 more rows st.st. then 2 rows m.st.

Shape Top

Cast off 2 sts. at beg. of next 2 rows, then dec. 1 st. each end of next 4 rows.

Cast off, taking 2 sts. tog. each time to last st.

THE COLLAR

Join shoulder seams.

Using No. 3 $\frac{1}{4}$ mm needles and right side facing join yarn on 3rd st. at right front border and K. up 27 (29 : 31 : 33 : 35) sts. all round neck to 3rd st. of left front. Work 3 rows m.st.

Next Row.—M.st. 10 (10 : 12 : 12 : 12), K.1, P.1, K.1, all into next st., m.st. to last 11 (11 : 13 : 13 : 13) sts., K.1, P.1, K.1, all into next st., m.st. to end.

Change to No. 4mm needles and work 8 (8 : 10 : 10 : 10) more rows. Cast off.

TO MAKE UP

Press using a warm iron over a damp cloth.

SWEATER.—Join side seams, set in sleeves, sewing last $\frac{1}{2}$ in or 1cm of sleeve seam to the sts. cast off at underarm. Join remainder of sleeve seams. Fold collar in half with right sides facing, join short ends, turn collar to right side. Sew on 3 press fasteners at back opening.

TROUSERS.—Join leg, back and front seams. Fold up 5 rows at ankles onto wrong side and sew down. Join waist length of elastic and sew to wrong side using a herringbone st.

WAISTCOAT.—Join side and shoulder seams. Using a contrast yarn work blanket stitch all round edges and armholes.

BERET.—Join seam. Make a pompon and attach to top.

DRESS.—Join side and sleeve seams. Sew in sleeves. Sew 2 press fasteners to front opening and 2 buttons over them.

PRAM SET

(Continued from page 6)

BONNET

Using No. 3mm needles cast on 64 (70 : 76 : 76 : 76) sts. and work 6 rows in g.st.

Change to No. 3 $\frac{1}{4}$ mm needles and work in patt. as for yoke of coat omitting the 4 g.sts. at each end until bonnet measures 2 $\frac{1}{2}$ (3 : 3 $\frac{1}{2}$: 4 : 4)in or 6 (8 : 9 : 10 : 10) cm, ending with a wrong side row.

Next Row.—Cast off 18 (21 : 24 : 24 : 24) sts., patt. to last 18 (21 : 24 : 24 : 24) sts., cast off to end. Break yarn.

With wrong side facing rejoin yarn to rem. sts. and cont. in patt., dec. 1 st. each end of 5th and every foll. 4th row until 22 sts. rem.

Cont. straight until back measures 2 $\frac{1}{2}$ (2 $\frac{1}{2}$: 3 : 3 : 3) in or 6 (6 : 8 : 8 : 8) cm, ending with a wrong side row. Break yarn.

Rejoin yarn at cast on edge and K. up 22 (24 : 26 : 28 : 30) sts. evenly on side of bonnet to cast off edge. K.1, (K.2 tog., K.4) 3 times, K.2 tog., K.1, across sts. at back of bonnet, then K. up 22 (24 : 26 : 28 : 30) sts. on 2nd side. K. one row.

Next Row.—★ K.2, y.f., K.2 tog., rep. from ★ to last 2 sts., K.2.

K. one row. Cast off.

MITTS

Using No. 3 $\frac{1}{4}$ mm needles cast on 21 (24 : 24 : 27 : 27) sts. and work 6 rows in g.st.

Next Row.—★ K.1, y.f., K.2 tog., rep. from ★ to end.

Next Row.—P.

Cont. in st.st. until mitt measures 1 $\frac{1}{2}$ (1 $\frac{1}{2}$: 2 : 2 : 2) in or 4 (4 : 5 : 5 : 5) cm, ending with a P. row.

Shape Top

Next Row.—★ K.2 tog., K.1, rep. from ★ to end.

Next Row.—P.

Next Row.—★ K.2 tog., rep. from ★ to end. Break yarn and thread through rem. sts., draw tightly and fasten off.

Make a second mitt in same way.

TO MAKE UP

Press using a warm iron over a dry cloth.

PRAM COAT.—Join sleeve seams and set in sleeves. Sew on buttons.

LEGGINGS.—Join back, front and leg seams. Join under foot seam. Join waist length of elastic and sew to wrong side using a herringbone stitch.

BONNET.—Join back seam. Thread ribbon through holes at neck edge.

MITTS.—Join seam. Thread ribbon through holes at wrists.

HINTS AND TIPS FOR BETTER KNITTING

Always buy sufficient yarn to complete the garment. Otherwise it may be difficult to get the matching dye lot at a later date.

Use the wool or yarn specified in the instructions, otherwise you may be disappointed in the finished result.

Read the instructions carefully before starting to knit.

Where more than one size is given in the instructions, follow the first set of figures for the first size and the figures in the brackets for the other sizes.

ATTENTION. Test your tension. Test your tension. Test your tension.

The most important element in knitting is the tension, for this governs the size of the finished garment. Knit a sample square, using the needles stated, if it is larger or smaller, adjust your needle size before you begin to make the garment. The importance of getting the correct tension cannot be stressed too often.

Knitting needles should be smooth with slightly blunted tips to avoid splitting the wool or yarn. Never put work away with a row half done, this can cause a stretched stitch when starting again.

All joins in the wool or yarn should be made at the end of a row.

When measuring for length, divide the stitches on to 2 needles, smooth out work and measure down the centre.

Cast off at the same tension as the work, either in pattern or rib as the case may be.

Before making up. Block and press each piece of work thus:— Press the piece of knitting which has been completed on the iron-sheet (right side down). Pin this down at the widest point (armholes for cardigans and jumpers), stretch the garment just above the ribbing and pin to match. Place pins all round outside edge at about 1 in or 3 cm intervals and press with a hot iron and a damp cloth for wool (a warm iron and a dry cloth for Bri-Nylon). DO NOT OVERPRESS.

Join seams with a neat back stitch. Never cobble, or use a bulky seam.

When sewing on knitted front bands, stretch the work slightly to give a firm fit.

When sewing on pockets make sure they are in a straight line and follow the line of the stitches.

Buttons should correspond with buttonholes and should be sewn on with matching yarn.

Washing and Drying Garments

Do not allow the garments to get too soiled before washing.

WASHING BY HAND. Place the garment in Woolite solution and wash according to instructions on Woolite container.

RINSING. Rinse twice in cold water. Remove all surplus water by squeezing gently — or spin drying — but do not wring with the hands.

DRYING. Turn the garment wrong side out, place on a clean cloth or towel and pull to original shape and size. Dry flat in a warm place. Do not hang on a line to dry. Never dry in strong sunlight — this causes scorching — even sparkling white garments will scorch and not bleach in strong sunlight.

FOR MACHINE WASH. See instructions on page 2.

PRESSING. Press gently on the wrong side, following the instructions on page 2 for the appropriate yarn.

STORING. Fold, and place garments when quite dry and aired in a plastic bag and keep in a drawer. Do not store soiled garments.

KNITTING NEEDLES

English	000	00	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
Continental mm (metric)	10	9	8	7½	7	6½	6	5½	5	4½	4	3¾	3¼	3	2¾	2¼	2

WOOL CROCHET HOOKS

English	2	3	4	5	6	7	8	9	10	11	12	13	14
Continental mm (metric)	7.00		6.00	5.50	5.00	4.50	4.00	3.50	3.00	3.00	2.50		2.00