



GENERAL INSTRUCTION

ABBREVIATIONS

ch(s) chain(s)
 Rnd(s) round(s)
 Approx. approximately
 st(s) stitch(es)
 sl st slip stitch(es)
 yo yarn over

GAUGE

Exact gauge is not important however the work should be close enough that stuffing should not show through stitches

WORKING IN ROUND(S)

Use a scrap of yarn (different color) between the last stitch of one row and first stitch of the next row. Flip the end of the scrap yarn to the front on one row then to the back on the next row and so on until the end.

CHANGING COLOR

To change color, in the last SC before color change, do not complete SC. Do not pull the yarn through last 2 loops on hook. Pull new color through last 2 loops on hook. Make new SC with new color.

SIZE: About 27 inc. on standing position

About 22 Inc. on sitting position

*****base on 4ply yarn (2yarn hold together) with 3mm hook*****

MATERIALS

Worsted weight yarn or 4ply yarn

- White color approx. 2,100 yards.
- Black color approx. 880 yards.
- a bit of Red color

Crochet Hook

- Size 3.0mm

**** Hook(s) based on yarn material**

Tapestry needle

Polyester fiber fill

Flats buttons

- 2 big size for leg and 2 medium size for arms.

**** If you are making a doll for a young child, sewing arms and leg without flats buttons ****

CROCHET CODE

X	(sc)	Single crochet
V	(2sc)	Increasing, 2single crochet in 1 stitch
A	(sc2tog)	Decreasing, single crochet 2stitches together
W	(3sc)	Increasing, 3single crochet in 1 stitch
M	(sc3tog)	Decreasing, single crochet 3stitches together
CH	(ch)	Chain
T	(hdc)	Half double crochet
F	(dc)	Double crochet
Y	(2hdc)	Increasing, 2half double crochet in 1 stitch

(*number) = the specific number where states after (*) is telling you how many times you need to repeat that code

**** A color of code represents the color of yarn.**

TIP: When you get to the stuffing stage, try to keep in mind the shape of the doll that you're making. To give the character of the doll, it only takes a tiny bit of stuffing in a particular place on the head or body or any part of it. For Snoopy, don't stuff too much in between rnd 35-37, (the seam of its mouth and forehead).

HEAD

RND	CODE	DESCRIPTION	CH	RMK
1.	6X	Beginning from nose area with white color, form an adjustable ring, work 6sc in centre of the ring, do not join; working in round, using a scrap of yarn to make end of every rounds ahead.	6	
2.	6V	2sc in each st around.	12	
3.	XV(*6)	(sc in next st, 2sc in next st) around.	18	
4.	XV,2XV(*5),X	Sc in first st, 2sc in next st, (sc in next 2sts, 2sc in next st) 5times, sc in last st.	24	
5.	3XV(*6)	(sc in next 3sts, 2sc in next st) around.	30	
6.	2XV,4XV(*5),2X	Sc in first 2sts, 2sc in next st, (sc in next 4sts, 2sc in next st) 5times, sc in last 2st.	36	
7.	5XV(*6)	(sc in next 5sts, 2sc in next st) around.	42	
8.	3XV,6XV(*5),3X	Sc in first 3sts, 2sc in next st, (sc in next 6sts, 2sc in next st) 5times, sc in last 3sts.	48	
9.	7XV(*6)	(sc in next 7sts, 2sc in next st) around.	54	
10.	4XV, 8XV(*5), 4X	Sc in first 4sts, 2sc in next st, (sc in next 8sts, 2sc in next st) 5times, sc in last 4sts.	60	
11.	9XV(*6)	(sc in next 9sts, 2sc in next st) around.	66	
12.	5XV, 10XV(*5), 5X	Sc in first 5sts, 2sc in next st, (sc in next 10sts, 2sc in next st) 5times, sc in last 5sts.	72	
13.	11XV(*6)	(sc in next 11sts, 2sc in next st) around.	78	
14.	6XV, 12XV(*5), 6X	Sc in first 6sts, 2sc in next st, (sc in next 12sts, 2sc in next st) 5times, sc in last 6sts.	84	
15.-36.	84X	Sc in each st around.	84	
37.	XV(*42)	(sc in next st, 2sc in next st) around.	126	Stuff
38.-49.	126X	Sc in each st around.	126	

50.	19XA(*6)	(sc in next 19sts, sc2tog) around.	120	
51.	9XA, 18XA(*5), 9X	Sc in first 9sts, sc2tog, (sc in next 18sts, sc2tog) 5times, sc in last 9sts.	114	
52.	114X	Sc in each st around.	114	
53.	17XA(*6)	(sc in next 17sts, sc2tog) around.	108	
54.	8XA, 16XA(*5), 8X	Sc in first 8sts, sc2tog, (sc in next 16sts, sc2tog) 5times, sc in last 8sts.	102	
55.	15XA(*6)	(sc in next 15sts, sc2tog) around.	96	
56.	7XA, 14XA(*5), 7X	Sc in first 7sts, sc2tog, (sc in next 14sts, sc2tog) 5times, sc in last 7sts.	90	
57.	90X	Sc in each st around.	90	
58.	13XA(*6)	(sc in next 13sts, sc2tog) around.	84	
59.	6XA, 12XA(*5), 6X	Sc in first 6sts, sc2tog, (sc in next 12sts, sc2tog) 5times, sc in last 6sts.	78	Add more stuff
60.	11XA(*6)	(sc in next 11sts, sc2tog) around.	72	
61.	5XA, 10XA(*5), 5X	Sc in first 5sts, sc2tog, (sc in next 10sts, sc2tog) 5times, sc in last 5sts.	66	
62.	7XA, 9XA(*5), 2X	Sc in first 7sts, sc2tog, (sc in next 9sts, sc2tog) 5times, sc in last 2sts.	60	
63.	4XA, 8XA(*5), 4X	Sc in first 4sts, sc2tog, (sc in next 8sts, sc2tog) 5times, sc in last 4sts.	54	
64.	7XA(*6)	(sc in next 7sts, sc2tog) around.	48	
65.	2XA, 6XA(*5), 4X	Sc in first 2sts, sc2tog, (sc in next 6sts, sc2tog) 5times, sc in last 4sts.	42	Add more stuff
66.	5XA(*6)	(sc in next 5sts, sc2tog) around.	36	
67.	2XA, 4XA(5), 2X	Sc in first 2sts, sc2tog, (sc in next 4sts, sc2tog), sc in last 2sts.	30	For an invisible increasing. Working on front loop only from this rnd till end RND71.
68.	3XA(*6)	(sc in next 3sts, sc2tog) around	24	
69.	XA, 2XA(*5), X	Sc in first st, sc2tog, (sc in next 2sts, sc2tog) 5times, sc in last st.	18	Add some more stuff if needed. **Make sure that you stuff head firmly before finish your job.**
70.	XA(*6)	(sc in next st, sc2tog) around.	12	
71.	6A	Sc2tog around.	6	Sl st in next st. Fasten off. Weave yarn tail in and out of last rnd pull together. Opening secure with small stitches.

EAR (make 2)

RND	CODE	DESCRIPTION	CH	RMK
1.	6X	Beginning with black color, form an adjustable ring, work 6sc in centre of the ring, do not join; working in round, using a scrap of yarn to make end of every rounds ahead.	6	
2.	6V	2sc in each st around.	12	
3.	XV(*6)	(sc in next st, 2sc in next st) around.	18	
4.	XV,2XV(*5),X	Sc in first st, 2sc in next st, (sc in next 2sts, 2sc in next st) 5times, sc in last st.	24	
5.	3XV(*6)	(sc in next 3sts, 2sc in next st) around.	30	
6.	2XV,4XV(*5),2X	Sc in first 2sts, 2sc in next st, (sc in next 4sts, 2sc in next st) 5times, sc in last 2st.	36	
7.	5XV(*6)	(sc in next 5sts, 2sc in next st) around.	42	
8.	3XV,6XV(*5),3X	Sc in first 3sts, 2sc in next st, (sc in next 6sts, 2sc in next st) 5times, sc in last 3sts.	48	
9.	7XV(*6)	(sc in next 7sts, 2sc in next st) around.	54	
10.	4XV, 8XV(*5), 4X	Sc in first 4sts, 2sc in next st, (sc in next 8sts, 2sc in next st) 5times, sc in last 4sts.	60	
11.-15.	60X	Sc in each st around.	60	
16.	4XA, 8XA(*5), 4X	Sc in first 4sts, sc2tog, (sc in next 8sts, sc2tog) 5times, sc in last 4sts.	54	
17.-19.	54X	Sc in each st around.	54	
20.	7XA(*6)	(sc in next 7sts, sc2tog) around.	48	
21.-23.	48X	Sc in each st around.	48	
24.	2XA, 6XA(*5), 4X	Sc in first 2sts, sc2tog, (sc in next 6sts, sc2tog) 5times, sc in last 4sts.	42	
25.-27.	42X	Sc in each st around.	42	
28.	5XA(*6)	(sc in next 5sts, sc2tog) around.	36	
29.-31.	36X	Sc in each st around	36	

32.	2XA, 4XA(5), 2X	Sc in first 2sts, sc2tog, (sc in next 4sts, sc2tog), sc in last 2sts.	30	
33.-37.	30X	Sc in each st around.	30	Sl st in next st. Fasten off. Leave yarn tail approx 40cm for sewing. ** No stuff **

NOSE

RND	CODE	DESCRIPTION	CH	RMK
1.	6X	With black color, form an adjustable ring, work 6sc in centre of the ring, do not join; working in round, using a scrap of yarn to make end of every rounds ahead.	6	
2.	6V	2sc in each st around.	12	
3.	XV(*6)	(sc in next st, 2sc in next st) around.	18	
4.	XV,2XV(*5),X	Sc in first st, 2sc in next st, (sc in next 2sts, 2sc in next st) 5times, sc in last st.	24	
5.	24X	Sc in each st around.	24	Sl st in next st. Fasten off. Leave yarn tail approx 30cm for sewing. ** Stuff lightly when sew **

BODY

RND	CODE	DESCRIPTION	CH	RMK
1.	7X	Beginning from the bottom of body with white color, form an adjustable ring, work 7sc in centre of the ring, do not join; working in round, using a scrap of yarn to make end of every rounds ahead.	7	
2.	7V	2sc in each st around.	14	
3.	XV(*7)	(sc in next st, 2sc in next st) around.	21	
4.	XV,2XV(*6),X	Sc in first st, 2sc in next st, (sc in next 2sts, 2sc in next st) 6times, sc in last st.	28	
5.	3XV(*7)	(sc in next 3sts, 2sc in next st) around.	35	
6.	2XV,4XV(*6),2X	Sc in first 2sts, 2sc in next st, (sc in next 4sts, 2sc in next st) 6times, sc in last 2st.	42	
7.	5XV(*7)	(sc in next 5sts, 2sc in next st) around.	49	
8.	3XV,6XV(*6),3X	Sc in first 3sts, 2sc in next st, (sc in next 6sts, 2sc in next st) 6times, sc in last 3sts.	56	
9.	7XV(*7)	(sc in next 7sts, 2sc in next st) around.	63	
10.	4XV, 8XV(*6), 4X	Sc in first 4sts, 2sc in next st, (sc in next 8sts, 2sc in next st) 6times, sc in last 4sts.	70	
11.	9XV(*7)	(sc in next 9sts, 2sc in next st) around.	77	
12.	5XV, 10XV(*6), 5X	Sc in first 5sts, 2sc in next st, (sc in next 10sts, 2sc in next st) 6times, sc in last 5sts.	84	
13.	11XV(*7)	(sc in next 11sts, 2sc in next st) around.	91	
14.	6XV, 12XV(*6), 6X	Sc in first 6sts, 2sc in next st, (sc in next 12sts, 2sc in next st) 6times, sc in last 6sts.	98	
15.-24.	98X	Sc in each st around.	98	
25.	6XA, 12XA(*6), 6X	Sc in first 6sts, sc2tog, (sc in next 12sts, sc2tog) 6times, sc in last 6sts.	91	

26.-28.	91X	Sc in each st around.	91	
29.	11XA(*7)	(sc in next 11sts, sc2tog) around.	84	
30.-32.	84X	Sc in each st around.	84	
33.	5XA, 10XA(*6), 5X	Sc in first 5sts, sc2tog, (sc in next 10sts, sc2tog) 6times, sc in last 5sts.	77	
34.-36.	77X	Sc in each st around.	77	
37.	7XA, 9XA(*6), 2X	Sc in first 7sts, sc2tog, (sc in next 9sts, sc2tog) 6times, sc in last 2sts.	70	
38.-40.	70X		70	
41.	4XA, 8XA(*6), 4X	Sc in first 4sts, sc2tog, (sc in next 8sts, sc2tog) 6times, sc in last 4sts.	63	
42.-44.	63X	Sc in each st around.	63	
45.	7XA(*7)	(sc in next 7sts, sc2tog) around.	56	
46.-48.	56X	Sc in each st around.	56	Sl st in next st. Fasten off. Leave yarn tail approx 50cm for sewing. ** Stuff firmly **

Finger (Make 3 for each arm)

You will need to crochet 3 fingers before starting arms. With white color,

- Crochet finger no. 1 from RND 1 - 4 when finish sl st in next st, fasten off and leave yarn tail for approx 10cm for sewing to other finger.
- Crochet finger no. 2 from RND 1 - 5 when finish sl st in next st, fasten off and leave yarn tail for approx 10cm for sewing to other finger.
- Crochet finger no. 3 from RND 1 - 4 when finish DON'T sl st in next st, DON'T fasten off, leave the last loop to continue crocheting the arms.



Finger

RND	CODE	DESCRIPTION	CH
1.	6X	Beginning with white color, form an adjustable ring, work 6sc in centre of the ring, do not join; working in round, using a scrap of yarn to make end of every rounds ahead.	6
2.	6V	2sc in each st around.	12
3.	XV(*6)	(sc in next st, 2sc in next st) 6times.	18
4.	18X	Sc in each st around.	18
5.	18X	Sc in each st around.	18



>>

Using yarn tail from finger no. 1 sews (1 stitch of each finger) to finger no. 2, and yarn tail from finger no. 2 to finger no. 3. (1 stitch of each finger).

Now continue crocheting arm.

ARM (make 2)



RND	CODE	DESCRIPTION	CH	RMK
1.	50X	Starting from the last st from finger no. 3, With white color , sc in each st around, do not join; working in round, using a scrap of yarn to make end of every rounds ahead.	50	Try to increase or decrease to crochet 50sts on this rnd.
2.	50X	sc in each st around	50	
3.	4XA, 8XA(*4), 4X	Sc in first 4sts, sc2tog, (sc in next 8sts, sc2tog) 4times, sc in last 4sts.	45	
4.	7XA(*5)	(sc in next 7sts, sc2tog) around.	40	
5.	2XA, 6XA(*4), 4X	Sc in first 2sts, sc2tog, (sc in next 6sts, sc2tog) 4times, sc in last 4sts.	35	
6.	5XA(*5)	(sc in next 5sts, sc2tog) around.	30	
7.-8.	30X	Sc in each st around.	30	
9.	3XA(*6)	(sc in next 3sts, sc2tog) around.	24	
10.-27	24X	Sc in each st around.	24	
28.	XA(*8)	(sc in next st, sc2tog) around.	16	
29.	8A	Sc2tog around.	8	
30.	4A	Sc2tog around.	4	Sl st in next st. Fasten off. Weave yarn tail in and out of last rnd pull together. Opening secure with small stitches.

FOOT and LEG (make 2)



RND	CODE	DESCRIPTION	CH	RMK
1.	CH9	Beginning with white color , ch	9	
2.	7X, W, 6X, V	Sc in first 7sts, , 3sc in last ch, working on opposite side of starting ch, sc in next 6sts, 2sc in last ch, do not join; working in round, using a scrap of yarn to make end of every rounds ahead.	18	Crochet 1 st sc in second chain from hook
3.	V, 6X, 3V, 6X, 2V	2sc in first st, sc in next 6sts, 2sc in next 3sts, sc in next 6sts, 2sc in last 2sts.	24	
4.	V, 7X, VX(*3), 6X, VX(*2)	2sc in first st, sc in next 7sts, (2sc in next st, sc in next st) 3times, sc in next 6sts, (2sc in next st, sc in next st) 2times.	30	
5.	2X, V, 6X, 2XV(*3), 6X, 2XV(*2)	Sc in first 2sts, 2sc in next st, sc in next 6sts, (sc in next 2sts, 2sc in next st) 3times, sc in next 6sts, (sc in next 2sts, 2sc in next st) 2times.	36	
6.	X, V, 6X, 3XV(*3), 9X, V, 3X, V, 2X	Sc in first st, 2sc in next st, sc in next 6sts, (sc in next 3sts, 2sc in next st) 3times, sc in next 9sts, 2sc in next st, sc in next 3sts, 2sc in next st, sc in last 2sts.	42	
7.	3X, V, 6X, 4XV(*3), 10X, V, 4X, V, X	Sc in first 3sts, 2sc in next st, sc in next 6sts, (sc in next 4sts, 2sc in next st) 3times, sc in next 10sts, 2sc in next st, sc in next 4sts, 2sc in next st, sc in last st.	48	

8.	2X, V, 6X, 5XV(*3), 11X, V, 5X, V, 3X	Sc in first 2sts, 2sc in next st, sc in next 6sts, (sc in next 5sts, 2sc in next st) 3times, sc in next 11sts, 2sc in next st, sc in next 5sts, 2sc in next st, sc in last 3sts.	54	
9.	4X, V, 6X, 6XV(*3), 12X, V, 6X, V, 2X	Sc in first 4sts, 2sc in next st, sc in next 6sts, (sc in next 6sts, 2sc in next st) 3times, sc in next 12sts, 2sc in next st, sc in next 6sts, 2sc in next st, sc in last 2sts.	60	
10.	3X, V, 6X, 7XV(*3), 13X, V, 7X, V, 4X	Sc in first 3sts, 2sc in next st, sc in next 6sts, (sc in next 7sts, 2sc in next st) 3times, sc in next 13sts, 2sc in next st, sc in next 7sts, 2sc in next st, sc in last 4sts.	66	
11.-15.	66T	Hdc in each st around	66	Working on back loop only on Rnd 11.
16.	27T , 6A, 27T	Hdc in first 27sts, (sc2tog) 6times, hdc in last 27sts.	60	Stuff foot firmly
17.	24X, 6A, 24X	Sc in first 24sts, (sc2tog) 6times, sc in last 24sts.	54	
18.	21X, 6A, 21X	Sc in first 21sts, (sc2tog) 6times, sc in last 21sts.	48	
19.	48X	Sc in each st around	48	
20.	10XA(*4)	(Sc in next 10sts, sc2tog) around.	44	
21.	44X	Sc in each st around	44	
22.	9XA(*4)	(sc in next 9sts, sc2tog) around.	40	
23.	40X	Sc in each st around	40	Stuff
24.	8XA(*4)	(sc in next 8sts, sc2tog) around.	36	
25.-32	36X	Sc in each st around	36	Stuff
33.	XA(*12)	(sc in next st, sc2tog) around.	24	
34.	12A	Sc2tog around.	12	Add some more stuff if needed.
35.	6A	Sc2tog around.	6	Sl st in next st. Fasten off. Weave yarn tail in and out of last rnd pull together. Opening secure with small stitches if needed.

TAIL

RND	CODE	DESCRIPTION	CH	RMK
1.	6X	Beginning with white color, form an adjustable ring, work 6sc in centre of the ring, do not join; working in round, using a scrap of yarn to make end of every rounds ahead.	6	
2.	6V	2sc in each st around.	12	
3.	XV(*6)	(sc in next st, 2sc in next st) around.	18	
4.-15.	18X	Sc in each st around.	18	Sl st in next st. Fasten off. Leave yarn tail approx 20cm for sewing. ** Stuff softly **

BLACK-BACK SPOT

RND	CODE	DESCRIPTION	CH	RMK
1.	7X	Beginning with black color, form an adjustable ring, work 7sc in centre of the ring, do not join; working in round, using a scrap of yarn to make end of every rounds ahead.	7	
2.	7V	2sc in each st around.	14	
3.	XV(*7)	(sc in next st, 2sc in next st) around.	21	
4.	XV,2XV(*6),X	Sc in first st, 2sc in next st, (sc in next 2sts, 2sc in next st) 6times, sc in last st.	28	
5.	3XV(*7)	(sc in next 3sts, 2sc in next st) around.	35	
6.	2XV,4XV(*6),2X	Sc in first 2sts, 2sc in next st, (sc in next 4sts, 2sc in next st) 6times, sc in last 2st.	42	
7.	5XV(*7)	(sc in next 5sts, 2sc in next st) around.	49	
8.	3XV,6XV(*6),3X	Sc in first 3sts, 2sc in next st, (sc in next 6sts, 2sc in next st) 6times, sc in last 3sts.	56	
9.	7XV(*7)	(sc in next 7sts, 2sc in next st) around.	63	
10.	63X	Sc in each st around.	63	Sl st in next st. Fasten off. Leave yarn tail approx 50cm for sewing. ** No stuff**

RED COLLAR

For 4PLY yarn. - Hold 8 yarn together; CH 45

For Worsted weight yarn - Hold 4 yarn together; CH 45

* leave approx.10cm yarn tail on both starting side & ending side for a bunch.*

* Alternatively, red ribbon can be used. *

EYE and LIP

With 4ply yarn (2yarn hold together), or single worsted weight yarn.

Eye (Make 2) - CH10

Lip (Make 1) - CH50

* leave approx.10cm yarn tail on both starting side & ending side for sewing purpose. *

ASSEMBLY





1. Opening secure, , sew the last rnd of ear together.



2. Finished



3. Sew ears to head, using straight pins to keep ears in place. RND 40-

53



4. Sew both ears to head.




5.



6. Finished



7. Finished.



****Note**** Ears are sewed about 35sts apart.



8. Using straight pins to keep nose in place. RND 1 - 7



9. Sew. Stuff lightly before finish sewing last 3-4 sts.




10. Using straight pins to keep eyes in place. In between RND 33-34



11. Hide yarn tail (both side) inside its head.



12. Sew eye in place using multi-purpose cotton thread.



15. Body(stuff firmly)



13. Finished.



16. Put head onto body and mark sewing area with straight pins. Start sewing (around RND 32-50 of head)



****Note**** Eyes are sewed about 16sts apart



17. Continue sewing around. Add some more stuff to neck area before finish, this is to make sure that body and neck will be able to support the head's weight



14. Lip, do the same step as eye.




18. Join Arms and leg (please refer to join arm and leg instruction on page 17.

BLACK-BACK SPOT and tails are sewed on the last step.

**** When finished, tie the red collar to neck ****

JOIN ARM and LEG



- Using long tapestry needle and yarn, leaving long tail for secure.
- Insert the needle into the top inner side of the arm/leg (from point A) and trough the flat bottom (Where place at the outer arm/leg). Insert needle from the flat bottom back trough arm/leg, trough body, trough inner of the other arm/leg, trough flat bottom and back to point B
- Take 2 yarn end (A & B) and knot them together, fasten off.
- Use a needle weaving yarn tail in and out of body and secure with small stitches if needed.

