



Fiesta Owl Pants & Ruffled Bloomers



PATTERN *By ira Rott*



CONTENTS:

Materials, Hook, Gauge	1
Abbreviations	2
Special stitches	2-3
Pom-Poms	4
Finished measurements	5
Diagram key	5
Pants, 0-1 mo	6-7
Pants, 1-3 mo	8
Pants, 3-6 mo	9
Pants, 6-12 mo	10
Pants, 12-18 mo	11
Pants, 18-24 mo	12
Owl Eyes & Beak	13
Finishing Pants	14
Bloomers	15-17
Ruffles	18-19
Finishing Bloomers	19
Copyright Information	20

MATERIALS:

- Red Heart Soft Touch Yarn:
100% acrylic;
5oz/140g 290yds/266m
Weight category: 4/ Worsted
Main color for Pants: need approx
1 (1, 1.5, 1.5, 2, 2) balls.
Main color for Bloomers: need
approx 1 ball for any size.
Additional colors: need small
amount to 0.5 ball of each color.

- Sewing needle with large eye.
- Wide and narrow ribbons.

HOOK:

- 3.75 mm (F)
- 5.5 mm (I)

SIZES:

SIZE	WAIST	LENGTH
0-1 mo	14-15 in / 35.5-38 cm	11.25 in / 28.5 cm
1-3 mo	15-16 in / 38-40.5 cm	12.5 in / 32 cm
3-6 mo	16-17 in / 40.5-43 cm	13.25 in / 33.5 cm
6-12 mo	17-17.5 in / 43-44.5 cm	14.5 in / 37 cm
12-18 mo	17.5-18 in / 44.5-46 cm	16 in / 40.5 cm
18-24 mo	18-19 in / 46-48 cm	17 in / 43 cm

GAUGE:


18 dc sts X 9 rows = 4 X 4 in
Working with hook 3.75 mm (F).
Please check your tension before
starting your work. Use any size of
hook to obtain the gauge.

ABBREVIATIONS: (US TERMS)

Ch	Chain
Sc	Single crochet
Dc	Double crochet
Hdc	Half double crochet
St (s)	Stitch(es)
Sp	Space
Sl st	Slip stitch
Tr	Treble (triple) crochet
Fpsc	Front post single crochet
Bpsc	Back post single crochet
Sc2(3)tog	Single crochet 2(3) together
Dc2tog	Double crochet 2 together
MC	Main color : Pants - 6768 - Pink Bloomers - 4616 - Lemon
WC	4600 - White
LC	3720 - Lavender
PC	6768 - Pink
YC	4616 - Lemon
RS	Right side (outside of the item)
WS	Wrong side (inside of the item)
Ea	Each
Beg	Beginning
Cont	Continue
Mo	Month(s)
Tog	Together
In / cm	Inch(es) / centimeter(s)
Approx	Approximately
Rep	Repeat
Yo	Yarn over hook
()	Parentheses are used in explanation or multiple size (row) instructions
[]	Work instructions within brackets as many times as directed

SPECIAL STITCHES:

• Back Stitch



• **Dc2tog** – [yo, insert hook in next st, yo and pull up loop, yo, draw through 2 loops] twice; yo, draw through all loops on hook (1 stitch decreased).


• **Sc2(3)tog** – [Insert hook in next stitch, yo and pull up loop] 2(3) times; yo and draw through all loops on hook (1(2) st(s) decreased).

• **Fpsc** - Insert hook from front to back to front around post of stitch below, yo and pull up loop, yo and pull yarn through both loops on hook.


• **Bpsc** - Insert hook from back to front to back around post of stitch below, yo and pull up loop, yo and pull yarn through both loops on hook.

JOINING DOUBLE CROCHET ROUNDS:



- Join rounds with sl st to the top of first st (first dc), not to the chain.




- Join with sl st



- Work ch 2 to beg next rnd, then dc in same st as your ch 2 (ch 2 does not count as dc but brings your position up to work next dc rnd)



- Cont work in ea st around as indicated in the pattern.



POM-POMS:

- Wrap yarn 60 times around 3 fingers.



- Carefully slide wrapped yarn off your fingers.
- Cut another long strand of yarn and fold it in half.



- Wrap long strand around the middle of your bundle, tie tightly with a double / triple knot.



- Cut the loops on both sides of Pom-Pom.



- Holding long strands from the center of Pom-Pom, trim it to a nice shape.



• Before trimming

• After trimming



FINISHED MEASUREMENTS:




DIAGRAM KEY:

×	Single crochet in back loop (sc)
○	Chain (ch)
●	Slip stitch (sl)
⌈	Double crochet (dc)
⌈⌈	Treble (triple) crochet (tr)
⌈⌈⌈	Half double crochet (hdc)

Size	Outseam	Inseam	Chevron ruffle	Relaxed waist	Stretched waist
Newborn 0-1 mo	11.25 in / 28.5 cm	5.5 in / 14 cm	2.25 in / 5.5 cm	13 in / 33 cm	17 in / 43 cm
Infant 1-3 mo	12.5 in / 32 cm	6.5 in / 16.5 cm	2.5 in / 6.5 cm	14 in / 35.5 cm	18 in / 45.5 cm
Infant 3-6 mo	13.25 in / 33.5 cm	7 in / 18 cm	2.75 in / 7 cm	14.5 in / 37 cm	19 in / 48 cm
Infant 6-12 mo	14.5 in / 37 cm	8 in / 20.5 cm	3 in / 7.5 cm	15 in / 38 cm	20 in / 50.5 cm
Toddler 12-18 mo	16 in / 40.5 cm	9.5 in / 24 cm	3.5 in / 9 cm	15.5 in / 39.5 cm	21 in / 53 cm
Toddler 18-24 mo	17 in / 43 cm	10.5 in / 26.5 cm	4.25 in / 10.5 cm	16 in / 40.5 cm	22 in / 55.5 cm

TIP:

The length of the pants can be altered by working extra rnd(s) / fewer rnd(s) of chevron ruffle or leg pattern before the ruffle. To extend bloomers length, just work extra rnd(s) of legs pattern. For the best fit, try the pants on.

PANTS, Size 0-1 mo:

Start with **MC** and work in rounds from waist down to hips.

To beg: using hook 5.5 mm (I) work ch 68, join ch with a sl st to form a ring, change hook to **3.75 mm (F)** and cont to work around ch (do not twist the chain!)

Rnd 1: ch 2 (do not count as dc); work 1 dc in ea ch around; join with sl st to top of beg st = 68 sts

Rnd 2-5: ch 2 (do not count as dc); work 1 dc in ea st around; join with sl st to top of beg st = 68 sts

Rnd 6: ch 2 (do not count as dc); work 2 dc in first st; dc in ea of next 32 sts; [2 dc in next st] **twice**; dc in ea of next 32 sts; 2 dc in last st; join with sl st to top of beg st = 72 sts

Rnd 7: ch 2 (do not count as dc); work 2 dc in first st; dc in ea of next 34 sts; [2 dc in next st] **twice**; dc in ea of next 34 sts; 2 dc in last st; join with sl st to top of beg st = 76 sts

Rnd 8: ch 2 (do not count as dc); work 2 dc in first st; dc in ea of next 36 sts; [2 dc in next st] **twice**; dc in ea of next 36 sts; 2 dc in last st; join with sl st to top of beg st = 80 sts

Rnd 9: ch 2 (do not count as dc); work 2 dc in first st; dc in ea of next 38 sts; [2 dc in next st] **twice**; dc in ea of next 38 sts; 2 dc in last st; join with sl st to top of beg st = 84 sts

Rnd 10: ch 2 (do not count as dc); work 2 dc in first st; dc in ea of next 40 sts; [2 dc in next st] **twice**; dc in ea of next 40 sts; 2 dc in last st; join with sl st to top of beg st = 88 sts


Rnd 11: ch 2 (do not count as dc); work 2 dc in first st; dc in ea of next 42 sts; [2 dc in next st] **twice**; dc in ea of next 42 sts; 2 dc in last st; join with sl st to top of beg st = 92 sts

Do not break yarn, mark next 46 sts for first leg (remaining 46 sts will be used for second leg). Join first and last sts of the first leg with sl st as shown in the following picture (1) and cont to work first leg using **MC**.



FIRST LEG (46 sts) :

Work with hook 3.75 mm (F) in rounds from hips down.



Rnd 1: ch 2 (do not count as dc); work 1 dc in ea of next 46 sts; join with sl st to top of beg st = 46 sts

Rnd 2-5: ch 2 (do not count as dc); work 1 dc in ea st around; join with sl st to top of beg st = 46 sts

Do not break yarn, cont to work chevron ruffle using **MC**, **YC** & **WC**; change colors in every rnd as you go.

Chevron ruffle:


Rnd 6: ch 2 (do not count as dc); [2 dc in ea of next 11 sts; 1 dc in next st] 2 times; [2 dc in ea of next 10 sts; 1 dc in next st] 2 times; join with sl st to top of beg st = 88 sts

CHANGE HOOK to 5.5 mm (I) and cont to work next rnds.

Rnd 7-13: ch 1; first sc2tog; sc in ea of next 2 sts; 3 sc in next st; sc in ea of next 2 sts; [sc3tog; sc in ea of next 2 sts; 3 sc in next st; sc in ea of next 2 sts] 10 times; skip last st; join with sl st to beg ch = 88 sts. Fasten off.

SECOND LEG (46 sts) :

Join **MC** in first st of second leg. Then join first and last sts of the leg with sl st using hook 3.75 mm (F). Cont to work second leg and chevron ruffle in the same manner as first one.



RIBBED WAIST EDGE:

Join **MC** into beg st of waist edge. Work in rounds using hook 3.75 mm (F).

Rnd 1: ch 1; work sc in ea st around; join with sl st to beg ch = 68 sts

Rnd 2-6: ch 1; [bpsc in ea of next 2 sts; fpssc in ea of next 2 sts] 17 times ; join with sl st to beg ch = 68 sts. Fasten off, weave in all the ends.

BELT:

Start with **WC** and hook 5.5 mm (I).

To beg: ch 130. Change to **YC**, break **WC** and work next row. NOTE: You can alter the belt length by adding or decreasing chs.

Row 1: ch 1, work sl st in ea ch across = 130 sts
Fasten off & weave in the ends.

- Pull the belt through the sts around the waist.



- Make 2 Pom-Poms (p. 4) and attach them to each side of the belt.



SAFETY NOTE:

The belt is not necessary for this item but can be added as an option. Babies or small children should not be left alone with any hand-made items that have long ties or a belt. These items must to be worn with adult supervision.

PANTS, Size 1-3 mo:

Start with **MC** and work in rounds from waist down to hips.

To beg: using hook 5.5 mm (I) work ch 76, join ch with a sl st to form a ring, change hook to **3.75 mm (F)** and cont to work around ch (do not twist the chain!)

Rnd 1: ch 2 (do not count as dc); work 1 dc in ea ch around; join with sl st to top of beg st = 76 sts

Rnd 2-7: ch 2 (do not count as dc); work 1 dc in ea st around; join with sl st to top of beg st = 76 sts

Rnd 8: ch 2 (do not count as dc); work 2 dc in first st; dc in ea of next 36 sts; [2 dc in next st] **twice**; dc in ea of next 36 sts; 2 dc in last st; join with sl st to top of beg st = 80 sts

Rnd 9: ch 2 (do not count as dc); work 2 dc in first st; dc in ea of next 38 sts; [2 dc in next st] **twice**; dc in ea of next 38 sts; 2 dc in last st; join with sl st to top of beg st = 84 sts

Rnd 10: ch 2 (do not count as dc); work 2 dc in first st; dc in ea of next 40 sts; [2 dc in next st] **twice**; dc in ea of next 40 sts; 2 dc in last st; join with sl st to top of beg st = 88 sts

Rnd 11: ch 2 (do not count as dc); work 2 dc in first st; dc in ea of next 42 sts; [2 dc in next st] **twice**; dc in ea of next 42 sts; 2 dc in last st; join with sl st to top of beg st = 92 sts

Rnd 12: ch 2 (do not count as dc); work 2 dc in first st; dc in ea of next 44 sts; [2 dc in next st] **twice**; dc in ea of next 44 sts; 2 dc in last st; join with sl st to top of beg st = 96 sts

Do not break yarn, mark next 48 sts for first leg (remaining 48 sts will be used for second leg).

Join first and last sts of the first leg with sl st (image 1, page 6). Cont to work first leg using **MC**.

FIRST LEG (48 sts) :

Work with hook 3.75 mm (F) in rounds from hips down (image 2, page 6).

Rnd 1: ch 2 (do not count as dc); work 1 dc in ea of next 48 sts; join with sl st to top of beg st = 48 sts

Rnd 2-6: ch 2 (do not count as dc); work 1 dc in ea st around; join with sl st to top of beg st = 48 sts. Do not break yarn, cont to work chevron ruffle using **MC**, **YC** & **WC**; change colors in every rnd as you go.

Chevron ruffle:

Rnd 7: ch 2 (do not count as dc); work 2 dc in ea st around; join with sl st to top of beg st = 96 sts. **CHANGE HOOK** to 5.5 mm (I) and cont to work next rnds.

Rnd 8-15: ch 1; first sc2tog; sc in ea of next 2 sts; 3 sc in next st; sc in ea of next 2 sts; [sc3tog; sc in ea of next 2 sts; 3 sc in next st; sc in ea of next 2 sts] 11 times; skip last st; join with sl st to beg ch = 96 sts. Fasten off.

SECOND LEG (48 sts) :

Join **MC** in first st of second leg. Then join first and last sts of the leg with sl st using hook 3.75 mm (F) (image 3, p. 7). Cont to work second leg and chevron ruffle in the same manner as first one.

RIBBED WAIST EDGE:

Join **MC** into beg st of waist edge. Work in rounds using hook 3.75 mm (F).

Rnd 1: ch 1; work sc in ea st around; join with sl st to beg ch = 76 sts

Rnd 2-6: ch 1; [bp sc in ea of next 2 sts; fp sc in ea of next 2 sts] 19 times ; join with sl st to beg ch = 76 sts. Fasten off, weave in all the ends.

BELT: Work same as for 0-1 mo, but beg with ch 135 (p. 7). Please also read SAFETY NOTE on p. 7.

PANTS, Size 3-6 mo:

Start with **MC** and work in rounds from waist down to hips.

To beg: using hook 5.5 mm (I) work ch 80, join ch with a sl st to form a ring, change hook to **3.75 mm (F)** and cont to work around ch (do not twist the chain!)

Rnd 1: ch 2 (do not count as dc); work 1 dc in ea ch around; join with sl st to top of beg st = 80 sts

Rnd 2-8: ch 2 (do not count as dc); work 1 dc in ea st around; join with sl st to top of beg st = 80 sts

Rnd 9: ch 2 (do not count as dc); work 2 dc in first st; dc in ea of next 38 sts; [2 dc in next st] **twice**; dc in ea of next 38 sts; 2 dc in last st; join with sl st to top of beg st = 84 sts

Rnd 10: ch 2 (do not count as dc); work 2 dc in first st; dc in ea of next 40 sts; [2 dc in next st] **twice**; dc in ea of next 40 sts; 2 dc in last st; join with sl st to top of beg st = 88 sts

Rnd 11: ch 2 (do not count as dc); work 2 dc in first st; dc in ea of next 42 sts; [2 dc in next st] **twice**; dc in ea of next 42 sts; 2 dc in last st; join with sl st to top of beg st = 92 sts

Rnd 12: ch 2 (do not count as dc); work 2 dc in first st; dc in ea of next 44 sts; [2 dc in next st] **twice**; dc in ea of next 44 sts; 2 dc in last st; join with sl st to top of beg st = 96 sts

Rnd 13: ch 2 (do not count as dc); work 2 dc in first st; dc in ea of next 46 sts; [2 dc in next st] **twice**; dc in ea of next 46 sts; 2 dc in last st; join with sl st to top of beg st = 100 sts

Do not break yarn, mark next 50 sts for first leg (remaining 50 sts will be used for second leg). Join first and last sts of the first leg with sl st (image 1, page 6). Cont to work first leg using **MC**.

FIRST LEG (50 sts) :

Work with hook 3.75 mm (F) in rounds from hips down (image 2, page 6).

Rnd 1: ch 2 (do not count as dc); work 1 dc in ea of next 50 sts; join with sl st to top of beg st = 50 sts

Rnd 2-6: ch 2 (do not count as dc); work 1 dc in ea st around; join with sl st to top of beg st = 50 sts. Do not break yarn, cont to work chevron ruffle using **MC**, **YC** & **WC**; change colors in every rnd as you go.

Chevron ruffle:

Rnd 7: ch 2 (do not count as dc); [2 dc in ea of next 12 sts; dc in next st] 2 times; [2 dc in ea of next 11 sts; dc in next st] 2 times; join with sl st to top of beg st = 96 sts.

CHANGE HOOK to 5.5 mm (I) and cont to work next rnds.

Rnd 8-17: ch 1; first sc2tog; sc in ea of next 2 sts; 3 sc in next st; sc in ea of next 2 sts; [sc3tog; sc in ea of next 2 sts; 3 sc in next st; sc in ea of next 2 sts] 11 times; skip last st; join with sl st to beg ch = 96 sts. Fasten off.

SECOND LEG (50 sts) :

Join **MC** in first st of second leg. Then join first and last sts of the leg with sl st using hook 3.75 mm (F) (image 3, p. 7). Cont to work second leg and chevron ruffle in the same manner as first one.

RIBBED WAIST EDGE:

Join **MC** into beg st of waist edge. Work in rounds using hook 3.75 mm (F).

Rnd 1: ch 1; work sc in ea st around; join with sl st to beg ch = 80 sts

Rnd 2-6: ch 1; [bpsc in ea of next 2 sts; fpssc in ea of next 2 sts] 20 times; join with sl st to beg ch = 80 sts. Fasten off, weave in all the ends.

BELT: Work same as for 0-1 mo, but beg with ch 140 (p. 7). Please also read SAFETY NOTE on p. 7.

PANTS, Size 6-12 mo:

Start with **MC** and work in rounds from waist down to hips.

To beg: using hook 5.5 mm (I) work ch 84, join ch with a sl st to form a ring, change hook to **3.75 mm (F)** and cont to work around ch (do not twist the chain!)

Rnd 1: ch 2 (do not count as dc); work 1 dc in ea ch around; join with sl st to top of beg st = 84 sts

Rnd 2-9: ch 2 (do not count as dc); work 1 dc in ea st around; join with sl st to top of beg st = 84 sts

Rnd 10: ch 2 (do not count as dc); work 2 dc in first st; dc in ea of next 40 sts; [2 dc in next st] **twice**; dc in ea of next 40 sts; 2 dc in last st; join with sl st to top of beg st = 88 sts

Rnd 11: ch 2 (do not count as dc); work 2 dc in first st; dc in ea of next 42 sts; [2 dc in next st] **twice**; dc in ea of next 42 sts; 2 dc in last st; join with sl st to top of beg st = 92 sts

Rnd 12: ch 2 (do not count as dc); work 2 dc in first st; dc in ea of next 44 sts; [2 dc in next st] **twice**; dc in ea of next 44 sts; 2 dc in last st; join with sl st to top of beg st = 96 sts

Rnd 13: ch 2 (do not count as dc); work 2 dc in first st; dc in ea of next 46 sts; [2 dc in next st] **twice**; dc in ea of next 46 sts; 2 dc in last st; join with sl st to top of beg st = 100 sts

Rnd 14: ch 2 (do not count as dc); work 2 dc in first st; dc in ea of next 48 sts; [2 dc in next st] **twice**; dc in ea of next 48 sts; 2 dc in last st; join with sl st to top of beg st = 104 sts

Do not break yarn, mark next 52 sts for first leg (remaining 52 sts will be used for second leg). Join first and last sts of the first leg with sl st (image 1, page 6). Cont to work first leg using **MC**.

FIRST LEG (52 sts) :

Work with hook 3.75 mm (F) in rounds from hips down (image 2, page 6).

Rnd 1: ch 2 (do not count as dc); work 1 dc in ea of next 52 sts; join with sl st to top of beg st = 52 sts

Rnd 2-7: ch 2 (do not count as dc); work 1 dc in ea st around; join with sl st to top of beg st = 52 sts. Do not break yarn, cont to work chevron ruffle using **MC**, **YC** & **WC**; change colors in every rnd as you go.

Chevron ruffle:

Rnd 8: ch 2 (do not count as dc); work 2 dc in ea st around; join with sl st to top of beg st = 104 sts. **CHANGE HOOK** to 5.5 mm (I) and cont to work next rnds.

Rnd 9-19: ch 1; first sc2tog; sc in ea of next 2 sts; 3 sc in next st; sc in ea of next 2 sts; [sc3tog; sc in ea of next 2 sts; 3 sc in next st; sc in ea of next 2 sts] 12 times; skip last st; join with sl st to beg ch = 104 sts. Fasten off.

SECOND LEG (52 sts) :

Join **MC** in first st of second leg. Then join first and last sts of the leg with sl st using hook 3.75 mm (F) (image 3, p. 7). Cont to work second leg and chevron ruffle in the same manner as first one.

RIBBED WAIST EDGE:

Join **MC** into beg st of waist edge. Work in rounds using hook 3.75 mm (F).

Rnd 1: ch 1; work sc in ea st around; join with sl st to beg ch = 84 sts

Rnd 2-6: ch 1; [bpsc in ea of next 2 sts; fpssc in ea of next 2 sts] 21 times; join with sl st to beg ch = 84 sts. Fasten off, weave in all the ends.

BELT: Work same as for 0-1 mo, but beg with ch 145 (p. 7). Please also read SAFETY NOTE on p. 7.

PANTS, Size 12-18 mo:

Start with **MC** and work in rounds from waist down to hips.

To beg: using hook 5.5 mm (I) work ch 88, join ch with a sl st to form a ring, change hook to **3.75 mm (F)** and cont to work around ch (do not twist the chain!)

Rnd 1: ch 2 (do not count as dc); work 1 dc in ea ch around; join with sl st to top of beg st = 88 sts

Rnd 2-10: ch 2 (do not count as dc); work 1 dc in ea st around; join with sl st to top of beg st = 88 sts

Rnd 11: ch 2 (do not count as dc); work 2 dc in first st; dc in ea of next 42 sts; [2 dc in next st] **twice**; dc in ea of next 42 sts; 2 dc in last st; join with sl st to top of beg st = 92 sts

Rnd 12: ch 2 (do not count as dc); work 2 dc in first st; dc in ea of next 44 sts; [2 dc in next st] **twice**; dc in ea of next 44 sts; 2 dc in last st; join with sl st to top of beg st = 96 sts

Rnd 13: ch 2 (do not count as dc); work 2 dc in first st; dc in ea of next 46 sts; [2 dc in next st] **twice**; dc in ea of next 46 sts; 2 dc in last st; join with sl st to top of beg st = 100 sts

Rnd 14: ch 2 (do not count as dc); work 2 dc in first st; dc in ea of next 48 sts; [2 dc in next st] **twice**; dc in ea of next 48 sts; 2 dc in last st; join with sl st to top of beg st = 104 sts

Rnd 15: ch 2 (do not count as dc); work 2 dc in first st; dc in ea of next 50 sts; [2 dc in next st] **twice**; dc in ea of next 50 sts; 2 dc in last st; join with sl st to top of beg st = 108 sts

Do not break yarn, mark next 54 sts for first leg (remaining 54 sts will be used for second leg). Join first and last sts of the first leg with sl st (image 1, page 6). Cont to work first leg using **MC**.

FIRST LEG (54 sts) :

Work with hook 3.75 mm (F) in rounds from hips down (image 2, page 6).

Rnd 1: ch 2 (do not count as dc); work 1 dc in ea of next 54 sts; join with sl st to top of beg st = 54 sts

Rnd 2-8: ch 2 (do not count as dc); work 1 dc in ea st around; join with sl st to top of beg st = 54 sts. Do not break yarn, cont to work chevron ruffle using **MC**, **YC** & **WC**; change colors in every rnd as you go.

Chevron ruffle:

Rnd 9: ch 2 (do not count as dc); [2 dc in ea of next 13 sts; dc in next st] 2 times; [2 dc in ea of next 12 sts; dc in next st] 2 times; join with sl st to top of beg st = 104 sts.

CHANGE HOOK to 5.5 mm (I) and cont to work next rnds.

Rnd 10-22: ch 1; first sc2tog; sc in ea of next 2 sts; 3 sc in next st; sc in ea of next 2 sts; [sc3tog; sc in ea of next 2 sts; 3 sc in next st; sc in ea of next 2 sts] 12 times; skip last st; join with sl st to beg ch = 104 sts. Fasten off.

SECOND LEG (54 sts) :

Join **MC** in first st of second leg. Then join first and last sts of the leg with sl st using hook 3.75 mm (F) (image 3, p. 7). Cont to work second leg and chevron ruffle in the same manner as first one.

RIBBED WAIST EDGE:

Join **MC** into beg st of waist edge. Work in rounds using hook 3.75 mm (F).

Rnd 1: ch 1; work sc in ea st around; join with sl st to beg ch = 88 sts

Rnd 2-6: ch 1; [bpssc in ea of next 2 sts; fpssc in ea of next 2 sts] 22 times ; join with sl st to beg ch = 88 sts. Fasten off, weave in all the ends.

BELT: Work same as for 0-1 mo, but beg with ch 150 (p. 7). Please also read SAFETY NOTE on p. 7.

PANTS, Size 18-24 mo:

Start with **MC** and work in rounds from waist down to hips.

To beg: using hook 5.5 mm (I) work ch 92, join ch with a sl st to form a ring, change hook to **3.75 mm (F)** and cont to work around ch (do not twist the chain!)

Rnd 1: ch 2 (do not count as dc); work 1 dc in ea ch around; join with sl st to top of beg st = 92 sts

Rnd 2-10: ch 2 (do not count as dc); work 1 dc in ea st around; join with sl st to top of beg st = 92 sts

Rnd 11: ch 2 (do not count as dc); work 2 dc in first st; dc in ea of next 44 sts; [2 dc in next st] **twice**; dc in ea of next 44 sts; 2 dc in last st; join with sl st to top of beg st = 96 sts

Rnd 12: ch 2 (do not count as dc); work 2 dc in first st; dc in ea of next 46 sts; [2 dc in next st] **twice**; dc in ea of next 46 sts; 2 dc in last st; join with sl st to top of beg st = 100 sts

Rnd 13: ch 2 (do not count as dc); work 2 dc in first st; dc in ea of next 48 sts; [2 dc in next st] **twice**; dc in ea of next 48 sts; 2 dc in last st; join with sl st to top of beg st = 104 sts

Rnd 14: ch 2 (do not count as dc); work 2 dc in first st; dc in ea of next 50 sts; [2 dc in next st] **twice**; dc in ea of next 50 sts; 2 dc in last st; join with sl st to top of beg st = 108 sts

Rnd 15: ch 2 (do not count as dc); work 2 dc in first st; dc in ea of next 52 sts; [2 dc in next st] **twice**; dc in ea of next 52 sts; 2 dc in last st; join with sl st to top of beg st = 112 sts

Do not break yarn, mark next 56 sts for first leg (remaining 56 sts will be used for second leg).

Join first and last sts of the first leg with sl st (image 1, page 6). Cont to work first leg using **MC**.

FIRST LEG (56 sts) :

Work with hook 3.75 mm (F) in rounds from hips down (image 2 on page 6).

Rnd 1: ch 2 (do not count as dc); work 1 dc in ea of next 56 sts; join with sl st to top of beg st = 56 sts

Rnd 2-10: ch 2 (do not count as dc); work 1 dc in ea st around; join with sl st to top of beg st = 56 sts. Do not break yarn, cont to work chevron ruffle using **MC**, **YC** & **WC**; change colors in every rnd as you go.

Chevron ruffle:

Rnd 11: ch 2 (do not count as dc); work 2 dc in ea st around; join with sl st to top of beg st = 112 sts. **CHANGE HOOK** to 5.5 mm (I) and cont to work next rnds.

Rnd 12-26: ch 1; first sc2tog; sc in ea of next 2 sts; 3 sc in next st; sc in ea of next 2 sts; [sc3tog; sc in ea of next 2 sts; 3 sc in next st; sc in ea of next 2 sts] 13 times; skip last st; join with sl st to beg ch = 112 sts. Fasten off.

SECOND LEG (56 sts) :

Join **MC** in first st of second leg. Then join first and last sts of the leg with sl st using hook 3.75 mm (F) (image 3, p. 7). Cont to work second leg and chevron ruffle in the same manner as first one.

RIBBED WAIST EDGE:

Join **MC** into beg st of waist edge. Work in rounds using hook 3.75 mm (F).

Rnd 1: ch 1; work sc in ea st around; join with sl st to beg ch = 92 sts

Rnd 2-6: ch 1; [bpsc in ea of next 2 sts; fpssc in ea of next 2 sts] 23 times; join with sl st to beg ch = 92 sts. Fasten off, weave in all the ends.

BELT: Work same as for 0-1 mo, but beg with ch 160 (p. 7). Please also read SAFETY NOTE on p. 7.

OWL EYES: (Make 2)

Work in rounds with hook 3.75 mm (F).
(Diagram 1)

Start with LC

To begin: ch 3; join ch with a sl st to form a ring
(or start with a magic loop)

Rnd 1: ch 2 (do not count as hdc) ; work 11 hdc into ring; join with sl st to top of beg st
= 11 sts

Join WC, Break LC; cont to work next rnd:

Rnd 2: ch 2 (do not count as hdc); work 2 hdc in ea st around; join with sl st to top of beg st
= 22 sts

Join MC, Break WC; cont to work next rnd:


Rnd 3: ch 2 (do not count as hdc); work 3 hdc in same sp; * work 3 hdc in next sp between 2 hdc sts of previous rnd; rep from * around; join with sl st to top of beg st = 33 sts

Join YC, Break MC; cont to work next rnd:

Rnd 4: ch 1; work sc in ea st around; join with sl st to beg ch = 33 sts

Do not break yarn, work (ch 4, 2 tr, ch 4, sl st) in same st; sl st in next st; (ch 4, 2 tr, ch 4, sl st) in same st. Fasten off, leaving a long tail for sewing. Stitch a twinkle with WC.

DIAGRAM 1



OWL BEAK: (Make 1)


Work with LC and hook 3.75 mm (F).
(Diagram 1)

To beg: ch 6 (last ch counts as turning ch)

Row 1: work sc in second ch from hook; hdc in next ch; dc in next ch; tr in ea of last 2 chs
= 5 sts

Fasten off, leaving a long tail for sewing. Weave in loose end from the beg.

DIAGRAM 2



FINISHING PANTS:

- Mark center of the back and sew the beak with back stitch.



- Sew eyes with back stitch as shown below, slightly covering edges of the beak and placing them very close to the center on the back.



- Using wide ribbon, create 2 bows by tying them around the center with a narrow ribbon.



- Using crochet hook, pull narrow ribbons through the sts around legs, just above chevron ruffles. Tie 2 ends of narrow ribbons with a double knot and then attach bows.



BLOOMERS, Size 0-1 mo:

Work with **MC** and hook 3.75 mm (F) in rounds, following pants pattern on page 6 (rnd 1 to 11).

Do not break yarn after rnd 11, mark next 46 sts for first leg (remaining 46 sts will be used for second leg). Join first and last sts of the first leg with sl st (image 1, page 6). Cont to work first leg using **MC**.

FIRST LEG (46 sts) :

Work with hook 3.75 mm (F) in rounds from hips down.

Rnd 1: ch 2 (do not count as dc); work 1 dc in ea of next 46 sts; join with sl st to top of beg st = 46 sts

Rnd 2: ch 1; [sc in ea of next 21 sts; next sc2tog] twice; join with sl st to beg ch = 44 sts

Rnd 3-6: ch 1; [bpssc in ea of next 2 sts; fpssc in ea of next 2 sts] 11 times ; join with sl st to beg ch = 44 sts. Fasten off, weave in all the ends.

SECOND LEG (46 sts) :

Join **MC** in first st of second leg. Then join first and last sts of the leg with sl st (image 3, p. 7). Cont to work second leg in the same manner as first one.

RIBBED WAIST EDGE:

Join **MC** into beg st of waist edge. Work in rounds using hook 3.75 mm (F).

Rnd 1: ch 1; work sc in ea st around; join with sl st to beg ch = 68 sts

Rnd 2-6: ch 1; [bpssc in ea of next 2 sts; fpssc in ea of next 2 sts] 17 times ; join with sl st to beg ch = 68 sts. Fasten off, weave in all the ends.

BELT: Work same as for pants 0-1 mo (p. 7). Please read SAFETY NOTE on page 7.

BLOOMERS, Size 1-3 mo:

Work with **MC** and hook 3.75 mm (F) in rounds, following pants pattern on page 8 (rnd 1 to 12).

Do not break yarn after rnd 12, mark next 48 sts for first leg (remaining 48 sts will be used for second leg). Join first and last sts of the first leg with sl st (image 1, page 6). Cont to work first leg using **MC**.

FIRST LEG (48 sts) :

Work with hook 3.75 mm (F) in rounds from hips down.

Rnd 1: ch 2 (do not count as dc); work 1 dc in ea of next 48 sts; join with sl st to top of beg st = 48 sts

Rnd 2: ch 1; work sc in ea st around; join with sl st to beg ch = 48 sts

Rnd 3-6: ch 1; [bpssc in ea of next 2 sts; fpssc in ea of next 2 sts] 12 times ; join with sl st to beg ch = 48 sts. Fasten off, weave in all the ends.

SECOND LEG (48 sts) :

Join **MC** in first st of second leg. Then join first and last sts of the leg with sl st (image 3, p. 7). Cont to work second leg in the same manner as first one.

RIBBED WAIST EDGE:

Join **MC** into beg st of waist edge. Work in rounds using hook 3.75 mm (F).

Rnd 1: ch 1; work sc in ea st around; join with sl st to beg ch = 76 sts

Rnd 2-6: ch 1; [bpssc in ea of next 2 sts; fpssc in ea of next 2 sts] 19 times ; join with sl st to beg ch = 76 sts. Fasten off, weave in all the ends.

BELT: Work same as for pants 0-1 mo but beg with ch 135 (p. 7). Please read SAFETY NOTE on page 7.

BLOOMERS, Size 3-6 mo:

Work with **MC** and hook 3.75 mm (F) in rounds, following pants pattern on page 9 (rnd 1 to 13).

Do not break yarn after rnd 13, mark next 50 sts for first leg (remaining 50 sts will be used for second leg). Join first and last sts of the first leg with sl st (image 1, page 6). Cont to work first leg using **MC**.

FIRST LEG (50 sts) :

Work with hook 3.75 mm (F) in rounds from hips down.

Rnd 1: ch 2 (do not count as dc); work 1 dc in ea of next 50 sts; join with sl st to top of beg st = 50 sts

Rnd 2: ch 1; [sc in ea of next 23 sts; next sc2tog] twice; join with sl st to beg ch = 48 sts

Rnd 3-6: ch 1; [bpssc in ea of next 2 sts; fpssc in ea of next 2 sts] 12 times ; join with sl st to beg ch = 48 sts. Fasten off, weave in all the ends.

SECOND LEG (50 sts) :

Join **MC** in first st of second leg. Then join first and last sts of the leg with sl st (image 3, p. 7). Cont to work second leg in the same manner as first one.

RIBBED WAIST EDGE:

Join **MC** into beg st of waist edge. Work in rounds using hook 3.75 mm (F).

Rnd 1: ch 1; work sc in ea st around; join with sl st to beg ch = 80 sts

Rnd 2-6: ch 1; [bpssc in ea of next 2 sts; fpssc in ea of next 2 sts] 20 times ; join with sl st to beg ch = 80 sts. Fasten off, weave in all the ends.

BELT: Work same as for pants 0-1 mo but beg with ch 140 (p. 7). Please read SAFETY NOTE on page 7.

BLOOMERS, Size 6-12 mo:

Work with **MC** and hook 3.75 mm (F) in rounds, following pants pattern on page 10 (rnd 1 to 14).

Do not break yarn after rnd 14, mark next 52 sts for first leg (remaining 52 sts will be used for second leg). Join first and last sts of the first leg with sl st (image 1, page 6). Cont to work first leg using **MC**.

FIRST LEG (52 sts) :

Work with hook 3.75 mm (F) in rounds from hips down.

Rnd 1: ch 2 (do not count as dc); work 1 dc in ea of next 52 sts; join with sl st to top of beg st = 52 sts

Rnd 2: ch 1; work sc in ea st around; join with sl st to beg ch = 52 sts

Rnd 3-6: ch 1; [bpssc in ea of next 2 sts; fpssc in ea of next 2 sts] 13 times ; join with sl st to beg ch = 52 sts. Fasten off, weave in all the ends.

SECOND LEG (52 sts) :

Join **MC** in first st of second leg. Then join first and last sts of the leg with sl st (image 3, p. 7). Cont to work second leg in the same manner as first one.

RIBBED WAIST EDGE:

Join **MC** into beg st of waist edge. Work in rounds using hook 3.75 mm (F).

Rnd 1: ch 1; work sc in ea st around; join with sl st to beg ch = 84 sts

Rnd 2-6: ch 1; [bpssc in ea of next 2 sts; fpssc in ea of next 2 sts] 21 times ; join with sl st to beg ch = 84 sts. Fasten off, weave in all the ends.

BELT: Work same as for pants 0-1 mo but beg with ch 145 (p. 7). Please read SAFETY NOTE on page 7.

BLOOMERS, Size 12-18mo:

Work with **MC** and hook 3.75 mm (F) in rounds, following pants pattern on page 11 (rnd 1 to 15).

Do not break yarn after rnd 15, mark next 54 sts for first leg (remaining 54 sts will be used for second leg). Join first and last sts of the first leg with sl st (image 1, page 6). Cont to work first leg using **MC**.

FIRST LEG (54 sts) :

Work with hook 3.75 mm (F) in rounds from hips down.

Rnd 1: ch 2 (do not count as dc); work 1 dc in ea of next 54 sts; join with sl st to top of beg st = 54 sts

Rnd 2: ch 1; [sc in ea of next 25 sts; next sc2tog] twice; join with sl st to beg ch = 52 sts

Rnd 3-6: ch 1; [bpssc in ea of next 2 sts; fpssc in ea of next 2 sts] 13 times ; join with sl st to beg ch = 52 sts. Fasten off, weave in all the ends.

SECOND LEG (54 sts) :

Join **MC** in first st of second leg. Then join first and last sts of the leg with sl st (image 3, p. 7). Cont to work second leg in the same manner as first one.

RIBBED WAIST EDGE:

Join **MC** into beg st of waist edge. Work in rounds using hook 3.75 mm (F).

Rnd 1: ch 1; work sc in ea st around; join with sl st to beg ch = 88 sts

Rnd 2-6: ch 1; [bpssc in ea of next 2 sts; fpssc in ea of next 2 sts] 22 times ; join with sl st to beg ch = 88 sts. Fasten off, weave in all the ends.

BELT: Work same as for pants 0-1 mo but beg with ch 150 (p.7). Please read SAFETY NOTE on page 7.

BLOOMERS, Size 18-24mo:

Work with **MC** and hook 3.75 mm (F) in rounds, following pants pattern on page 12 (rnd 1 to 15).

Do not break yarn after rnd 15, mark next 56 sts for first leg (remaining 56 sts will be used for second leg). Join first and last sts of the first leg with sl st (image 1, page 6). Cont to work first leg using **MC**.

FIRST LEG (56 sts) :

Work with hook 3.75 mm (F) in rounds from hips down.

Rnd 1: ch 2 (do not count as dc); work 1 dc in ea of next 56 sts; join with sl st to top of beg st = 56 sts

Rnd 2: ch 1; work sc in ea st around; join with sl st to beg ch = 56 sts

Rnd 3-6: ch 1; [bpssc in ea of next 2 sts; fpssc in ea of next 2 sts] 14 times ; join with sl st to beg ch = 56 sts. Fasten off, weave in all the ends.

SECOND LEG (56 sts) :

Join **MC** in first st of second leg. Then join first and last sts of the leg with sl st (image 3, p. 7). Cont to work second leg in the same manner as first one.

RIBBED WAIST EDGE:

Join **MC** into beg st of waist edge. Work in rounds using hook 3.75 mm (F).

Rnd 1: ch 1; work sc in ea st around; join with sl st to beg ch = 92 sts

Rnd 2-6: ch 1; [bpssc in ea of next 2 sts; fpssc in ea of next 2 sts] 23 times ; join with sl st to beg ch = 92 sts. Fasten off, weave in all the ends.

BELT: Work same as for pants 0-1 mo but beg with ch 160 (p. 7). Please read SAFETY NOTE on page 7.

RUFFLES:

For sizes 0-1 mo (1-3 mo, 3-6 mo, 6-12 mo, 12-18 mo, 18-24 mo). Work with hook 3.75 mm (F).

- Mark 2 or 3 rows at the back of bloomers where you want to place your ruffles, skipping 1 rnd between ruffle rows.



- For ea ruffle row mark 35 (39, 41, 43, 45, 47) sts
- Flip the bloomers upside down and hold the waist edge facing you; join **PC** at the very first marked st of first ruffle row. Work ruffle rows as follows:



- Row 1:** [ch 5; skip next st; sc around the post of next dc st] 17 (19, 20, 21, 22, 23) times; turn = 17 (19, 20, 21, 22, 23) ch 5 sps
- Row 2:** [7 dc in next ch 5 sp; sl st in next sc] 17 (19, 20, 21, 22, 23) times; turn = 17 (19, 20, 21, 22, 23) shells



- Join **WC**, break **PC** and cont to work next row.

FINISHING BLOOMERS:

Row 3: [sc in ea of next 7 dc; skip sl st] 17 (19, 20, 21, 22, 23) times; sl st in last st = 119 (133, 140, 147, 154, 161) sc sts
Fasten off, weave in all the ends.



- Skip 1 rnd from the first ruffle, join yarn and work in the same manner as first ruffle.



- Skip 1 rnd from second ruffle and work third ruffle in the same manner (optional).



- Using wide ribbon, create a bow by tying it around the center with a narrow ribbon.





COPYRIGHT INFORMATION:

- All images are copyrighted and all rights to this pattern are owned by Ira Rott.
- Do not copy, share, resell, or forward this pattern to anyone. No part of this work may be reproduced, transmitted or published in any form or by any means without prior written permission from Ira Rott. **Unauthorized distribution or duplication is a violation of applicable laws.**
- This material cannot be used for any type of mass production / manufacturing!
- You can sell your finished item on limited bases, with reference to designer's pattern in your listing. Example: Pattern designed by www.IraRott.com
- You **MUST** take your own pictures to represent your work. Use of any photo or link to a photo for commercial purposes that belongs to IraRott Inc. is strictly prohibited!